| BNPM/OTE/582/202 | BANK NOTE PAPER MILL INDIA PRIVATE LIMITED                                | Cover Sheet  |
|------------------|---|--------------|
| <u>4-25</u>      | CORRIGENDUM No. 1   | SHEET 1 OF 7 |
|                  | Supply of Helicoil Inserts & Thread Repairing Kits at BNPM, <u>Mysore</u> |              |



## CORRIGENDUM No. 1- DATED 07.04.2025

## **FOR**

## **TENDER No.**

## BNPM/OTE/582/2024-25 dated 24.03.2025

| PURCHASER | : | BANK NOTE PAPER MILL INDIA PRIVATE LIMITED                         |
|-----------|---|--|
| MATERIAL  | : | SUPPLY OF HELICOIL INSERTS & THREAD REPAIRING KITS AT BNPM, MYSORE |
| LOCATION  | : | BNPM PLANT, MYSURU, KARNATAKA                                      |

| BNPM/OTE/582/202 | BANK NOTE PAPER MILL INDIA PRIVATE LIMITED                                | Cover Sheet  |
|------------------|---|--------------|
| 4-25             | CORRIGENDUM No. 1   | SHEET 2 OF 7 |
|                  | Supply of Helicoil Inserts & Thread Repairing Kits at BNPM, <u>Mysore</u> |              |

### 1.0 SCOPE OF THIS CORRIGENDUM

- 1.1 This corrigendum dated 07.04.2025, is issued for,
  - (a) The tender due date extension for submission of tender floated on 24.03.2025.
  - (b) Acceptance of techno-commercial & price bid through offline mode (Sealed bid).
- 1.2 Except for details mentioned herein, all other details contained in the tender no. BNPM/OTE/582/2024-25\_dated 24.03.2025 shall remain applicable and unchanged.
- 2.0 REVISION TO THE TENDER
- 2.1 Clause no. 1.0 is revised as

Closing date and time for receipt of tenders
Date and time of opening of Techno-commercial bid

15.04.2025 - 1100 Hours 15.04.2025 - 1130 Hours

#### 3. Amendment to the tender

### Notice inviting tender Section I, Procedure for bid submission is revised as:

- (a) Bid submission mode **ONLINE/OFFLINE (Sealed bid)** 
  - Tender processing fee is NIL for offline (sealed bid) submission.
- (b) For offline bid submission, bid needs to be submitted as below,

### Envelope-1 shall contain the following (Super scribed as "Techno-commercial & Price bid")

- (i) GST, PAN, MSME (If applicable), Filled & signed copy of total tender document, documents as per eligibility criteria (ref tender document), Bank Mandate/ Cancelled cheque
- (ii) (Technical/Commercial) Deviations, if any.
- (iii) All annexures in letter head.
- (iv) Authorization of the signing authority
- (v) Company's registration/incorporation/ partnership deed/ Proprietors declaration.
- (vi) Dully filled Price Bid as per format enclosed.

 $Envelope\ 1\ shall\ be\ put\ inside\ one\ layer\ envelope\ and\ super\ subscribed\ as\ "Supply\ of\ Helicoil\ Inserts\ \&\ Thread\ repairing\ kit\ at\ BNPM,\ Mysore"$ 

All other terms mentioned in the tender for online bid submission will remain applicable.

Bank Note Paper Mill India Pvt. Ltd, Administrative Building, Entry gate 1, Paper Mill Compound, Note Mudran Nagar, Mysuru- 570003.

# **SECTION III - PRICE SCHEDULE FOR OFFLINE BID**

(A copy of sealed & signed blank price schedule has to be submitted along with pre-qualification & techno-commercial offer)

Dear Sir,

## Ref: BNPM/OTE/582/2024-25 dated 24.03.2025.

We have received and understood the above tender enquiry and are pleased to submit our price bid as under: (All figures in INR)

| Sch.No | Description  | UOM  | Qty | Unit Price<br>(INR) | P&F, Insurance & Freight Charges, TA, DA, Fooding, Lodging, Conveyance & Other Charges (INR) | GST@  —— Amount (INR) | Unit price including P&F, Insurance, Freight, TA, DA, Fooding, Lodging, Conveyance & Other Charges & GST (INR) | Total price inclusive of P&F, Insurance, Freight, TA, DA, Fooding Lodging, Conveyance & Other Charges & GST (F.O.R, BNPM, Mysuru) (INR) | Input GST Credit (INR)  {GST amount * Total quantity} | Effective price inclusive of P&F, Insurance, Freight, TA, DA, Fooding, Lodging, Conveyance & Other Charges, Mysuru) (INR) |
|--------|--|------|-----|---------------------|--|-----------------------|--|---|---|---|
| A      | В  | С    | D   | Е                   | F  | G                     | H=E+F+G  | I=H*D   | J=G*D   | K=I-J   |
| 1.     | Internal Thread Repairing Kit for M5 x 0.8 (Detailed technical specifications are as per tender Section III) | Nos. | 3   |                     |  |                       |  |   |   |   |
| 2.     | Internal Thread Repairing Kit for M6 x 1 (Detailed technical specifications are as per tender Section III)   | Nos. | 3   |                     |  |                       |  |   |   |   |

# **SECTION III – PRICE SCHEDULE FOR OFFLINE BID**

| 3. | Internal Thread Repairing Kit for M8 x 1.25 (Detailed technical specifications are as per tender Section III)   | Nos. | 3  |  |  |  |  |
|----|---|------|----|--|--|--|--|
| 4. | Internal Thread Repairing Kit for M10 x 1.5 (Detailed technical specifications are as per tender Section III)   | Nos. | 3  |  |  |  |  |
| 5. | Internal Thread Repairing Kit for M12 x 1.75 (Detailed technical specifications are as per tender Section III)  | Nos. | 3  |  |  |  |  |
| 6. | Internal Thread Repairing Kit for M16 x 2 (Detailed technical specifications are as per tender Section III)     | Nos. | 3  |  |  |  |  |
| 7. | HELICOIL INSERT M5<br>x7.5 mm length<br>(Detailed technical<br>specifications are as per<br>tender Section III) | Nos. | 20 |  |  |  |  |

# **SECTION III – PRICE SCHEDULE FOR OFFLINE BID**

| 8.  | HELICOIL INSERT M5 x<br>10 mm length<br>(Detailed technical<br>specifications are as per<br>tender Section III) | Nos. | 20 |  |  |  |  |
|-----|---|------|----|--|--|--|--|
| 9.  | HELICOIL INSERT M6 x 9 mm length (Detailed technical specifications are as per tender Section III)              | Nos. | 20 |  |  |  |  |
| 10. | HELICOIL INSERT M6 x 12 mm length (Detailed technical specifications are as per tender Section III)             | Nos. | 20 |  |  |  |  |
| 11. | HELICOIL INSERT M8 x 12 mm length (Detailed technical specifications are as per tender Section III)             | Nos. | 20 |  |  |  |  |
| 12. | HELICOIL INSERT M8 x<br>16 mm length<br>(Detailed technical<br>specifications are as per<br>tender Section III) | Nos. | 20 |  |  |  |  |
| 13. | HELICOIL INSERT M10 x 15 mm length (Detailed technical specifications are as per                                | Nos. | 20 |  |  |  |  |

# **SECTION III – PRICE SCHEDULE FOR OFFLINE BID**

| tender Section III)  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|
| HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III) | Nos.   | 20   |  |  |  |  |  |  |  |
| HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III) | Nos.   | 20   |  |  |  |  |  |  |  |
| HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III) | Nos.   | 20   |  |  |  |  |  |  |  |
| HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III) | Nos.   | 20   |  |  |  |  |  |  |  |
| HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per tender Section III) | Nos.   | 20   |  |  |  |  |  |  |  |
|  | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per tender Section III) | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 22 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per | HELICOIL INSERT M10 x 20 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 18 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M12 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 24 mm length (Detailed technical specifications are as per tender Section III)  HELICOIL INSERT M16 x 32 mm length (Detailed technical specifications are as per |

Total effective price (net of input tax credit) for Supply of Helicoil inserts & Thread repairing kits with freight, P&F, Transit Insurance and any other charges (F.O.R – BNPM, Mysore site) (in Figures) (INR)

# **SECTION III - PRICE SCHEDULE FOR OFFLINE BID**

| Total effective price (net of input tax credit) for Supply of Helicoil inserts & Thread repairing kits with freight, P&F, Transit Insurance and any other charges (F.O.R – BNPM, Mysore site) (in words) (INR) |  |
|--|--|
| Grand Total price for Supply of Helicoil inserts & Thread repairing kit inclusion  | ve of P&F, Insurance, Freight & GST (in Figures) (INR) |
| Grand Total price for Supply of Helicoil inserts & Thread repairing kits inclusive of P&F, Insurance, Freight & GST (in words) (INR)   |  |

#### Note:

- 1. Evaluation Criteria: Price Evaluation shall be carried out on the basis of **overall effective price (i.e., without GST)** quoted by the bidder and contract shall be awarded to overall lowest (L1) bidder.
- 2. Bidder hereby declares that all the charges to complete the entire work are quoted in the price bid and no additional charges will be paid.

Name

Signature with Date

Note: i) Price should be quoted exactly as per the format given above; Price bids with conditions / Counter conditions are liable for rejection.

Multiple /Variable rate for single item, would lead to rejection of offer.