

BNPM/OTE/006/2025-26 Dated 02.04.2025	<b>BANK NOTE PAPER MILL INDIA PRIVATE LIMITED</b>	Cover Sheet
	<b>SS KITCHEN CABINET AT BNPM, MYSORE CORRIGENDUM NO. 1</b>	SHEET 1 OF 2

**CORRIGENDUM No. 1, DATED 23.04.2025**

**FOR**

**TENDER NO. BNPM/OTE/006/2025-26 dated 02.04.2025**

**FOR**

**Supply and installation of SS Cabinet.**

**PURCHASER: BANK NOTE PAPER MILL INDIA PRIVATE LIMITED**

**LOCATION : MYSORE, KARNATAKA**

BNPM/OTE/006/2025-26 Dated 02.04.2025	<b>BANK NOTE PAPER MILL INDIA PRIVATE LIMITED</b>	Cover Sheet
	<b>SS KITCHEN CABINET AT BNPM, MYSORE CORRIGENDUM NO. 1</b>	SHEET 2 OF 2

**1.0 COPE OF THIS CORRIGENDUM**

1.1 This corrigendum dated 23.04.2025, is issued for,

- (a) The tender due date extension for submission of tender floated on 02.04.2025.
- (b) Acceptance of techno-commercial & price bid through offline mode.

2.1 Except for details mentioned herein, all other details contained in the tender no. BNPM/OTE/006/2025-26 dated 02.04.2025 shall remain applicable and unchanged.

**2.0 REVISION TO THE TENDER**

2.1 Clause no. 1.0 is revised as

Closing date and time for receipt of tenders	07.05.2025 - 1100 Hours.
Date and time of opening of Techno-commercial bid	07.05.2025- 1130 Hours.

**2.2 Notice inviting tender is revised as:**

- (a) Bid submission mode – **ONLINE/OFFLINE**
- (b) For offline bid submission, bid needs to be submitted as below,

**Envelope-1 shall contain the following (Super scribed as “Techno-commercial bid”)**

- (i) Tender processing fee of Rs. 1000+ taxes in the form of DD/NEFT details if paid online.
- (ii) EMD: Rs.25,000.00 in the form of DD/NEFT details if paid online.
- (iii) Documentary proof in support for eligibility criteria.
- (iv) (Technical/Commercial) Deviations, if any.
- (v) Copy of the blank tender document without any reference to price duly signed & company seal affixed on all pages.

**Envelope-2 shall contain the following (Super scribed as “Price bid”)**

- (vi) Dully filled Price Bid as per format enclosed.

Both the envelopes shall be put in one envelope and super subscribed “Tender for providing, supplying and installation of SS 304 Kitchen / Dining Cabinet at BNPM Premises, Mysore.

Bank Note Paper Mill India Pvt. Ltd,  
Administrative Building,  
Entry gate 1, Paper Mill Compound, Note Mudran Nagar,  
Mysuru – 570 003, Karnataka.

## SECTION XI – PRICE SCHEDULE

(A copy of sealed & signed blank price schedule has to be submitted along with pre-qualification & techno-commercial offer)

### **Sub: Price bid for providing, supplying and installation of Stainless steel Kitchen/ Dining cabinet at BNPM Mysore**

**Ref: e-Tender No. BNPM/OTE/006/2025-26 dated 02.04.2025**

We have received and understood the above tender enquiry and are pleased to submit our price bid as under:

<b>Name of work: providing, supplying and installation of Stainless steel Kitchen/ Dining cabinet at BNPM Mysore</b>					
<b>PRICE SCHEDULE</b>					
<b>E-tender No. BNPM/OTE/006/2025-26 dated 02.04.2025</b>					
Sl No.	Description	Unit	Qty	Rate per unit in Rs.	Amount in Rs
1	<p>Providing, supplying and installation of SS (304) kitchen base units and wall units with PU finishing of approved colours, drawing, specification, all necessary accessories, manpower, hardwares, hinges, handles etc. complete as directed by Engineer in charge. ( Ground Floor)</p> <p>Specification:                      Premium Stainless steel kitchen Cabinets in U-body design- left, bottom and right side of the cabinets are done with a single sheet with radius corner bends.                      Material: Stainless steel 304 grade sheets.                      Make/Brand: Jindal steel/TATA Steel/SAIL/ equivalent.                      Thickness: 1mm sheet used for cabinets and shelves &amp; 0.8mm for shutters.                      Finish: SS304 in brushed finish for cabinets and shelves: shutters are PU finish in either glossy or matt finish as directed.                      Fabrication Specification: 1.00/0.8mm sheets are used with PUF/Honeycomb sandwich fabrication to achieve solid panels of 20mm thickness. All shelves and shutters will be of 20mm thickness and vertical partitions of the modules will be of 40mm. PUF/Honeycomb sandwiching is used for shutters, shelves and vertical partitions only. Back panels touching the walls are not sandwiched. Vertical and bottom panels of the cabinets with required ribbing for add on strength and stability.                      Accessories/ Hardware:                      Handles: Screw –on type chrome finished or G-Profile as directed.                      Hinges- Shall be 110 ° soft close Full overlay hinges.                      Screws- Shall be SS Self drilling star head screw as required.                      Drawer channels: Full extension, soft close heavy duty telescopic channels CRCA Steel, Zinc plated, anti –rebound, detachable inner slides, High load bearing up to 35Kg.                      Leg supports: Should be SS304 tubular legs with polyester level adjustment bushes, make/brand: Tusker/Kuche7/Cromatica/approved equivalent.                      Skirting: SS304 Brushed finish. Make/Brand: Tusker/ Kuche7/Cromatica /Lussario/ equivalent.                      Approved make – blum/Hettich/ Hafele/Godrej/equivalent.                      Stainless Steel: Jindal steel / TATA Steel/SAIL/ equivalent</p>	Sqft	67		
2	<p>Providing, supplying and installation of SS (304) kitchen base units and wall units with PU finishing of approved colours, drawing, specification, all necessary accessories, manpower, hardwares, hinges, handles etc. complete as directed by Engineer in charge. ( Second Floor)</p> <p>Specification:</p>	Sqft	65		

## SECTION XI - PRICE SCHEDULE

Premium Stainless steel kitchen Cabinets in U-body design- left, bottom and right side of the cabinets are done with a single sheet with radius corner bends. Material: Stainless steel 304 grade sheets. Make/Brand: Jindal steel/TATA Steel/SAIL/ equivalent. Thickness: 1mm sheet used for cabinets and shelves & 0.8mm for shutters. Finish: SS304 in brushed finish for cabinets and shelves: shutters are PU finish in either glossy or matt finish as directed. Fabrication Specification: 1.00/0.8mm sheets are used with PUF/Honeycomb sandwich fabrication to achieve solid panels of 20mm thickness. All shelves and shutters will be of 20mm thickness and vertical partitions of the modules will be of 40mm. PUF/Honeycomb sandwiching is used for shutters, shelves and vertical partitions only. Back panels touching the walls are not sandwiched. Vertical and bottom panels of the cabinets with required ribbing for add on strength and stability. Accessories/ Hardware: Handles: Screw -on type chrome finished or G-Profile as directed. Hinges- Shall be 110 ° soft close Full overlay hinges. Screws- Shall be SS Self drilling star head screw as required. Drawer channels: Full extension, soft close heavy duty telescopic channels CRCA Steel, Zinc plated, anti -rebound, detachable inner slides, High load bearing up to 35Kg. Leg supports: Should be SS304 tubular legs with polyester level adjustment bushes, make/brand: Tusker/Kuche7/Cromatica/approved equivalent. Skirting: SS304 Brushed finish. Make/Brand: Tusker/ Kuche7/Cromatica /Lussario/ equivalent. Approved make - blum/Hettich/ Hafele/Godrej/equivalent. Stainless Steel: Jindal steel / TATA Steel/SAIL/ equivalent				
<b>Total Amount exclusive of taxes</b>				
<b>SAC code</b>		<b>GST amount in Rs</b>		
<b>Grand total inclusive of taxes</b>				

**Note: Evaluation shall be done considering the GST. GST is to be quoted in the column provided, if the same is not quoted (or left blank) it will be considered as the prices are inclusive of GST. SAC code also to be entered. (GST amount to be entered not the percentage)**

( \_\_\_\_\_ ) **Seal**

Name \_\_\_\_\_

Signature \_\_\_\_\_

