

SECTION V – SPECIAL CONDITIONS OF CONTRACT

responsiveness etc.

Based on the above criteria, the vendor shall be rated in category “A”, “B” & “C”. The vendor with rating “C” shall be disqualified/debarred from participating in the tender for certain period.

18. Preference for Micro and Small Enterprises (MSE) & Make in India (MIIs):

- A. MSE:** Public procurement policy for Micro and Small Enterprises (MSEs) order, 2012 as notified by Govt of India (GOI) along with its amendments as available in www.msme.gov.in shall be applicable to this tender.
- a. Micro and Small Enterprises (MSEs) should have valid UDYAM Registration Certificate to avail purchase preference under preference for Micro and Small Enterprises (*MSEs).
 - b. MSMEs having major activity as “Trading” for availing benefits of Priority Sector Lending (PSL) only are excluded from the purview of the policy. Any other benefits, including provisions of delayed payments as per MSMED ACT 2006 are excluded.
 - c. Tenderer’s applying for purchase preference benefit has to claim the same at the appropriate place provided in this tender document.
 - d. Purchase Preference benefit will be given to those bidders, who are registered under tendered item group (Applicable NIC code).
- B. MIIs:** The provisions of the Public Procurement (Preference to Make in India) Order 2017 dated June 15, 2017 (and subsequent amendments, if any) by Department of Industrial Policy and Promotion, GoI shall apply to this RFP to the extent feasible. In terms of the DIPP Order on Preference to make in India, the local supplier shall provide:
- a. Percentage of local content;
 - b. A self -certification that the offered product meets the minimum local content;
 - c. Details of the location (s) at which the local value addition is made.
 - d. Certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content. (Applicable only for procurement for a value in excess of Rs. 10 crore)

Bidder has to submit declaration as per Annexure-E: Declaration under Make in India.

False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

Definitions under Make in India:

Local Content: Local content' means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

Explanatory notes for calculation of local content given above:

- a. Imported items sourced locally from resellers/distributors shall be excluded from calculation of local content.
- b. The license fees/royalties paid/ technical charges paid out of India shall be excluded from local content calculation.
- c. Procurement/Supply of repackaged/refurbished/rebranded imported products as understood commonly shall be treated as reselling of imported products and shall be excluded from

SECTION V – SPECIAL CONDITIONS OF CONTRACT

calculation of local content. The definition of repackaged/refurbished/rebranded imported products is as follows;

'Refurbishing' means repair or reconditioning of an imported product does not amount to manufacture because no new goods come into existence.

'Repackaging' means repacking of imported goods from bulk pack to smaller packs would not ordinarily amount to manufacture of a new item.

'Rebranding' means relabeling or renaming or change in symbol or logo/ makes or corporate image of a company/ organization/ firm for an imported product would amount to rebranding.

- d. To ensure that imported items sourced locally from resellers/distributors are excluded from calculation of local content, procuring entities to obtain from bidders, the cost of such locally-sourced imported items (Inclusive of taxes) along with break-up on license/royalties paid/technical expertise cost etc. sourced from outside India. For items sold by bidder as reseller, OEM certificate for country of origin to be submitted.
- e. For contracts involving supply of multiple items, weighted average of all items to be taken while calculating the local content.

Margin of Purchase Preference: Margin of Purchase Preference means the maximum extent to which the price quoted by a "Class-I local supplier" may be above the L 1 for the purpose of purchase preference. The margin of purchase preference shall be 20%.

Class – I Local supplier: Minimum local content 50% or more.

Class – II Local supplier: Minimum local content 20% or more and upto less than 50%.

Non-Local supplier: Local content less than 20%.

Note:

- a. Please note Make in India (MII) clause is applicable only for S. No. 31 (Armoured 1 core x 240 sq.mm cable), S. No. 32 (Armoured 4C x 6 sq.mm cable) & S. No. 34 (Armoured 4C x 25 sq.mm cable)
- b. For the captioned tender only Class I and Class II Local suppliers are allowed to participate. However, purchase preference is applicable for Class I Local suppliers only.
- c. The bidders offering imported products will fall under the category of non-local suppliers. The cost of transportation, insurance, installation, commissioning, training and after sales service support like AMC/CMC etc. will not be taken into account for calculating local content in any item. DPIIT OM No. P-45021/102/2019-BE-II- Part (1) (E-50310) dated 04.03.2021.
- d. In case of Concurrent Application of MSE and MII, Price evaluation shall be carried out as Notified vide OM No.F.1/4/2021-PPD issued by Department of Expenditure dated 18.05.2023.
- e. **Calculation for local content:**

Local content = $\{(\text{Sale price of Goods} - \text{Value of imported content in Goods}) + (\text{Sale price of Service Value of imported content in Service})\} * 100 / (\text{Sale price of Goods} + \text{Sale price of Service})$

Where, "Sale price" means price excluding net domestic indirect taxes and "Value of imported content" means price of imported content inclusive of all customs duties.

19. Conflict of Interest: Bidders having a conflict of interest shall not be eligible to participate in the tender process unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the Tender process and execution of the Contract. Bidder have to abide by the code of integrity of public procurement. The bidder shall be considered

SECTION V – SPECIAL CONDITIONS OF CONTRACT

to have a conflict of interest in this tender process and execution of the resultant contract in the following situations:

- a. If its personnel have a close personal, financial, or business relationship with any personnel of the procuring entity who are directly or indirectly related to the procurement or execution process of the contract, which can affect the decision of the procuring entity directly or indirectly;
- b. The bidder (or his allied firm as defined by DOE, MOF,GOI) provided services for the need assessment/procurement planning of the Tender process in which it is participating;
- c. A Principal can authorize only one agent, and an agent should not represent or quote on behalf of more than one Principal. However, this shall not debar more than one Authorised distributor (with/ or without the OEM) from quoting equipment manufactured by an Original Equipment Manufacturer (OEM) in procurements under Proprietary Article Certificate or
- d. A bidder participates in more than one bid in this tender process. Participation in any capacity by a Bidder (including the participation of a Bidder as a partner/ JV member or sub-contractor in another bid or vice-versa) in more than one bid shall result in the disqualification of all bids in which he is a party. However, this does not limit the participation of an entity as a sub-contractor in more than one bid if he is not bidding independently in his own name or as a member of a JV.

20. Obligations by bidders:

- a. All bidders are obliged under the CIPP (Code of integrity of public procurement) to suo moto proactively declare any conflict of interest (As per conflict of Interest clause), pre-existing or as and as soon as these arise at any stage) in any procurement process or execution of contract. Failure to do so would amount to violation of this Code of Integrity; and
- b. Any bidder must declare, whether asked or not in a bid document, any previous transgressions of such a Code of Integrity with any entity in any country during the last 3 (Three) years or of being debarred by any other Procuring Entity. Failure to do so would amount to violation of this code of integrity;

21. Divisibility & splittability of contract: This tender is non-divisible & non-splittable.

22. Security and Confidentiality: BNPMIPL is a security organization and the premise is declared as 'Prohibited Area' by the Govt. of Karnataka. Hence the service provider has to abide by the security rules of the Company.

(To be signed & stamped and submitted along with Techno-commercial Bid Part -I)

SECTION VI – LIST OF REQUIREMENTS

S. No	Item Description	UOM	Tentative Qty	EMD	Remarks
1.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Mtrs	200	Rs. 1,47,000/- (Rupees One Lakh Forty Seven Thousand Only)	-
2.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow	Mtrs	200		
3.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Mtrs	200		
4.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Mtrs	200		
5.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Mtrs	500		
6.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow	Mtrs	500		
7.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Mtrs	500		
8.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Mtrs	600		
9.	Multistrand wire of 4.0 Sq.mm - Black	Mtrs	600		
10.	Multistrand wire of 4.0 Sq.mm - Red	Mtrs	600		
11.	Multistrand wire of 4.0 Sq.mm - yellow	Mtrs	600		
12.	Multistrand wire of 4.0 Sq.mm - Blue	Mtrs	600		
13.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Mtrs	1200		
14.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Mtrs	1200		
15.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire - Yellow	Mtrs	1200		
16.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Mtrs	1200		
17.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire-Green	Mtrs	1200		
18.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Mtrs	1800		
19.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow	Mtrs	1800		

SECTION VI – LIST OF REQUIREMENTS

S. No	Item Description	UOM	Tentative Qty	EMD	Remarks
20.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire-Gray	Mtrs	300		
21.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Mtrs	1800		
22.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Mtrs	1800		
23.	Multistrand wire 1.5 Sq.mm -Green	Mtrs	1800		
24.	0.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire, Colour-Blue	Mtrs	600		
25.	Armoured 3core x 2.5 sqmm Cu XLPE cable	Mtrs	1000		
26.	Armoured 4core x 4 sqmm Cu cable	Mtrs	500		
27.	Armoured 3core x 4 sqmm Cu cable	Mtrs	500		
28.	Flexible Copper Cable - 4 core x 2.5 Sq.mm	Mtrs	500		
29.	Armoured Copper Cable - 4 core x 2.5 Sq.mm, FRLS Type	Mtrs	1000		
30.	Armoured 4 core x 1.5 sqmm Cu cable	Mtrs	1000		
31.	Armoured 1 Core x 240 Sq.mm Cu,XLPE Cable	Mtrs	600		
32.	Armoured 4C x 6 Sq.mm Cu, XLPE Cable	Mtrs	1000		
33.	Armoured 4C x 10 Sq.mm Cu, XLPE Cable	Mtrs	500		
34.	Armoured 4C x 25 Sq.mm Cu, XLPE Cable	Mtrs	500		
35.	CAT 6A Cable (UTP)	Roll	8		
36.	CAT 6 (UTP) - Armoured cable	Roll	4		

- 1. Quantity Variation:** In the Schedule of Requirement, quantity mentioned is not a commitment, but only the anticipated requirement is mentioned. The quantity is subject to vary (upward/downward) during the tenure of the contract.
- 2. Contract Period:** The contract shall be for a period of 12 months from the date of issue of rate contract. Rate contract extendable for another 3 months at the discretion of BNPM with same rate & terms and conditions.
- 3. Delivery Schedule:** After issuance of rate contract, subsequent supply order shall be issued to the successful bidder on requirement basis. Successful bidder shall deliver the material based on supply orders issued by BNPM with mutually agreed timeline along with all requisite documents. No change in delivery schedule shall be permitted without the written contract of BNPM, Mysore.

SECTION VI – LIST OF REQUIREMENTS

- 4 Required Terms of Delivery:** F.O.R (Freight on Road) – BNPM, Mysuru inclusive of To& Fro transportation, P&F, Freight, Transit Insurance and any other charges to deliver the goods at BNPM, Mysuru.

Delivery Address:

Bank Note Paper Mill India Private Limited,
Engineering Stores,
Paper Mill Compound,
Note Mudran Nagar,
Mysuru - 570 003. Karnataka.

(To be signed & stamped and submitted along with Techno-commercial Bid Part -I).

SECTION VII - TECHNICAL SPECIFICATIONS

We shall supply the material strictly as per specifications and compliance statements given below.
Technical Compliance Statement:

S.No.	Feature	Specifications
1	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Multistrand wire - 10 Sqmm for phase, Colour: Red, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
2	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow	Multistrand wire - 10 Sqmm for phase, Colour: Yellow, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
3	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Multistrand wire - 10 Sqmm for phase, Colour: Blue, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
4	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Multistrand wire - 10 Sqmm for Neutral, Colour: Black, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
5	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Multistrand wire - 06 Sqmm for phase, Colour: Red, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
6	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow	Multistrand wire - 06 Sqmm for phase, Colour: Yellow, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
7	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Multistrand wire - 06 Sqmm for phase, Colour: Blue, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
8	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Multistrand wire - 06 Sqmm for Neutral, Colour: Black, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
9	Multistrand wire of 4.0 Sq.mm - Black	Multistrand wire - 4.0 Sqmm Colour - Black Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM

SECTION VII – TECHNICAL SPECIFICATIONS

10	Multistrand wire of 4.0 Sq.mm - Red	Multistrand wire - 4.0 Sqmm for phase (Colour - Red) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
11	Multistrand wire of 4.0 Sq.mm - yellow	Multistrand wire - 4.0 Sqmm for phase (Colour - Yellow) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
12	Multistrand wire of 4.0 Sq.mm - Blue	Multistrand wire - 4.0 Sqmm for phase (Colour - Blue) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
13	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Multistrand wire - 2.5 Sqmm for Neutral, Colour: Black, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
14	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Multistrand wire - 2.5 Sqmm for Phase, Colour: Red, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
15	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire - Yellow	Multistrand wire - 2.5 Sqmm for Phase, Colour: Yellow, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
16	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Multistrand wire - 2.5 Sqmm for Phase, Colour: Blue, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
17	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire- Green	Multistrand wire - 2.5 Sqmm for phase (Colour - Green) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
18	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	Multistrand wire - 1.5 Sqmm for phase (Colour - Red) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
19	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Yellow	Multistrand wire - 1.5 Sqmm for phase (Colour - Yellow) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
20	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire- Gray	Multistrand wire - 1.5 Sqmm for Control (Colour - Gray) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
21	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	Multistrand wire - 1.5 Sqmm for phase (Colour - Blue) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
22	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Multistrand wire - 1.5 Sqmm for Nutral (Colour - Black) Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM

SECTION VII – TECHNICAL SPECIFICATIONS

23	Multistrand wire 1.5 Sq.mm - Green	Multistrand wire – 1.5 Sqmm for phase (Colour – Green) Make: Finolex/Havells/Polycab/KEI/Orbit ISI/ Substantially equivalent make approved by BNPM
24	0.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire, Colour-Blue	Multistrand wire - 0.5 Sqmm for phase (Colour - Blue), Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM
25	Armoured 3core x 2.5 sqmm Cu XLPE cable	<ul style="list-style-type: none"> a. Voltage Grade - 1100V b. No. of Cores - 3 c. Conductor Size - 2.5 sq.mm d. Conductor Material - Copper e. Conductor Type - Multistrand f. Insulation Material - XLPE g. Inner sheath material - Extruded PVC h. Inner sheath colour - Black i. Armoured Material - Galvanized steel j. outer sheath material - Extruded FRLS PVC k. IS standard - IS 7098 Part -1 l. Cable Drum - Cable must be rolled in wooden drum as per IS 10418, m. Cable Packing - Complete drum covering with wooden planks of Suitable thickness across Flanges, n. Printing text of cable length required for every 1 mtr o. Make - Polycab / Thermocable/ Havells/ KEI /substantially equivalent make approved by BNPM p. Successful bidder should provide test certificates (Routine test and Type test as per IS standard).
26	Armoured 4core x 4 sqmm Cu cable	<ul style="list-style-type: none"> a. Voltage Grade - 1100V b. No. of Cores - 4 c. Conductor Size - 4 sq.mm d. Conductor Material - Copper e. Conductor Type - Multistrand f. Insulation Material - XLPE g. Inner sheath material - Extruded PVC h. Inner sheath colour - Black i. Armoured Material - Galvanized steel j. outer sheath material - Extruded FRLS PVC k. IS standard - IS 7098 Part -1 l. Cable Drum - Cable must be rolled in wooden drum as per IS 10418, m. Cable Packing - Complete drum covering with wooden planks of Suitable thickness across Flanges n. Printing text of cable length required for every 1 mtr o. Make - Polycab / Thermocable/ Havells/ KEI /substantially equivalent make approved by BNPM p. Successful bidder should provide test certificates (Routine test and Type test as per IS standard).
27	Armoured 3core x 4 sqmm Cu cable	<ul style="list-style-type: none"> a. Voltage Grade - 1100V b. No. of Cores - 3

SECTION VII – TECHNICAL SPECIFICATIONS

		<ul style="list-style-type: none"> c. Conductor Size - 4 sq.mm d. Conductor Material - Copper e. Conductor Type - Multistrand f. Insulation Material - XLPE g. Inner sheath material - Extruded PVC h. Inner sheath colour - Black i. Armoured Material - Galvanized steel j. outer sheath material - Extruded FRLS PVC k. IS standard - IS 7098 Part -1 l. Cable Drum - Cable must be rolled in wooden drum as per IS 10418, m. Cable Packing - Complete drum covering with wooden planks of Suitable thickness across Flanges n. Successful bidder should provide test certificates (Routine test and Type test as per IS standard). o. Printing text of cable length required for every 1 mtr. p. Make - Polycab/ Thermocable/ Havells/ KEI /substantially equivalent make approved by BNPM
28	Flexible Copper Cable - 4 core x 2.5 Sq.mm	<ul style="list-style-type: none"> a. Conductor material - Bare copper; b. Conductor Type - Multistrand c. Conductor flexibility - Flexible d. Insulation - Special cross-linked e. Outer sheath - Special cross-linked f. Number of cores - 4; g. Core colour - Red/Yellow/Blue/Green h. Conductor cross-section - 2.5 mm² i. Minimum outer diameter - 10 mm j. Maximum outer diameter - 12 mm k. Rated Voltage U₀/U (Um) - 450 / 750 V l. Voltage drop, single phase - 3.42 V/A.km m. Cable flexibility - Flexible n. Must be Lead Free, Silicone free, Chemical resistance, Water proof, Oil resistance & Flame retardant o. Operating temperature range: -25 to 55 °C p. Printing text required for every 1 mtr. q. IS standard - IS 694/2010 r. The cable must be rated 0.6/1 kV s. Make – Thermo cables/ Polycab/ Universal / KEI /substantially equivalent make approved by BNPM.
29	Armoured Copper Cable - 4 core x 2.5 Sq.mm, FRLS Type	<ul style="list-style-type: none"> a. Voltage Grade - 1100V, b. No. of Cores - 4, c. Core colour - Red/Yellow/Blue/Black, d. Conductor Size - 2.5 sq.mm, e. Conductor Material - Copper, f. Conductor Type - Multistrand, g. Insulation Material - Extruded XLPE, h. Inner sheath material - Extruded PVC, i. Inner sheath colour - Black,

SECTION VII – TECHNICAL SPECIFICATIONS

		<ul style="list-style-type: none"> j. Armoured Material - Galvanized steel, k. outer sheath material - Extruded FRLS PVC, l. IS standard - IS 7098 Part -1, m. Printing text required for every 1 mtr. n. Cable drum - Cable must be rolled in wooden drum as per IS 10418, o. Cable Packing - Complete drum covering with wooden plank of suitable thickness across flanges. p. Successful bidder should provide test certificates (Routine test and Type test as per IS standard). q. Make - Thermo Cables / Polycab / Universal / KEI /substantially equivalent make approved by BNPM.
30	Armoured 4 core x 1.5 sqmm Cu cable	<ul style="list-style-type: none"> a. No. of Cores - 4 b. Conductor Size - 1.5 sq.mm c. Conductor Material - Copper d. Conductor Type - Multistrand e. Insulation Material - Extruded XLPE f. Inner sheath material - Extruded PVC g. Inner sheath colour - Black h. Armoured Material - Galvanized steel i. outer sheath material - Extruded PVC j. IS standard - IS 7098 Part -1 k. Printing text of cable length required for every 1 mtr l. Cable drum: Cable must be rolled in wooden drum as per IS 10418 m. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges. n. Successful bidder should provide test certificates (Routine test and Type test as per IS standard). o. Make - Polycab / Thermocable/ Havells/ KEI /Shyam Cables /substantially equivalent make approved by BNPM.
31	Armoured 1 Core x 240 Sq.mm Cu, XLPE Cable.	<ul style="list-style-type: none"> a. Voltage Grade - 1100V, b. No. of Cores - 1, c. Conductor Size - 240 sq.mm, d. Conductor Material - Copper, e. Conductor Type - Multistrand, f. Insulation Material - Extruded XLPE, g. Insulation colour - Black, h. Armoured Material - Aluminum / Galvanized Strip, i. outer sheath material - Extruded FRLS PVC, j. IS standard - IS 7098 Part -1, k. Printing text required for every 1 mtr. l. Cable drum: Cable must be rolled in wooden drum as per IS 10418 m. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges. n. Successful bidder should provide test certificates

SECTION VII – TECHNICAL SPECIFICATIONS

		<p>(Routine test and Type test as per IS standard).</p> <p>o. Make - Polycab/ Thermocable/ Havells/ KEI /Shyam Cables /substantially equivalent make approved by BNPM.</p>
32	Armoured 4C x 6 Sq.mm Cu, XLPE Cable	<p>a. Voltage Grade: 1100V,</p> <p>b. No. of Cores: 4,</p> <p>c. Core colour: Red/Yellow/Blue/Black,</p> <p>d. Conductor Size: 6 sq.mm,</p> <p>e. Conductor Material: Copper,</p> <p>f. Conductor Type: Multistrand,</p> <p>g. Insulation Material: Extruded XLPE,</p> <p>h. Inner sheath material: Extruded PVC,</p> <p>i. Inner sheath colour: Black,</p> <p>j. Armoured Material: Galvanized steel,</p> <p>k. outer sheath material: Extruded FRLS PVC,</p> <p>l. IS standard: IS 7098 Part -1,</p> <p>m. Printing text required for every 1 mtr.</p> <p>n. Cable drum: Cable must be rolled in wooden drum as per IS 10418,</p> <p>o. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges</p> <p>p. Make: Thermo Cables / Polycab / Universal / KEI / substantially equivalent make approved by BNPM.</p> <p>q. Successful bidder should provide test certificates (Routine test and Type test as per IS standard) and minimum 1 year warranty from the date of manufacture.</p>
33	Armoured 4C x 10 Sq.mm Cu, XLPE Cable	<p>a. Voltage Grade: 1100V,</p> <p>b. No. of Cores: 4,</p> <p>c. Core colour: Red/Yellow/Blue/Black,</p> <p>d. Conductor Size: 10 sq.mm,</p> <p>e. Conductor Material: Copper,</p> <p>f. Conductor Type: Multistrand,</p> <p>g. Insulation Material: Extruded XLPE,</p> <p>h. Inner sheath material: Extruded PVC,</p> <p>i. Inner sheath colour: Black,</p> <p>j. Armoured Material: Galvanized steel,</p> <p>k. outer sheath material: Extruded FRLS PVC,</p> <p>l. IS standard: IS 7098 Part -1,</p> <p>m. Printing text required for every 1 mtr.</p> <p>n. Cable drum: Cable must be rolled in wooden drum as per IS 10418,</p> <p>o. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges</p> <p>p. Make: Thermo Cables /Polycab / Universal / KEI / substantially equivalent make approved by BNPM</p> <p>q. Successful bidder should provide test certificates (Routine test and Type test as per IS standard) and</p>

SECTION VII – TECHNICAL SPECIFICATIONS

		minimum 1 year warranty from the date of manufacture.
34	Armoured 4C x 25 Sq.mm Cu, XLPE Cable	<ul style="list-style-type: none"> a. Voltage Grade: 1100V, b. No. of Cores: 4, c. Core colour: Red/Yellow/Blue/Black, d. Conductor Size: 25 sq.mm, e. Conductor Material: Copper, f. Conductor Type: Multistrand, g. Insulation Material: Extruded XLPE, h. Inner sheath material: Extruded PVC, i. Inner sheath colour: Black, j. Armoured Material: Galvanized steel, k. outer sheath material: Extruded FRLS PVC, l. IS standard: IS 7098 Part -1, m. Printing text required for every 1 mtr. n. Cable drum: Cable must be rolled in wooden drum as per IS 10418, o. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges p. Make: Thermo Cables / Polycab / Universal / KEI / Substantially equivalent make approved by BNPM q. Successful bidder should provide test certificates (Routine test and Type test as per IS standard) and minimum 1 year warranty from the date of manufacture.
35	CAT 6A Cable (UTP)	<ul style="list-style-type: none"> a. 4 Pairs Unshielded Twisted Pair (UTP) Cable, 23 AWG solid. b. Transmit data at 10000 Mbps (~10 Gigabit per second) with a frequency of 500 MHz c. Conductor Metal: Solid Bare Copper d. Colour Code: Gray e. Cable Diameter: 7.6mm Nominal f. PE Central Cross separator g. Temperature Range: -20° to +70° h. Length per Roll: 305 Mtr i. Cable drum: Cable must be rolled in wooden drum as per IS 10418, j. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges k. Make: Digilink/ Tyco/ Crestron/ Extron/ DLink/ Finolex/ Substantially Equivalent make approved by BNPM
36	CAT 6 (UTP) - Armoured cable	<ul style="list-style-type: none"> a. 4 Pairs Unshielded Twisted Pair (UTP) armoured Cable with 23 AWG solid bare annealed copper conductors. b. Transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz c. Conductor Metal: Solid Bare Copper with insulation d. Inner Jacket: PVC – Grey

SECTION VII – TECHNICAL SPECIFICATIONS

		<ul style="list-style-type: none">e. Outer Jacket: FR PVC – Blackf. Cable Diameter: 10mm Nominalg. Insulation: Polyethyleneh. Temperature Range: -20° to +70°Ci. Length per Roll: 305 Mtrj. Cable drum: Cable must be rolled in wooden drum as per IS 10418,k. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flangesl. Make: Digilink/ Tyco/ Crestron/ Extron/ DLink/ Finolex/ Substantially Equivalent make approved by BNPM
--	--	---

Note:

- 1. In Quantity, tolerance +/- 10% is acceptable based on the standard length.**
- 2. For substantially equivalent/ reputed makes, bidders to take prior approval from BNPM before submission of bid, else bid may be rejected.**

(To be signed & stamped and submitted along with Techno-commercial Bid Part -I).

SECTION VIII - QUALITY CONTROL REQUIREMENTS

Technical Compliance Statement:

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
1.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Red	Multistrand wire - 10 Sqmm for phase, Colour: Red, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
2.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Yellow	Multistrand wire - 10 Sqmm for phase, Colour: Yellow, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
3.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Blue	Multistrand wire - 10 Sqmm for phase, Colour: Blue, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
4.	10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Black	Multistrand wire - 10 Sqmm for Neutral, Colour: Black, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
5.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Red	Multistrand wire - 06 Sqmm for phase, Colour: Red, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
6.	06 sqmm PVC Insulated	Multistrand wire - 06 Sqmm for phase, Colour: Yellow,		

SECTION VIII - QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
	Flexible FRLS multistrand Copper Wire- Yellow	Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
7.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Blue	Multistrand wire - 06 Sqmm for phase, Colour: Blue, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
8.	06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Black	Multistrand wire - 06 Sqmm for Neutral, Colour: Black, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
9.	Multistrand wire of 4.0 Sq.mm - Black	Multistrand wire - 4.0 Sqmm Colour - Black; Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
10.	Multistrand wire of 4.0 Sq.mm - Red	Multistrand wire - 4.0 Sqmm for phase (Colour - Red); Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
11.	Multistrand wire of 4.0 Sq.mm - yellow	multistrand wire - 4.0 Sqmm for phase (Colour - Yellow); Make: Finolex/ Havells/ Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
12.	Multistrand wire of 4.0 Sq.mm - Blue	multistrand wire - 4.0 Sqmm for phase (Colour - Blue);		

SECTION VIII - QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
		Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
13.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Black	multistrand wire - 2.5 Sqmm for Neutral, Colour: Black, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
14.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Red	multistrand wire - 2.5 Sqmm for Phase, Colour: Red, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
15.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire - Yellow	multistrand wire - 2.5 Sqmm for Phase, Colour: Yellow, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
16.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire- Blue	multistrand wire - 2.5 Sqmm for Phase, Colour: Blue, Voltage: 1100 V, Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
17.	2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire- Green	multistrand wire - 2.5 Sqmm for phase (Colour - Green); Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		

SECTION VIII - QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
18.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red	multistrand wire - 1.5 Sqmm for phase (Colour - Red); Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
19.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow	multistrand wire - 1.5 Sqmm for phase (Colour - Yellow) Make - Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
20.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire-Gray	multistrand wire - 1.5 Sqmm for Control (Colour - Gray); Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
21.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue	multistrand wire - 1.5 Sqmm for phase (Colour - Blue); Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
22.	1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black	Multistrand wire - 1.5 Sqmm for Nutral (Colour - Black); Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
23.	Multistrand wire 1.5 Sq.mm -Green	Multistrand wire – 1.5 Sqmm for phase (Colour – Green) Make: Finolex/Havells/Polycab/KEI/Orbit ISI/		

SECTION VIII - QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
		Substantially equivalent make approved by BNPM		
24.	0.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire, Colour-Blue	multistrand wire - 0.5 Sqmm for phase (Colour - Blue), Make: Finolex / Havells / Polycab/ KEI / orbit ISI/ Substantially equivalent make approved by BNPM		
25.	Armoured 3core x 2.5 sqmm Cu XLPE cable	<ul style="list-style-type: none"> a. Voltage Grade - 1100V b. No. of Cores - 3 c. Conductor Size - 2.5 sq.mm d. Conductor Material - Copper e. Conductor Type - Multistrand f. Insulation Material - XLPE g. Inner sheath material - Extruded PVC h. Inner sheath colour - Black i. Armoured Material - Galvanized steel j. outer sheath material - Extruded FRLS PVC k. IS standard - IS 7098 Part -1 l. Cable Drum - Cable must be rolled in wooden drum as per IS 10418, m. Cable Packing - Complete drum covering with wooden planks of Suitable thickness across Flanges, n. Printing text of cable length required for every 1 mtr o. Make - Polycab / Thermocable/ Havells/ KEI/ Substantially equivalent make approved by BNPM p. Successful bidder should provide test certificates (Routine test and Type test as per IS standard). 		
26.	Armoured 4core x 4 sqmm Cu cable	<ul style="list-style-type: none"> a. Voltage Grade - 1100V b. No. of Cores - 4 c. Conductor Size - 4 sq.mm d. Conductor Material - Copper e. Conductor Type - Multistrand f. Insulation Material - XLPE g. Inner sheath material - Extruded PVC h. Inner sheath colour - Black i. Armoured Material - Galvanized steel 		

SECTION VIII – QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
		j. outer sheath material - Extruded FRLS PVC k. IS standard - IS 7098 Part -1 l. Cable Drum - Cable must be rolled in wooden drum as per IS 10418, m. Cable Packing - Complete drum covering with wooden planks of Suitable thickness across Flanges n. Printing text of cable length required for every 1 mtr o. Make - Polycab / Thermocable/ Havells/ KEI /substantially equivalent make approved by BNPM p. Successful bidder should provide test certificates (Routine test and Type test as per IS standard).		
27.	Armoured 3core x 4 sqmm Cu cable	a. Voltage Grade - 1100V b. No. of Cores - 3 c. Conductor Size - 4 sq.mm d. Conductor Material - Copper e. Conductor Type - Multistrand f. Insulation Material - XLPE g. Inner sheath material - Extruded PVC h. Inner sheath colour - Black i. Armoured Material - Galvanized steel j. outer sheath material - Extruded FRLS PVC k. IS standard - IS 7098 Part -1 l. Cable Drum - Cable must be rolled in wooden drum as per IS 10418, m. Cable Packing - Complete drum covering with wooden planks of Suitable thickness across Flanges n. Printing text of cable length required for every 1 mtr. o. Make - Polycab/ Thermocable/ Havells/ KEI /substantially equivalent make approved by BNPM p. Successful bidder should provide test certificates (Routine test and Type test as per IS standard).		

SECTION VIII – QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
28.	Flexible Copper Cable - 4 core x 2.5 Sq.mm	<ul style="list-style-type: none"> a. Conductor material - Bare copper; b. Conductor Type - Multistrand c. Conductor flexibility - Flexible d. Insulation - Special cross-linked e. Outer sheath - Special cross-linked f. Number of cores - 4; g. Core colour - Red/Yellow/Blue/Green h. Conductor cross-section - 2.5 mm² i. Minimum outer diameter - 10 mm j. Maximum outer diameter - 12 mm k. Rated Voltage U₀/U (U_m) - 450 / 750 V l. Voltage drop, single phase - 3.42 V/A.km m. Cable flexibility - Flexible n. Must be Lead Free, Silicone free, Chemical resistance, Water proof, Oil resistance & Flame retardant o. Operating temperature range: -25 to 55 °C p. Printing text required for every 1 mtr. q. IS standard - IS 694/2010 r. The cable must be rated 0.6/1 kV s. Make - Thermo cables/ Polycab/ Universal / KEI /substantially equivalent make approved by BNPM. 		
29.	Armoured Copper Cable - 4 core x 2.5 Sq.mm, FRLS Type	<ul style="list-style-type: none"> a. Voltage Grade - 1100V, b. No. of Cores - 4, c. Core colour - Red/Yellow/Blue/Black, d. Conductor Size - 2.5 sq.mm, e. Conductor Material - Copper, f. Conductor Type - Multistrand, g. Insulation Material - Extruded XLPE, h. Inner sheath material - Extruded PVC, i. Inner sheath colour - Black, j. Armoured Material - Galvanized steel, k. outer sheath material - Extruded FRLS PVC, l. IS standard - IS 7098 Part -1, m. Printing text required for every 1 mtr. n. Cable drum - Cable must be rolled in wooden drum as per IS 10418, o. Cable Packing - Complete drum covering with wooden plank of suitable thickness across flanges p. Successful bidder should provide test 		

SECTION VIII - QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
		certificates (Routine test and Type test as per IS standard). q. Make - Thermo Cables / Polycab / Universal / KEI /substantially equivalent make approved by BNPM.		
30.	Armoured 4 core x 1.5 sqmm Cu cable	a. No. of Cores - 4 b. Conductor Size - 1.5 sq.mm c. Conductor Material - Copper d. Conductor Type - Multistrand e. Insulation Material - Extruded XLPE f. Inner sheath material - Extruded PVC g. Inner sheath colour - Black h. Armoured Material - Galvanized steel i. outer sheath material - Extruded PVC j. IS standard - IS 7098 Part -1 k. Printing text of cable length required for every 1 mtr l. Cable drum: Cable must be rolled in wooden drum as per IS 10418 m. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges. n. Successful bidder should provide test certificates (Routine test and Type test as per IS standard). o. Make - Polycab / Thermocable/ Havells/ KEI /Shyam Cables /substantially equivalent make approved by BNPM.		
31.	Armoured 1 Core x 240 Sq.mm Cu, XLPE Cable.	a. Voltage Grade - 1100V, b. No. of Cores - 1, c. Conductor Size - 240 sq.mm, d. Conductor Material - Copper, e. Conductor Type - Multistrand, f. Insulation Material - Extruded XLPE, g. Insulation colour - Black, h. Armoured Material - Aluminum / Galvanized Strip i. outer sheath material - Extruded FRLS PVC j. IS standard - IS 7098 Part -1 k. Printing text required for every 1 mtr. l. Cable drum: Cable must be rolled in wooden drum as per IS 10418 m. Cable Packing: Complete drum covering		

SECTION VIII – QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
		<p>with wooden plank of suitable thickness across flanges.</p> <p>n. Successful bidder should provide test certificates (Routine test and Type test as per IS standard).</p> <p>o. Make - Polycab/ Thermocable/ Havells/ KEI /Shyam Cables /substantially equivalent make approved by BNPM.</p>		
32.	Armoured 4C x 6 Sq.mm Cu, XLPE Cable	<p>a. Voltage Grade: 1100V,</p> <p>b. No. of Cores: 4,</p> <p>c. Core colour: Red/Yellow/Blue/Black,</p> <p>d. Conductor Size: 6 sq.mm,</p> <p>e. Conductor Material: Copper,</p> <p>f. Conductor Type: Multistrand,</p> <p>g. Insulation Material: Extruded XLPE,</p> <p>h. Inner sheath material: Extruded PVC,</p> <p>i. Inner sheath colour: Black,</p> <p>j. Armoured Material: Galvanized steel,</p> <p>k. outer sheath material: Extruded FRLS PVC,</p> <p>l. IS standard: IS 7098 Part -1,</p> <p>m. Printing text required for every 1 mtr.</p> <p>n. Cable drum: Cable must be rolled in wooden drum as per IS 10418,</p> <p>o. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges</p> <p>p. Make: Thermo Cables / Polycab / Universal / KEI / substantially equivalent make approved by BNPM.</p> <p>q. Successful bidder should provide test certificates (Routine test and Type test as per IS standard) and minimum 1 year warranty from the date of manufacture.</p>		
33.	Armoured 4C x 10 Sq.mm Cu, XLPE Cable	<p>a. Voltage Grade: 1100V,</p> <p>b. No. of Cores: 4,</p> <p>c. Core colour: Red/Yellow/Blue/Black,</p> <p>d. Conductor Size: 10 sq.mm,</p> <p>e. Conductor Material: Copper,</p> <p>f. Conductor Type: Multistrand,</p> <p>g. Insulation Material: Extruded XLPE,</p> <p>h. Inner sheath material: Extruded PVC,</p> <p>i. Inner sheath colour: Black,</p> <p>j. Armoured Material: Galvanized steel,</p>		

SECTION VIII – QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
		k. outer sheath material: Extruded FRLS PVC, l. IS standard: IS 7098 Part -1, m. Printing text required for every 1 mtr. n. Cable drum: Cable must be rolled in wooden drum as per IS 10418, o. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges p. Make: Thermo Cables / Polycab / Universal / KEI / substantially equivalent make approved by BNPM. q. Successful bidder should provide test certificates (Routine test and Type test as per IS standard) and minimum 1 year warranty from the date of manufacture.		
34.	Armoured 4C x 25 Sq.mm Cu, XLPE Cable	a. Voltage Grade: 1100V, b. No. of Cores: 4, c. Core colour: Red/Yellow/Blue/Black, d. Conductor Size: 25 sq.mm, e. Conductor Material: Copper, f. Conductor Type: Multistrand, g. Insulation Material: Extruded XLPE, h. Inner sheath material: Extruded PVC, i. Inner sheath colour: Black, j. Armoured Material: Galvanized steel, k. outer sheath material: Extruded FRLS PVC, l. IS standard: IS 7098 Part -1, m. Printing text required for every 1 mtr. n. Cable drum: Cable must be rolled in wooden drum as per IS 10418, o. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges p. Make: Thermo Cables / Polycab / Universal / KEI / Substantially equivalent make approved by BNPM. q. Successful bidder should provide test certificates (Routine test and Type test as per IS standard) and minimum 1 year warranty from the date of manufacture.		

SECTION VIII – QUALITY CONTROL REQUIREMENTS

S. No	Item Description	Parameters	Bidder Compliance (Yes/No)	Offered Make by bidder
35.	CAT 6A Cable (UTP)	l. 4 Pairs Unshielded Twisted Pair (UTP) Cable, 23 AWG solid. m. Transmit data at 10000 Mbps (~10 Gigabit per second) with a frequency of 500 MHz n. Conductor Metal: Solid Bare Copper o. Colour Code: Gray p. Cable Diameter: 7.6mm Nominal q. PE Central Cross separator r. Temperature Range: -20° to +70° s. Length per Roll: 305 Mtr t. Cable drum: Cable must be rolled in wooden drum as per IS 10418, u. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges v. Make: Digilink/ Tyco/ Crestron/ Extron/ DLink/ Finolex/ Substantially Equivalent make approved by BNPM		
36.	CAT 6 (UTP) - Armoured cable	m. 4 Pairs Unshielded Twisted Pair (UTP) armoured Cable with 23 AWG solid bare annealed copper conductors. n. Transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz o. Conductor Metal: Solid Bare Copper with insulation p. Inner Jacket: PVC – Grey q. Outer Jacket: FR PVC – Black r. Cable Diameter: 10mm Nominal s. Insulation: Polyethylene t. Temperature Range: -20° to +70°C u. Length per Roll: 305 Mtr v. Cable drum: Cable must be rolled in wooden drum as per IS 10418, w. Cable Packing: Complete drum covering with wooden plank of suitable thickness across flanges x. Make: Digilink/ Tyco/ Crestron/ Extron/ DLink/ Finolex/ Substantially Equivalent make approved by BNPM		

(To be signed & stamped and submitted along with Techno-commercial Bid Part -I)



SECTION VIII - QUALITY CONTROL REQUIREMENTS

COMMERCIAL COMPLIANCE STATEMENT:

S No	Features	Requirements of BNPMIPL, Terms & conditions	Whether Agreed by the firm	Deviation, if any
1.	General Conditions	Supply shall be rendered exactly as per the instructions mentioned in the Section VI & VII.	Yes agreed	
2.	Technical Specifications	As per the scope of work provided in Section VII under Technical Specifications.	Yes agreed	
3.	Quantity	As per the list of requirements mentioned in Section VI of the tender.	Yes agreed	
4.	Delivery	As per delivery terms mentioned in Section VI of the tender.	Yes agreed	
5.	Payment terms	Payment terms as mentioned in Sl No 8 of SCC	Yes agreed	
6.	Liquidated Damages	As per liquidated damages clause mentioned in the tender (SCC Clause: 9)	Yes agreed	
7.	Performance Security	As per performance security clause mentioned in the tender. (SCC Clause: 2)	Yes agreed	
8.	Tender terms & conditions	We have gone through entire tender document thoroughly including GIT (Section II - General Instructions to Tenderer), SIT (Section III - Special Instructions to Tenderer), GCC (Section IV - General Conditions of Contract), SCC (Section IV - Special Conditions of Contract) <u>and confirm that we don't have any counter conditions.</u> We also understand that offer with counter conditions is liable for rejection	Yes agreed	
9.	Compliance to SIT & SCC Clauses	As per SIT Clause & SCC Clauses	Yes agreed	
10.	No. of pages	Total number of pages in Technical Bid		

Authorized signatory & stamp

(To be signed & stamped and submitted along with Techno-commercial Bid Part -I)

SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

Category	Eligibility Criteria	Documents required in support of eligibility criteria
General	<p>a) Bidder* (Individual/ firm/ company/ corporate / LLP / HUF / limited company) intending to bid should be bonafide, experienced, technically competent, resourceful and financially sound to carry out the assigned order.</p> <p>*Any bidder from a country which shares a land border with India will be eligible to bid in the tender only if the bidder is registered with the Competent Authority (The Registered Committee constituted by the Department for Promotion of Industry and Internal Trade)</p>	<p>Company's registration / Certificate of incorporation/Partnership Deed/Any other registration certificate as applicable</p> <p>Signed & Stamped Annexure - A on company's letter head.</p>
	a) Bidder should have valid GST registration certificate	Copy of GST certificate
	b) Bidder should have valid PAN card.	Copy of PAN card
	c) As on the date of submission of bid against this tender, bidder should not be in the list of ineligible/ blacklisted/ banned/ debarred entity by SPMCIL/ BRBNMPL/ BNPMIPL/any government agency for participating in its tenders.	Declaration as per Annexure - B on company's letter head duly Signed & with company Stamp to be submitted
Experience & Past Performance	<p>The bidder should have supplied Cables/ wires (i.e., PVC Insulated Flexible FRLS Copper wire/ Multistrand Wire/ Armoured Cable/ Cat6 Cable/ Equivalent) in last three years ending 31.12.2025.</p>	<p>1) Bidder should submit purchase orders/work orders/ any other relevant documents and</p> <p>2)Documentary evidence of completion of order/ contract as submitted. (invoice / e way bill/ LR & GSTR filling details/ WCC evidencing supply of material).</p> <p>3)Signed & Stamped Annexure - C on company's letter head.</p> <p><u>Note:</u> BNPM reserves the right to seek additional documents related to the documents submitted against eligibility criteria.</p>
Financial Standings	<p>a) The average annual financial turnover of 'The bidder' during the last three years, ending on 31.03.2025 should be more than Rs. 22,04,000/- (Rupees Twenty-Two Lakhs Four Thousand only)</p> <p>b) For start-up bidders: Turnover criteria is relaxed for Start-ups recognized by DPIIT. Such start-ups are required to have an average annual turnover of at</p>	<p>Bidder should provide Audited balance sheet and profit & loss statement for FY 2024-25, 2023-24, 2022-23 and 2021-22.</p> <p>Chartered Accountants certificate for Turnover, Profit and Net worth may be accepted for the bidders, where tax audits have been exempted as per the existing Govt. orders issued before tender closing date.</p>

SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

	least Rs. 16,53,000/- (Rupees Sixteen Lakhs Fifty Three Thousand only) during last three financial year's period ending 31.03.2025.	Note: The condition of average annual turnover shall be relaxed for Start-ups recognized by DPIIT. The start-ups should submit certificate of recognition issued by DPIIT.
	c) The Net worth of the Bidder's firm should not be negative on 31.03.2025 and also should have not eroded by more than 30% (thirty per cent) year on year basis as well as cumulative basis in the last three financial years, ending on 31.03.2025. Erosion shall be calculated only on account of reported loss in the statement of P&L account, which has led to reduction in capital.	

Note:

- i. If the date of constitution/ incorporation of the bidder's firm is less than three financial years, then the average annual financial turnover during the last two years/ last financial year (as the case may be) should be at least as mentioned in clause (a) of Financial Standings mentioned above.
- ii. Erosion shall be calculated only on account of reported loss in the statement of P&L account, which has led to reduction in capital. Net-worth (NW) erosion will be calculated as below,

Year - on - Year basis	Cumulative basis
$\frac{(\text{NW of FY 2024-25} (-) \text{NW of FY 2023-24})}{(\text{NW of FY 2023-24})}$	$\frac{(\text{NW of FY 2024-25} (-) \text{NW of FY 2021-22})}{(\text{NW of FY 2021-22})}$
$\frac{(\text{NW of FY 2023-24} (-) \text{NW of FY 2022-23})}{(\text{NW of FY 2022-23})}$	
$\frac{(\text{NW of FY 2022-23} (-) \text{NW of FY 2021-22})}{(\text{NW of FY 2021-22})}$	

- iii. **BNPM reserves the right to verify all credentials submitted by bidders towards eligibility criteria.**

Note:

JV/Consortium are not allowed.

- I) *Any bidder from a country which shares a land border with India will be eligible to bid in the tender only if the bidder is registered with the Competent Authority (The Registered Committee constituted by the Department for Promotion of Industry and Internal Trade).
- II) Bidder means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms, or companies), every artificial judicial person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person participating in a procurement process.
- III) "Bidder from a country which shares a land border with India" for the purpose of this order means:-
 - a) An entity incorporated, established or registered in such a country; or
 - b) A subsidiary controlled through entities incorporated, established or registered in such a country, or
 - c) An entity substantially controlled through entities incorporated, established or registered in such a country, or
 - d) An entity whose beneficial owner is situated in such a country; or
 - e) An India (or other) agent of such an entity; or
 - f) A natural person who is a citizen of such a country; or
 - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.



SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

IV) The beneficial owner for the purpose of (iii) above will be as under:-

- 1) In case of a company or limited liability partnership, the beneficial owner is the natural person (s), who, whether acting alone or together, or through one or more judicial person, has a controlling ownership interest or who exercise control through other means.

Further explanation:

a) “Controlling ownership interest” means ownership of or entitlement to more than twenty five per cent of shares or capital or profits of the company;

b) “Control” shall include the right to appoint majority of the director or to control the management or policy decision including by virtue of their shareholding or management rights or shareholder agreements or voting agreements;

- 2) In case of partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more judicial person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;

- 3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who , whether acting alone or together, or through one or more judicial person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

- 4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

- 5) In case of a trust, the identification of beneficial owners(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

V) An agent is a person employed to do any act for any another, or to represent another in dealings with third persons.

VI) The successful bidder shall not be allowed to sub contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

VII) A bidder is permitted to procure raw material, components, sub-assemblies etc. from the vendors from countries which shares a land border with India. Such vendors will not be required to be registered with the competent authority, as it is not regarded as sub-contracting.

VIII) However, in case a bidder has proposed to supply finished goods procured directly/indirectly from the vendors from the countries sharing land border with India, such vendor will be required to be registered with the competent authority.

IX) The registration shall be valid at the time of submission of bid and at the time of acceptance of bid.

Bidder to furnish stipulated documents is support of fulfillment of qualifying criteria. Non-submission or incomplete submission of documents may lead to rejection of offer.

All experience, past performance and capacity/ capability related/ data should be certified by the authorised signatory of the bidder firm. The credentials regarding experience and past performance to the extent required as per eligibility criteria submitted by bidder may be verified from the parties for whom work has been done.

SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

We confirm that, we are competent and legally authorized to submit the tender and / or to enter into legally binding contract. We (Name of the company) have submitted the required documents in support of the eligibility criteria mentioned above.

Authorized Signature with stamp & date

(To be signed & stamped and submitted along with Techno-commercial Bid Part -I)



SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

ANNEXURE – A

e-Tender No: BNPM/NCB/488/2025-26 dated 30.01.2026

(To be submitted on Company letterhead)

DECLARATION

I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India. I hereby certify that M/s is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that M/s fulfills all requirements in this regard and is eligible to be considered.” (where applicable, evidence of valid registration by the Competent Authority shall be attached)

I, the undersigned, declare that the item originate in (Name of the country).

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



SECTION IX - QUALIFICATION/ ELIGIBILITY CRITERIA

ANNEXURE - B

e-Tender No: BNPM/NCB/488/2025-26 dated 30.01.2026

(To be submitted on Company letterhead)

DECLARATION

I) We do hereby declare that,

1. As on the date of submission of bid against this tender we are not in the list of ineligible/ blacklisted/ banned/ debarred entity by SPMCIL/ BRBNMPL/ BNPMIPL/any government agency, for participating in its tenders.

Further, we agree, in case we get blacklisted/ banned/ debarred by SPMCIL/ BRBNMPL/ BNPMIPL/any government agency, any time prior to finalization of tender/ contract, our bid shall not be considered for further evaluation/ award of order.

2. The director/proprietor of the bidding firm are not closely related to BNPMIPL.

In case, at any time the information furnished is found to be false, you may disqualify/ debar me/ us as deemed fit.

II) We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

ANNEXURE – C

e-Tender No: BNPM/NCB/488/2025-26 dated 30.01.2026

(To be submitted on Company letterhead)

DECLARATION

Table 1: Past Experience Details

Sl. No.	Description of Supply/Work	Name & Address of Customer	PO/WO/ /Agreement No. with date	Qty. of Supply / Services provided	Delivery Period
1					
2					
3					
4					
5					

1.Type of MSE enterprise as per UDYAM:

Manufacturing Services Trading

2.Purchase preference & MII is claimed under: MSE: Yes / No.

MII (applicable only for S. No. 31, 32 &34): MII: Yes / No

3.Turnover (under sec IX- Qualification/Eligibility Criteria) exemption is claimed under:

4. Start up: Yes /No

Table 2: Financial Details

Sl. No.	Financial Year	Annual Turn Over (Rs.)	Networth (Rs.)	UDIN No.
1	2024-25			
2	2023-24			
3	2022-23			
4	2021-22			

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----

SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

ANNEXURE -D

e-Tender No: BNPM/NCB/488/2025-26 dated 30.01.2026

(To be submitted on Company letterhead)

BID SECURITY DECLARATION

We, the undersigned, declare that we will automatically be suspended from being eligible for bidding in any tender with Bank Paper Mill India Private Limited, Mysuru for the period of 12 months, if we are withdrawing our Bid during the period of bid validity (or) fail / refuse to furnish the performance security / execute the contract, if awarded.

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----



SECTION IX – QUALIFICATION/ ELIGIBILITY CRITERIA

ANNEXURE - E

SELF DECLARATION OF LOCAL CONTENT

e-Tender No: BNPM/NCB/488/2025-26 dated 30.01.2026

(To be submitted on company letter head)

Name of Bidder: _____

DECLARATION UNDER PREFERENCE TO MAKE IN INDIA (MII) POLICY

In line with Government Public Procurement Order No. P-45021/2/2017-BE-II dt. 15.06.2017 and as amended from time to time and as applicable on the date of submission of tender, we hereby certify that we M/s _____ (supplier name) are local supplier meeting the requirement of minimum Local content as per details below for the material against Tender No _____

1. We declare to be (Tick one)

- a. Class-I Supplier (50% or more local content)
- b. Class-II Supplier (20% or more and upto less than 50% local content)
- c. Non-Local Supplier (Less than 20% local content)

2. Details of location at which local value addition will be made is as follows:

S. No.	Name of the Item	Name of Manufacturer	Country of Origin	% Value to the total cost	Location (s) and address at which the local value addition is made

We also understand, false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rule for which for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

BNPM reserves the right to verify the local content in terms of the requirement of Public Procurement (Preference to Make in India) Order.

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----

SECTION X - TENDER FORM

(Bidder shall use this covering letter while submitting the offer)

To

Date _____

Bank Note Paper Mill India Private Limited
Administrative Building,
Entry Gate No 1, Paper Mill Compound,
Note Mudran Nagar
Mysuru 570 003
Karnataka

Ref: Your Tender document No **BNPM/NCB/488/2025-26 dated 30.01.2026**

We, the undersigned have examined the above mentioned tender enquiry document, including amendment No. -----, dated ----- (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver..... (description of goods) in conformity with your above referred document for the sum as shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods & services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V- "Special Conditions of Contract", for due performance of the contract.

We agree to keep our tender valid for acceptance for a period up to **120 days**, as required in the GIT clause 19, read with modification, if any in Section-III -"Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

(Signature with date)

(Name and designation)

Duly authorized to sign tender for and on behalf of

SECTION XI – PRICE SCHEDULE

(TO BE FILLED ONLINE ONLY THROUGH e-PORTAL)

(A copy of sealed & signed blank price schedule has to be submitted along with techno-commercial offer)

Dear Sir,

Sub: Price bid for Supply of Wires & Cables on Annual Rate Contract Basis for a period of 1 year at BNPM, Mysore.

Ref: e-Tender No. e-Tender No. BNPM/NCB/488/2025-26 dated 30.01.2026

We have received and understood the above tender enquiry and are pleased to submit our price bid as under:

Sch edu le No.	Description	UOM	Tent ative Qty	HSN	Price for Supply(INR)								
					Basic unit Price (INR)	Freight, P&F, Transit Insuranc & any other charges (INR)	Unit price (Incl. of Freight, P&F, Transit Insurance & any other charges) (INR) FOR BNPM, Mysore	GST @ _%	GST Amount (INR)	Total unit price (Incl. of Freight, P&F, Transit Insurance, any other charges & GST) (INR) FOR BNPM, Mysore	Input Tax Credit for HSN (INR)	Effective unit price (Incl. of Freight, P&F, Transit Insurance, any other charges) (INR) FOR BNPM, Mysore	Total Effective price (Incl. of Freight, P&F, Transit Insurance, any other charges) (INR) FOR BNPM, Mysore
					B	C	D=B+C	E	F=D*E	G=D+F	H=F	I=G-H	J=I*A
1.	Supply of 10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red as per technical specifications	Mtrs	200		<div style="position: relative; height: 40px;"> ← → <p style="margin: 0;">TO BE FILLED ONLINE IN E-TENDERING PORTAL ONLY</p> ← → </div>								

SECTION XI – PRICE SCHEDULE

2.	Supply of 10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow as per technical specifications	Mtrs	200
3.	Supply of 10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue as per technical specifications	Mtrs	200
4.	Supply of 10 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black as per technical specifications	Mtrs	200
5.	Supply of 06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red as per technical specifications	Mtrs	500
6.	Supply of 06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Yellow as per technical specifications	Mtrs	500
7.	Supply of 06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue as per technical specifications	Mtrs	600
8.	Supply of 06 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black as per technical specifications	Mtrs	600

TO BE FILLED ONLINE IN E-TENDERING PORTAL ONLY

SECTION XI – PRICE SCHEDULE

9.	Supply of Multistrand wire of 4.0 Sq.mm – Black as per technical specifications	Mtrs	600
10.	Supply of Multistrand wire of 4.0 Sq.mm – Red as per technical specifications	Mtrs	600
11.	Supply of Multistrand wire of 4.0 Sq.mm – yellow as per technical specifications	Mtrs	600
12.	Supply of Multistrand wire of 4.0 Sq.mm – Blue as per technical specifications	Mtrs	600
13.	Supply of 2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black as per technical specifications	Mtrs	1200
14.	Supply of 2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red as per technical specifications	Mtrs	1200
15.	Supply of 2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire – Yellow as per technical specifications	Mtrs	1200

SECTION XI – PRICE SCHEDULE

16.	Supply of 2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue as per technical specifications	Mtrs	1200
17.	Supply of 2.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire-Green as per technical specifications	Mtrs	1200
18.	Supply of 1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Red as per technical specifications	Mtrs	1800
19.	Supply of 1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire-Yellow as per technical specifications	Mtrs	1800
20.	Supply of 1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire-Gray as per technical specifications	Mtrs	300
21.	Supply of 1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Blue as per technical specifications	Mtrs	1800
22.	Supply of 1.5 sqmm PVC Insulated Flexible FRLS multistrand Copper Wire-Black as per technical specifications	Mtrs	1800

SECTION XI – PRICE SCHEDULE

23.	Supply of Multistrand wire 1.5 Sq.mm -Green as per technical specifications	Mtrs	1800
24.	Supply of 0.5 sqmm PVC Insulated Flexible FRLS multistrand Copper wire, Colour-Blue as per technical specifications	Mtrs	600
25.	Supply of Armoured 3core x 2.5 sqmm Cu XLPE cable as per technical specifications	Mtrs	1000
26.	Supply of Armoured 4core x 4 sqmm Cu cable as per technical specifications	Mtrs	500
27.	Supply of Armoured 3core x 4 sqmm Cu cable as per technical specifications	Mtrs	500
28.	Supply of Flexible Copper Cable - 4 core x 2.5 Sq.mm as per technical specifications	Mtrs	500
29.	Supply of Armoured Copper Cable - 4 core x 2.5 Sq.mm , FRLS Type as per technical specifications	Mtrs	1000

SECTION XI - PRICE SCHEDULE

30.	Supply of Armoured 4 core x 1.5 sqmm Cu cable as per technical specifications	Mtrs	1000	
31.	Supply of Armoured 1 Core x 240 Sq.mm Cu, XLPE Cable as per technical specifications	Mtrs	600	
32.	Supply of Armoured 4C x 6 Sq.mm Cu, XLPE Cable as per technical specifications	Mtrs	1000	
33.	Supply of Armoured 4C x 10 Sq.mm Cu, XLPE Cable as per technical specifications	Mtrs	500	
34.	Supply of Armoured 4C x 25 Sq.mm Cu, XLPE Cable as per technical specifications	Mtrs	500	
35.	Supply of CAT 6A Cable (UTP) as per technical specifications	Roll	8	
36.	Supply of CAT 6 (UTP) - Armoured cable as per technical specifications	Roll	4	

SECTION XI – PRICE SCHEDULE

37.	Total Effective price (net of input tax credit) for Supply of Wires & Cables on ARC basis for 1 year at BNPM Plant, Mysuru without GST, Freight, P&F, Insurance & any other charges (F.O.R – Mysore site) (IN FIGURES)	
38.	Total Effective price (net of input tax credit) for Supply of Wires & Cables on ARC basis for 1 year at BNPM Plant, Mysuru without GST, Freight, P&F, Insurance and any other charges (F.O.R – Mysore site) (IN WORDS)	

1. **Effective price will be calculated based on schedule wise lowest price i.e. (Unit Price, P&F, Insurance, Freight & GST amount) less input GST amount. L-1 status shall be decided considering schedule wise lowest effective price.**
2. Bidder shall note that no extra cost will be considered over and above the price quoted in the price bid and hence bidder shall ensure that price submitted in the price bid is quoted considering complete technical specifications as defined in the tender document.
3. Bidder shall be eligible to pass on the input credit which has been deducted from Total price to arrive at Effective price.

()

Seal

Name

Signature with Date

Note:

- a) Price should be quoted exactly as per the format given above; Price bids with conditions / Counter conditions are liable for rejection.
- b) Multiple / Variable rate for single item, would lead to rejection of offer.
- c) Prices are to be quoted online (e-tender portal) & in financial bid only and not in techno-commercial bid else bid will be rejected and bidder will be disqualified

(To be signed & stamped and submitted (blank) along with Techno-commercial Bid Part –I)

SECTION XII - QUESTIONNAIRE

The tenderer should furnish specific answers to all the questions/concerns mentioned below. In case a question/concern does not apply to a tenderer, the same should be answered with the remark “not applicable”.

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or evasive answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

S. No.	Description	To be filled by bidder
1	Brief description of goods and services offered	
2	Offer is valid for acceptance up to	120 Days from the date of opening of tender
3	Your permanent income tax A/c no. as allotted by the Income Tax Authority of Government of India (Please attach certified copy of your latest/ current Income Tax clearance certificate issued by the above authority)	
4	Are you currently registered with the Directorate General of Supplies & Disposals (DGS&D), New Delhi, and/ or the present BNPMIPL and/ or the Directorate of Industries of the concerned State Government/NSIC/SSI for the goods quoted? If so, indicate the date up to which you are registered and whether there is any monetary limit imposed on your registration.	Yes / No If Yes: Registration No..... Validity:
5	Are you currently registered under the Indian Companies Act, 1956 or any other similar Act? (Please attach certified copy (s) of your registration status etc. in case your answer (s) to above queries is in affirmative	
6	Bank account/NEFT/RTGS details	Name of bank: Branch: A/c No.: IFSC: MICR:
7	Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Dept. of Government of India or by any State Govt.	

SECTION XII - QUESTIONNAIRE

8	EMD details:	Online/Offline/Exempted/Not Applicable
	a) Online:	NEFT/RTGS Details:_____ Dtd:_____
	a) Declaration as per Annexure C	Submitted/ Not Applicable
9	Tender Fee:	Online / Offline
	a) Online:	NEFT/RTGS Details:_____ Dtd:_____
10	We confirm that we possess the necessary technical competence and financial resources as mentioned in Section -IX of this tender document, to ensure supply of the tendered item, as per your specifications and delivery schedule. Necessary documents like copies of Purchase orders, P/L Accounts, Balance Sheets are enclosed	Yes / No
11	We confirm that we have quoted exactly for the tendered product as per your specifications given in Section VII	Yes / No
12	We confirm that the Price bid is quoted exactly as per your format in Section- XI	Yes / No
13	We confirm that there would not be any price escalation (Except Statutory Charges) during the supply / contract period	Yes / No
14	We confirm that we will abide by all the tender terms & conditions and we do not have any counter conditions. As required, we enclose herewith the complete set of copy of tender documents duly signed by us as a token of our acceptance	Yes / No

We also confirm that the undersigned is duly authorized and have the competence to submit the tender and / or to enter into legally binding contract for and on behalf of the firm.

.....

(Signature with date)

(Full name, Designation & address of the person duly authorized sign on behalf of the tenderer)

For and on behalf of

.....

.....

(Name, address and stamp of the tendering firm)



SECTION XIII- BANK GUARANTEE FORM FOR EMD

..... (Insert: Bank's Name, and Address of Issuing Branch or Office)

Beneficiary:

Bank Note Paper Mill India Private Limited

Administrative Building, Entry Gate 1,

Paper Mill Compound,

Note Mudran Nagar,

Mysore - 570003

Whereas.....(hereinafter called the "Tenderer") has submitted its quotation dated.....for the supply(herein after called the "tender") against Bank Note Paper Mill India Private Limited's tender enquiry No. Know all persons by these presents that we.....of (Hereinafter called the "Bank") having our registered office at

Are bound unto Bank Note Paper Mill India Private Limited (hereinafter called the "BNPMIPL") In the sum offor which payment will and truly to be made to the said BNPMIPL, the Bank binds itself, its successors and assigns by these presents.

Sealed with the Seal of the said Bank this..... day of.....20....

The conditions of this obligation are -

- 1) If the Tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- 2) If the tenderer having been notified of the acceptance of his tender by BNPMIPL during the period of its validity: -
 - a) fails or refuses to furnish the performance security for the due performance of the contract
 - b) fails or refuses to accept/ execute the contract.

We undertake to pay Bank Note Paper Mill India Private Limited up to the above amount upon receipt of its first written demand, without Bank Note Paper Mill India Private Limited having to substantiate its demand, provided that in its demand BNPMIPL will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition (s).

This guarantee will remain in force for a period of forty five days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

.....

(Signature of the authorized officer of the Bank)

.....

Name, authorisation/ signature no. and designation of the officer

Seal, name & address of the Bank and address of the Branch

SECTION XIII- BANK GUARANTEE FORM FOR EMD

Checklist for Bank Guarantee:

Performance BG should be in line with / comply the following.

1. BG should be issued on not less than Rs. 300/- e-stamp / non-judicial stamp paper in case of paper Bank Guarantees (or) not less than Rs. 200/- e-stamp in case of e-Bank Guarantees.
2. Non judicial stamp paper / e stamp paper should be purchased in the name of BG issuing bank only.
3. In case of e stamp paper first party should be BG issuing bank and second party should be BNPM.
4. Date of sale of non-judicial / e stamp paper shown on the BG and the stamp paper (BG) issued is not more than six months prior to the date of execution of BG.
5. Executing officer of BG should indicate his name, designation and power of attorney number / signing power no etc. on each page of BG.
6. Name and address of the supplier, name and address of BNPM and value are to be mentioned clearly.
7. Overwriting / cutting if any in BG should be authenticated under signature and seal of authorized signatory of BG issuing Bank.
8. BG number and BG date should be mentioned in all pages of BG and all pages are endorsed / signed by authorized signatories of issuing bank.
9. Amount mentioned in figures and words are to be matched.
10. Validity of BG should be in line with the terms & conditions of the contract.
11. BG should be unconditional.

12. Our Bank details is mentioned below:

Name of the Bank: HDFC Bank.

Name of the Branch: Richmond Road Branch.

Account No: 05230350002465.

Branch Address: No. 8/24, Salco Centre, Bangalore- 560025, Karnataka.

IFSC: HDFC0000523.

SECTION XIV- MANUFACTURER'S AUTHORIZATION FORM

**NOT APPLICABLE TO THIS
TENDER DOCUMENT**



SECTION XV- BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

..... (Insert: Bank's Name, and Address of Issuing Branch or Office)

Beneficiary:

Bank Note Paper Mill India Private Limited
Administrative Building, Entry Gate 1,
Paper Mill Compound, Note Mudran Nagar,
Mysore - 570003
Date:

Performance Guarantee No.:

WHEREAS.....(name and address of the supplier) (hereinafter called "the supplier") has undertaken, in pursuance of LOI (Letter of Intent) no..... dated to supply (description of goods and services) (herein after called "the contract").

AND WHEREAS it has been stipulated by you in the said LOI that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the LOI;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of..... (amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand. We further agree that no change or addition to or other modification of the terms of the contract to be performed thereunder or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

We undertake to pay Bank Note Paper Mill India Private Limited up to the above amount upon receipt of its first written demand, without Bank Note Paper Mill India Private Limited having to substantiate its demand.

This guarantee will remain in force for a period of sixty days after the currency of this contract and any demand in respect thereof should reach the Bank not later than the above date.

(Signature of the authorized officer of the Bank)

Name, Authorization/ Signature no. and Designation of the officer

Seal, Name & Address of the Bank and Address of the Branch



SECTION XV- BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

Checklist for Bank Guarantee:

Performance BG should be in line with / comply to the following.

1. BG should be issued on not less than Rs. 300/- e-stamp / non-judicial stamp paper in case of paper Bank Guarantees (or) not less than Rs. 200/- e-stamp in case of e-Bank Guarantees.
2. Non judicial stamp paper / e stamp paper should be purchased in the name of BG issuing bank only.
3. In case of e stamp paper first party should be BG issuing bank and second party should be BNPM.
4. Date of sale of non-judicial / e stamp paper shown on the BG and the stamp paper (BG) issued is not more than six months prior to the date of execution of BG.
5. Executing officer of BG should indicate his name, designation and power of attorney number / signing power no etc. on each page of BG.
6. Name and address of the supplier, name and address of BNPM and value are to be mentioned clearly.
7. Overwriting / cutting if any in BG should be authenticated under signature and seal of authorized signatory of BG issuing Bank.
8. BG number and BG date should be mentioned in all pages of BG and all pages are endorsed / signed by authorized signatories of issuing bank.
9. Amount mentioned in figures and words are to be matched.
10. Validity of BG should be in line with the contract.
11. BG should be unconditional.
12. Our Bank details is mentioned below:

Name of the Bank: HDFC Bank

Name of the Branch: Richmond Road Branch

Branch Address: No. 8/24, Salco Centre, Bangalore- 560025, Karnataka

Account No: **05230350002465**

IFSC: HDFC0000523



SECTION XVI- CONTRACT FORM

**NOT APPLICABLE TO THIS
TENDER DOCUMENT**

**SECTION XVII- LETTER OF AUTHORITY FOR ATTENDING BID
OPENING**

**NOT APPLICABLE TO THIS
TENDER DOCUMENT**

**SECTION XVIII- SHIPPING ARRANGEMENTS FOR LINER
CARGO'S**

**NOT APPLICABLE TO THIS
TENDER DOCUMENT**

**NOT APPLICABLE TO THIS
TENDER DOCUMENT**

**SECTION XX- PROFORMA FOR PRE-CONTRACT INTEGRITY
PACT**

**NOT APPLICABLE TO THIS
TENDER DOCUMENT**