

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED,
CIN: U21090KA2010PTC055475
CORPORATE OFFICE, MYSORE
Email: bhoodhar@bnpmindia.com
Tel: 0821-2401-174

ENQUIRY No: BNPM/ENQ/ CONVEYOR HEAD DRUM /413/2017-18

Start Date: 02.02.2018

END Date: 08.02.2018

Extend upto:23.03.2018

Extend Upto: 16.04.2018

Extended upto 19.04.2018

1. Scope of work:

Supply of “Supply conveyor head drum as per attached drawing”.

2. Terms & Conditions:

| S. No. | Particulars | Quantity |
|--------|-----------------------------|--|
| 1. | Payment Terms | 100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier. <u>NEFT/RTGS details shall be furnished along with invoice.</u> |
| 2. | Price | Price should be inclusive of all taxes & duties. |
| 3. | Freight | Shall be included in quoted price |
| 4. | Packing & Forwarding | Shall be included in quoted price |
| 5. | Delivery Terms | DAP, Bank Note Paper Mill India Private Limited, Mysore |
| 6. | Warranty Period |(Please specify) |
| 7. | Warranty Certificate | Applicable/ Not Applicable |
| 8. | Delivery Period |(Please specify) |
| 9. | Material to be delivered at | Engineering Stores Bank Note Paper Mill India Private Limited Note Mudran Nagar Mysore 570 003 Karnataka |

Remarks: Quotation should send by mail to bhoodhar@bnpmindia.com.



3. Price Bid Format :

| S. No. | Description | Qty. A | UOM B | Unit rate C | GST @.....% D | Total E=C+D | Grand Total F=E*A |
|-----------------------|--|--------|-------|-------------|---------------|--------------------|-------------------|
| 1 | <p>Conveyor head drum MOC of shell : M.S seamless pipe Shell OD – 215 mm Shell Thickness – 7 mm approx.. Rubber Cover Thickness – approx.. 7.5 mm Roll OD with rubber – 230 mm Rubber grad: Ebonite MOC of shaft: EN-19 Bearing tolerances to be provided at bearing seating area as per standard (60 mm). +0.04 mm to +0.070 mm. Dimension are as per attached drawing in Annexure Other Conditions:</p> <ol style="list-style-type: none"> 1. Roll to be rubberised with ebonite rubber having diamond cut shapes for better grip/friction. 2. Roll rubberizing has to be done with vulcanizing process. 3. Roll to be statically balanced. 4. Manufacturing certificate to be provided by the vendor. 5. Vendor has to submit the drawing for approval before start of manufacturing. | 1 | NOS | | | | |
| | | | | | | Grand Total | |
| Grand Total In Words: | | | | | | | |


We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
Price quoted is inclusive of all taxes, duties, P&F, freight etc. on DAP, BNPM, Mysore basis.


Signature of bidder:.....

Name of the Firm:.....





ALL DIMENSIONS ARE IN MM

| | | | |
|--|------|---------|--------------------------------------|
|  BANK NOTE PAPER MILL INDIA PRIVATE LIMITED MYSORE-570003 | | | |
| | SIGN | INITIAL | DATE |
| PREPARED BY | | | |
| CHECKED BY | | | |
| APPROVED BY | | | |
| | | | Bale Press Conveyor Head Drum |
| | | | VPM/PM/024/2017-18 |

M.O.C OF SHELL- M.S SEAMLESS PIPE
 M.O.C OF SHAFT- EN-19
 STATIC BALANCING TO BE DONE

