

# BANK NOTE PAPER MILL INDIA PRIVATE LIMITED CIN: U21090KA2010PTC055475 | CORPORATE OFFICE, MYSORE

#### vaishnavi.shankar@bnpmindia.com

Ph: 0821 2401 175

#### Open Tender Enquiry No. BNPM/OTE/ Logbooks/0790/2022-23 Enquiry for supply of Logbooks

**Issuing Date: 01.02.2023 Closing Date: 08.02.2023** 

#### **A. Scope of supply:** Supply of following items:

S No	Item Description	UOM	Quantity
1	Grinding Machine logbook (REC-MC 45)  1. Hard bind, Total number of pages should be 100  Nos. and page no. should be 01 to 200  2. Mention page number on each pages both side, Left & right side matter will be count as separate Pages  3. Sheet Size- Height 235 mm approx. (+/- 5 mm) and width 375 mm approx (+/- 5 mm)  4. Both side printed printing matter, BNPM logo in green color  5. Page number to be mentioned on right side top on each page.  6. Content sheet to be included before 1st page.  7. As per sample attachment file	Nos.	5
2	Wire Usage Register (REC-MC 16)  1. Hard bind, Total number of pages should be 100  Nos. and page no. should be 01 to 200  2. Mention page number on each pages both side, Left & right side matter will be count as separate Pages  3. Sheet Size- Height 235 mm approx (+/- 5 mm) and width 375 mm approx (+/- 5 mm)  4. Both side printed printing matter, Dual color logo print  5. Page number to be mentioned on right side top on each page.  6. Content sheet to be included before 1st page.  7. On Front side of logbook hard bind, tag including start & end date as per sample word format attachment  8. As per sample attachment file (up to scale) with trim mentioned, page cutting along trim	Nos.	5
3	Consumable Register (REC-MC 21)	Nos.	5



7. As per sample attachment file (up to scale) with trim mentioned, page cutting along trim		6. On Front s start & end o 7. As per san trim mention	ned, page cutting along trim		
trim mentioned, page cutting along trim  Raw Material Usage Register (German Silver) (REC-MC 17B)  1. Hard bind, Total number of pages should be 100  Nos. and page no. should be 01 to 200  2. Mention page number on each pages both side, Left  & right side matter will be count as separate Pages  Nos. 5	5	start & end of 7. As per san trim mention Raw Material Usage 1. Hard bind Nos. and page 2. Mention p & right side of the state of the s	late as per word format attachment apple attachment file (up to scale) with ned, page cutting along trim Register (German Silver) (REC-MC 17B) Total number of pages should be 100 te no. should be 01 to 200 te no age number on each pages both side, Left matter will be count as separate Pages	Nos.	5
3. Sheet Size- Height 235 mm approx (+/- 5 mm) and width 375 mm approx. (+/- 5 mm) 4. Both side printed printing matter, Dual colour logo		3. Sheet Size width 375 m	- Height 235 mm approx (+/- 5 mm) and m approx. (+/- 5 mm)		



	<ul> <li>5. Page number to be mentioned on right side top on each page.</li> <li>6. Content sheet to be included before 1st page.</li> <li>7. On Front side of logbook hard bind, tag including start &amp; end date as per sample word format attachment</li> <li>8. As per sample attachment file (up to scale) with trim mentioned, page cutting along trim</li> </ul>		
6	1. Hard bind, Total number of pages should be 100  Nos. and page no. should be 01 to 200  2. Mention page number on each pages both side, Left & right side matter will be count as separate Pages  3. Sheet Size- Height 235 mm approx (+/- 5 mm) and width 375 mm approx. (+/- 5 mm)  4. Both side printed printing matter, Dual colour logo print  5. Page number to be mentioned on right side top on each page.  6. Content sheet to be included before 1st page.  7. On Front side of logbook hard bind, tag including start & end date as per sample word format attachment  8. As per sample attachment file (up to scale) with trim mentioned, page cutting along trim	Nos.	5
7	DESTROYED WIRE REGISTER MOULD COVER (REC-MC 27)  1. Hard bind, Total number of pages should be 100 Nos. and page no. should be 01 to 200 2. Mention page number on each pages both side, Left & right side matter will be count as separate Pages 3. Sheet Size- Height 235 mm approx. (+/- 5 mm) and width 375 mm approx. (+/- 5 mm) 3. Both side printed printing matter, Dual colour logo print 4. Page number to be mentioned on right side top on each page. 5. On Front side of logbook hard bind, tag including start & end date as per sample word format attachment 6. As per sample attachment file (up to scale) with trim mentioned, page cutting along trim	Nos.	5



1.	Payment Terms	100% within 30 days from date of receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price.
4.	Packing & Forwarding	Shall be included in quoted price.
5.	Delivery Terms	F.O.R – Bank Note Paper Mill India Private Limited, Mysore.
6.	Warranty Period	From date of supply at BNPM, Mysuru.
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period	Weeks from date of receipt of purchase order.
9.	Validity of Bid	30 days from date of closing of tender.
10.	Material to be delivered at	Engineering Stores, Bank Note Paper Mill India Private Limited, Note Mudran Nagar, Mysore 570 003.
11.	Contact person	Ms. Vaishnavi Shankar P: 0821-2401175

#### **Price Bid Format:**

S No	Description	иом	Qty.	Unit rate	Freig ht, P&F Char ges	GS T @  %	Unit rate includi ng GST & Freigh t, P&F Charge s	Grand total inclusive of GST and Freight, P&F Charges (F.O.R, BNPM, Mysore)
1	Grinding Machine logbook (REC-MC 45) 1. Hard bind, Total number of pages should	Nos.	5					



			1	1	T	1	ı	1	_
	be 100 Nos. and page no.								
	should be 01 to 200								
	2. Mention page number								
	on each pages both side,								
	Left & right side matter								
	will be count as separate								
	Pages								
	3. Sheet Size- Height 235								
	mm approx. (+/- 5 mm)								
	and width 375 mm								
	approx (+/- 5 mm)								
	4. Both side printed								
	printing matter, BNPM								
	logo in green color								
	5. Page number to be								
	mentioned on right side								
	top on each page.								
	6. Content sheet to be								
	included before 1st page.								
	7. As per sample								
	attachment file								
	Wire Usage Register (REC-MC								
	16)								
	1. Hard bind, Total								
	number of pages should								
	be 100 Nos. and page no.								
	should be 01 to 200								
	2. Mention page number								
	on each pages both side,								
	Left & right side matter								
	will be count as separate								
2	Pages	Nos.	5						
	3. Sheet Size- Height 235								
	mm approx (+/- 5 mm)								
	and width 375 mm								
	approx (+/- 5 mm)								
	4. Both side printed								
	printing matter, Dual								
	color logo print								
	5. Page number to be								
	mentioned on right side								
1	top on each page.								



	_	ı	1			ı	1
	6. Content sheet to be						
	included before 1st page.						
	7. On Front side of						
	logbook hard bind, tag						
	including start & end						
	date as per sample word						
	format attachment						
	8. As per sample						
	attachment file (up to						
	scale) with trim						
	mentioned, page cutting						
	along trim						
	Consumable Register (REC-MC						
	21)						
	1. Hard bind, Total						
	number of pages should						
	be 200 Nos. and page no.						
	should be 01 to 400						
	2. Mention page number						
	on each pages both side,						
	Left & right side matter						
	will be count as separate						
	Pages						
	3. Sheet Size- Height 235						
	mm approx. (+/- 5 mm)						
	and width 375 mm						
	approx (+/- 5 mm)	NT	_				
3	4. Both side printed	Nos.	5				
	printing matter, Dual						
	color logo print						
	5. Page number to be						
	mentioned on right side						
	top on each page.						
	6. Content sheet to be						
	included before 1st page.						
	7. On Front side of						
	logbook hard bind, tag						
	including start & end						
	date as per sample word						
	format attachment						
	8. As per sample						
	attachment file (up to						
	accacimient me (up to			1	<u>l</u>		



	scale) with trim		1	1	1	1	1	I	
	mangland								
	mentioned, page cutting								
	along trim								_
	Raw Material Usage Register								
	(Brass Plate) (REC-MC 17A)								
	1. Hard bind, Total								
	number of pages should								
	be 100 Nos. and page no.								
	_								
	_								
	_								
	_								
	_								
4		Nos.	5						
	_								
	_								
	_								
	_								
	attachment								
	attachment file (up to								
	scale) with trim								
	mentioned, page cutting								
	along trim								
	Raw Material Usage Register								
	(German Silver) (REC-MC 17B)								
_	1. Hard bind, Total	Noc							
5	number of pages should	1105.	)						
	be 100 Nos. and page no.								
	should be 01 to 200								
5	should be 01 to 200  2. Mention page number on each pages both side, Left & right side matter will be count as separate Pages  3. Sheet Size- Height 235 mm approx (+/- 5 mm) and width 375 mm approx. (+/- 5 mm)  3. Both side printed printing matter, Dual colour logo print  4. Page number to be mentioned on right side top on each page.  5. Content sheet to be included before 1st page.  6. On Front side of logbook hard bind, tag including start & end date as per word format attachment  7. As per sample attachment file (up to scale) with trim mentioned, page cutting along trim  Raw Material Usage Register (German Silver) (REC-MC 17B)  1. Hard bind, Total number of pages should be 100 Nos. and page no.	Nos.	5						



						1	1	_
	2. Mention page number							
	on each pages both side,							
	Left & right side matter							
	will be count as separate							
	Pages							
	3. Sheet Size- Height 235							
	mm approx (+/- 5 mm)							
	and width 375 mm							
	approx. (+/- 5 mm)							
	4. Both side printed							
	printing matter, Dual							
	colour logo print							
	5. Page number to be							
	mentioned on right side							
	top on each page.							
	6. Content sheet to be							
	included before 1st page.							
	7. On Front side of							
	logbook hard bind, tag							
	including start & end							
	date as per sample word							
	format attachment							
	8. As per sample							
	attachment file (up to							
	scale) with trim							
	mentioned, page cutting							
	along trim							
	PPE's Record (REC-MC 28)							
	1. Hard bind, Total							
	number of pages should							
	be 100 Nos. and page no.							
	should be 01 to 200							
	2. Mention page number							
	on each pages both side,	Noc	5					
6	Left & right side matter	Nos.	5					
	will be count as separate							
	Pages							
	3. Sheet Size- Height 235							
	mm approx (+/- 5 mm)							
	and width 375 mm							
	approx. (+/- 5 mm)							
l	,		l	1	l	l .	l	_



	4.70 .1			1	I	1
	4. Both side printed					
	printing matter, Dual					
	colour logo print					
	5. Page number to be					
	mentioned on right side					
	top on each page.					
	6. Content sheet to be					
	included before 1st page.					
	7. On Front side of					
	logbook hard bind, tag					
	including start & end					
	date as per sample word					
	format attachment					
	8. As per sample					
	attachment file (up to					
	scale) with trim					
	mentioned, page cutting					
	along trim					
	DESTROYED WIRE REGISTER					
	MOULD COVER (REC-MC 27)					
	1. Hard bind, Total					
	number of pages should					
	be 100 Nos. and page no.					
	should be 01 to 200					
	2. Mention page number					
	on each pages both side,					
	Left & right side matter					
	will be count as separate					
	Pages					
	3. Sheet Size- Height 235					
7	mm approx. (+/- 5 mm)	Nos.	5			
	and width 375 mm					
	approx. (+/- 5 mm)					
	3. Both side printed					
	printing matter, Dual					
	colour logo print					
	4. Page number to be					
	mentioned on right side					
	_					
	top on each page.					
	5. On Front side of					
	logbook hard bind, tag					
	including start & end					



	date as per sample word							
	format attachment							
	6. As per sample							
	attachment file (up to							
	scale) with trim							
	mentioned, page cutting							
	along trim							
	tal price inclusive of all tax, freig			1	figures			
To	tal price inclusive of all tax, freig	ght , P&F &	any oth	er cha	rges in words			
	Note: Evaluation shall be done on	the basis of	overall	effectiv	e price q	uotec	l by the bi	dder
	HSN Code: ()							
	We hereby confirm that							
	1. We accept all terms & cond	itions men	tioned in	the en	quiry.			
	2. Price quoted is inclusive of	all taxes, P	&F, freig	ht etc. o	on F.O.R,	BNPI	M, Mysore	basis.
	3. GST registration status: Uni	registered /	' Compoi	unding	/ Registe	ered.		
	4. Bid validity: 30 days from days	ate of closin	g of tend	ler inclu	uding ext	ensio	ns/corrig	endum's
	(if any).							
	5. Bank Details: Acc. No		; Ban	k Name	):			;
	Branch name:		; Braı	nch Coo	de:			;
	IFSC:		;					
	6. MSEs / NSIC status:							
	(If yes, then supporting docu	ıment sha	ll be sub	mitted	d along	with	the offer	to avail
	the benefits under the Proc	urement I	Policy fo	or MSE	s, Orde	r <b>201</b>	2 along	with its
	amendments)		•				J	
	Signature of bidder:							
	Name of the Firm:							
	Seal of the firm:							
	GST No:							

NOTE: Interested bidders are recommended to register themselves at company's website <a href="https://bnpmindia.com/Vendor.aspx">https://bnpmindia.com/Vendor.aspx</a> in order to get future enquiries of relevant items

