



बैंक नोट पेपर मिल इण्डिया प्रा. लिमिटेड

BANK NOTE PAPER MILL INDIA PVT LIMITED

JV of SPMCIL - A Govt. of India Enterprises & BRBNMPL - A Subsidiary of RBI

**BANK NOTE PAPER MILL INDIA PRIVATE LIMITED**

**CIN: U21090KA2010PTC055475**

**CORPORATE OFFICE, MYSORE**

[gopalakrishnan.m@bnpmindia.com](mailto:gopalakrishnan.m@bnpmindia.com)

**Ph: 0821 2401 158**

**ENQUIRY NO: BNPM/ENQ/ELECTRICALPARTS/028/2018-19**

**Enquiry issuing Date: 16.04.2018 11:00 hrs.**

**Closing date: 20.04.2018 15:00 hrs.**

**1. Scope of work:**

Supply of following items,

- a. Varistor TVR20431.
- b. Resistor 3.9 Ohms, ½ Watt.
- c. 24V DC relay, make: CRUUS.

Refer technical specifications for more details.

**2. Terms & Conditions:**

S. No	Particulars	Quantity
1.	Payment Terms	100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier. <b><u>Warranty certificate (if applicable) and NEFT/RTGS details shall be furnished along with invoice.</u></b>
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price.
4.	Packing & Forwarding	Shall be included in quoted price.
5.	Delivery Terms	F.O.R, Bank Note Paper Mill India Private Limited, Mysore
6.	Warranty Period	.....
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period	.....
9.	Material to be delivered at	Engineering Stores, Bank Note Paper Mill India Private Limited, Note Mudran Nagar, Mysore 570 003.
10.	Contact person in Engineering Stores	Mr. Ashutosh Kumar 0821 2401 486 Mr. Sunil Kumar 0821 2401 485

**Price Bid Format :**

S. No.	Description	Qty.	UOM	Unit rate	Freight, P&F Charges	GST @ 18% (HSN: 8533/8536)	Unit rate including GST & Freight, P&F Charges	Grand total inclusive of GST and Freight, P&F Charges (F.O.R, BNPM, Mysore)
1	Varistor TVR20431	10	No's					
2	Resistor 3.9 Ohms, ½ Watt	10	No's					
3	24V DC Relay	10	No's					
<b>Total price inclusive of all tax, freight , P&amp;F charges</b>								

HSN Code: (Varistor & Resistor – 8533; 24V DC Relay - 8536)

We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, P&F, freight etc. on F.O.R, BNPM, Mysore basis.

Signature of bidder:.....

Name of the Firm:.....

Seal of the firm: .....

GST No: .....



**Technical Specifications:**

a. Varistor TVR20431

Part No	Varistor Voltage	Max allowable voltage		Max clamping voltage		Max energy	Max peak current		Rated power (W)	Reference capacitance @ 1KHZ (pf)	Dimensions T (max) (mm)
		AC rms (V)	DC (V)	Vp (V)	Ip (A)		10/1000 (J)	1 time (A)			
TVR 20431	430	275	350	710	100	190	6500	4000	1.0	1050	6.0

**Dimensions:**

Disc dia (mm)	D max. (mm)	L min. (mm)	D nor. (mm)	P nor. (mm)
20	23.5	26	1.0 +/- 0.02	10 +/- 1

b. Resistor 3.9 Ohms, ½ Watt.

c. 24V DC Relay, make: CRUUS

- a. 7A 250v-T85.
- b. 7A 277Vac C1244.
- c. 892HN-1Ah-C, 24Vdc

