



बैंक नोट पेपर मिल इण्डिया प्रा. लिमिटेड

BANK NOTE PAPER MILL INDIA PVT LIMITED

JV of SPMCIL - A Govt. of India Enterprises & BRBNMPL - A Subsidiary of RBI

email : scmcommon@bnpmindia.com, Ph: 0821 2401 178

Limited Tender Enquiry No: BNPM/LTE/Edge sensor plate/281/2018-19

Enquiry date: 06.07.2018

Closing date: 12.07.2018

Extended upto : 19.07.2018 @ 1000 Hrs

1. Scope of work:

Supply of **Pneumatic edge sensor plate and ceramic plate**

2. Terms & Conditions:

S. No.	Particulars	Quantity
1.	Payment Terms	100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier. <u>Warranty certificate (if applicable) and NEFT/RTGS details shall be furnished along with invoice.</u>
2.	Price	Price should be inclusive of taxes,
3.	Freight	Shall be included in quoted price
4.	Packing & Forwarding	Shall be included in quoted price
5.	Delivery Terms	DAP, Bank Note Paper Mill India Private Limited, Mysore
6.	Warranty Period
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period
9.	Material to be delivered at	Engineering Stores Bank Note Paper Mill India Private Limited Note Mudran Nagar Mysore 570 003
10.	Contact person	N. Saideep 0821-2401 178 Scmcommon@bnpmindia.com



Price Bid Format:

S. No.	Description	Qty.	UOM	Unit rate	Freight, P&F Charges	GST@	Unit rate including GST & Freight, P&F Charges	Grand total inclusive of GST and Freight, P&F Charges (DAP, BNPM, Mysore)
1.	SS Pneumatic edge Sensor Plate	02	Nos					
2.	Ceramic Plate with Holes	04	Nos					
Total price inclusive of all tax, freight , P&F charges								

We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, P&F, freight etc. on DAP, BNPM, Mysore basis.
3. HSN Code:

Signature of bidder:

Name of the Firm:

Seal of the firm:

GST No:




Technical Specifications:-

Feature	Tech Specification
S.R No 1: SS Pneumatic Edge Sensor Plate	
Item	SS Pneumatic Edge Sensor Plate
Qty	02 Nos
SS Grade	SS 316
Plate Contact Force	Approx, 2N
Pneumatic Pressure	2.5- 3.5 Bar
Ambient Temperature	10°C to 150° C
Dimension	110x120x322 mm
Compressed air treatment	Filtered Compressed Air with water removed
Measuring range	+/- 50mm
Dead zone	+/- 7.5mm
Valve Housing	Wet Area: Bronze Dry Area: Nickel Plated Brass
S.R No 2- Ceramic plate with holes on SS plate for S.No.1	
Item	Ceramic Plate with holes
Qty	04 Nos





SENSOR PLATE MATERIAL: AISI-316 / SS-316
SENSOR PLATE THICKNESS: 2MM
CERAMIC PLATE THICKNESS: 5MM(MIN.)
Screws to be supplied along with the ceramic plates.



CERAMIC STRIPS

