

BANK NOTE PAPER MILL INDIA PRIVATE LIMITED CIN: U21090KA2010PTC055475 | CORPORATE OFFICE, MYSORE

sanchari.mandal@bnpmindia.com

Ph: 0821 2401 179

Open Tender Enquiry No. BNPM/OTE/MCBs/0834/2022-23 Enquiry for supply of MCBs

Issuing Date & Time: 16.02.2023 12:30 hrs. Closing Date & Time: 28.02.2023 11.30 hrs.

Extension1: Till 07.03.2023 Extension2: Till 14.03.2023 Extension3: Till 21.03.2023 Extension4: Till 28.03.2023 Extension5: Till 04.04.2023 Extension6: Till 11.04.2023 Extension7: Till 18.04.2023

A. Scope of supply: Supply of following items: (*Reference Image attached*)

S No	Item Description	UOM	Quantity
1	MCB,4 Pole, 10Amps, AC		
-	Details:	Nos	15
	No. of Poles: 4,	1105	
	Current Rating: 10A,		
	Voltage: 415V AC,		
	Freq.: 50Hz,		
	Icu: 10 KA,		
	Curve type: C		
	Connections: Cage Screw terminals with neutral on right,		
	Suitable for DIN Rail mounting,		
	Make: Schneider Electric/Legrand /C & S/Hager/L&T/ABB		
	or any other equivalent brand approved by BNPM		
	MCB 1P AC 16A		
2	Details:		
	No. of Poles:1,		
	Current Rating: 16 A,		
	Volts: 230 V AC,	Nos	10
	Freq.: 50Hz		
	Icu: 10 KA,		
	Curve type: C		
	Connections: Screw terminals with neutral on right,		



	direct finger contact, Suitable for DIN Rail I The MCB shall have D both sides and electri	nt: cage type with protection against mounting, real Termination for wire & bus bar on cal life upto 20,000 operations. tric/Legrand /C & S/Hager/L&T/ABB		
3	MCB 1P AC 10A			
	Details:			
	No. of Poles:1, Current Rating: 10A,		Nos	10
	Volts: 230 V AC,		NUS	10
	Freq.: 50Hz			
	Icu: 10 KA,			
	Curve type: C			
	7	erminals with neutral on right,		
		nt: cage type with protection against		
	direct finger contact,			
	Suitable for DIN Rail i	mounting		
	The MCB shall have D	ual Termination for wire & bus bar on		
		cal life upto 20,000 operations.		
	Make: Schneider Elec	tric/Legrand /C & S/Hager/L&T/ABB		
4	MCB 2P AC 16A			
	Details:			
	No. of Poles:2,		Nos	10
	Current Rating: 16A,			
	Volts: 415V AC,			
	Freq.: 50Hz,			
	Icu: 10 KA,			
	Curve type: C,	and the Minner and a state		
		erminals with neutral on right, nt: cage type with protection against		
	direct finger contact,	it: cage type with protection against		
	Suitable for DIN Rail	mounting		
		lectrical life upto 20,000 operations.		
		tric/Legrand /C & S/Hager/L&T/ABB		
S. No	Particulars	Quantity	<u> </u>	



1.	Payment Terms	100% within 30 days from date of receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier.
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price.
	Packing & Forwarding	Shall be included in quoted price.
5.	Delivery Terms	F.O.R – Bank Note Paper Mill India Private Limited, Mysore.
6.	Warranty Period	Years From date of supply at BNPM, Mysuru.
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period	Weeks from date of receipt of purchase order.
9.	Validity of Bid	30 days from date of closing of tender.
10	Liquated damages	Liquidated damages shall be applicable at the rate of 0.5% per week or part thereof until actual delivery or performance, subject to a maximum deduction of 10% of the delayed good's /service's contract price.
11.	Material to be delivered at	Engineering Stores, Bank Note Paper Mill India Private Limited, Note Mudran Nagar, Mysore 570 003.
12.	Contact person	Ms. Sanchari Mandal P: 0821-2401179

Price Bid Format:



S No	Description	UOM	Qty.	Unit rate	Freig ht, P&F Char ges	GS T @ %	Unit rate includi ng GST & Freigh t, P&F Charge s	Grand total inclusive of GST and Freight, P&F Charges (F.O.R, BNPM, Mysore)
2	MCB,4 Pole, 10Amps, AC Details: No. of Poles: 4, Current Rating: 10A, Voltage: 415V AC, Freq.: 50Hz, Icu: 10 KA, Curve type: C Connections: Cage Screw terminals with neutral on right, Suitable for DIN Rail mounting, Make: Schneider Electric/Legrand /C & S/Hager/L&T/ABB or any other equivalent brand approved by BNPM MCB 1P AC 16A Details: No. of Poles:1, Current Pating: 16 A	Nos	15					
	Current Rating: 16 A, Volts: 230 V AC, Freq.: 50Hz Icu: 10 KA, Curve type: C Connections: Screw terminals with neutral on right, Terminal arrangement: cage type with protection against direct finger contact,							




	Suitable for DIN Rail mounting,					
	The MCB shall have Dual					
	Termination for wire & bus bar					
	on both sides and electrical life					
	upto 20,000 operations.					
	Make: Schneider					
	Electric/Legrand /C &					
	S/Hager/L&T/ABB					
3	MCB 1P AC 10A		4.0			
	Details:	Nos	10			
	No. of Poles:1,					
	Current Rating: 10A,					
	Volts: 230 V AC,					
	Freq.: 50Hz					
	Icu: 10 KA,					
	Curve type: C Connections: Screw terminals					
	with neutral on right, Terminal arrangement: cage type					
	with protection against direct					
	finger contact,					
	Suitable for DIN Rail mounting					
	The MCB shall have Dual					
	Termination for wire & bus bar					
	on both sides and electrical life					
	upto 20,000 operations.					
	Make: Schneider					
	Electric/Legrand /C &					
	S/Hager/L&T/ABB					
	MCB 2P AC 16A					
	Details:					
4	No. of Poles:2,	Nos	10			
	Current Rating: 16A,					
	Volts: 415V AC,					
	Freq.: 50Hz,					
	Icu: 10 KA,					
	Curve type: C,					



	Connections: Screw terminals
	with neutral on right,
	Terminal arrangement: cage type
	with protection against direct
	finger contact,
	Suitable for DIN Rail mounting,
	The MCB shall have electrical life
	upto 20,000 operations.
	Make: Schneider
	Electric/Legrand /C &
	S/Hager/L&T/ABB
T	otal price inclusive of all tax, freight , P&F & any other charges in
T	figures
I	otal price inclusive of all tax, freight , P&F & any other charges in words
	worus
	Note: Evaluation shall be done on the basis of overall effective price quoted by the bidder
	HCN Codo. (
	HSN Code: () We hereby confirm that
	1. We accept all terms & conditions mentioned in the enquiry.
	2. Price quoted is inclusive of all taxes, P&F, freight etc. on F.O.R, BNPM, Mysore basis.
	3. GST registration status: Unregistered / Compounding / Registered.
	4. Bid validity: 30 days from date of closing of tender including extensions/corrigendum's
	(if any).
	5. Bank Details: Acc. No; Bank Name:;
	Branch name:; Branch Code:;
	IFSC:;
	6. MSEs / NSIC status:
	(If yes, then supporting document shall be submitted along with the offer to avail
	the benefits under the Procurement Policy for MSEs, Order 2012 along with its
	amendments)
	Signature of bidder:
	Name of the Firm:
	Seal of the firm:



GST No:





(Reference Image)

NOTE: Interested bidders are recommended to register themselves at company's website https://bnpmindia.com/Vendor.aspx in order to get future enquiries of relevant items

