Not Transferable Security Classification: Non-Security



#### TENDER ENQUIRY FOR SUPPLY OF MOTOR FAN AT BNPM PLANT, MYSURU

#### This tender document contains 32 Pages

Tender Enquiry No.	BNPM/OTE/523/2024-25
Tender issuing date	04.02.2025
Pre-bid meeting date & time	Not Applicable
Due date & time for bid submission	18.02.2025 @ 11.00 Hours
Due date & time for bid opening	18.02.2025 @ 11.30 Hours
Mode of bid submission	Online
Type of tender	OPEN TENDER ENQUIRY (OTE)
Tender Processing Fee	Rs.100/- + Taxes
Details of contact person	Deputy General Manager (SCM) 0821-240111/144/173

Registered & Corporate Office: Administrative Building Gate 1, Paper Mill Compound Note Mudran Nagar, Mysuru – 570 003 Telephone No. 0821 – 2401 111


e-mail: <a href="mailto:scm.tender@bnpmindia.com">scm.tender@bnpmindia.com</a>

website: www.bnpmindia.com

# **SECTION I – TECHNICAL SPECIFICATIONs**

**1.** Tenders are invited from eligible and qualified tenderers for supply of following goods:

S No.	Item Description	UO M	Quant ity
1.	Motor Fan - 30 kW; Frame Size: 200L Fan Details: ID (mm):60; OD (mm): 240; Key Way Width (mm): 12; Key way Length (mm): 35; Height of Fan (mm): 69; MOC: Plastic Make: Any make SDEMENSS Made in Czech Rep. 3-MOT 1LE15012AA435AA4-Z UD 1304/151 EC/EN 60034 200E IMB3 IP55 205kg Th.Cl. 155(F) -20°C <=TAMB<=40°C Bearing DE 6212-C3 10g Intervall: 4000h 10g V 415 $\triangle$ 50 52 30.0 0.87 92.0 % 2960 480 $\triangle$ 60 51 33.5 0.87 92.4 % 3560 480 $\triangle$ 60 46.0 30.0 0.86 91.7 % 3565	Nos.	5
2.	Motor Fan - 15 kW, Frame Size: 160M <b>FAN DETAILS:</b> ID (mm):45; OD(mm): 160; Key Way Width ( mm ): 14; Key way Length ( mm ): 25; Height of Fan ( mm ): 47; MOC: Plastic	Nos.	5




	<b>SECTION I – TECHNICAL SPECIFICATIONs</b>		
	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		
5.	Motor Fan - 15 kW; Frame Size : 160L FAN DETAILS: ID (mm):45; OD(mm): 210; Key Way Width (mm): 14; Key way Length (mm): 25; Height of Fan (mm): 65; MOC: Plastic Make: Any make <b>STEMENS</b> Node in Czech Rep. 3-MOT 11E100110C635AA4-Z [UD 1308/1550244-015-001 EC/EN 60034 160L IMB3 IP55 115kg Th.Cl. 155(F)] -20' C $<=TAMB <= 40'$ C Beoring UNIREX-N3 10g Intervall: 8000h V Hz A 28.5 17.3 0.81 90.2 1175 E1 400 A 60 25.5 15.0 0.78 90.2 1175 E1 (Motor Name details attached for reference)	Nos.	5
6.	Motor Fan - 2.2 kW; Frame Size : 100L FAN DETAILS: ID (mm):20; OD(mm): 145; Key Way Width (mm): 5; Key way Length (mm): 20; Height of Fan (mm): 25; MOC: Plastic Make: Any make	Nos.	5

	<b>SECTION I – TECHNICAL SPECIFICATIONs</b>		
	$\begin{array}{c c c c c c c c c c c c c c c c c c c $		
	Motor Fan - 22 kW; Frame Size : 180L FAN DETAILS: ID (mm):50; OD(mm): 220; Key Way Width ( mm ): 12; Key way Length ( mm ): 45; Height of Fan ( mm ): 90; MOC: Plastic	Nos.	5
7.	Make: Any make     SIEMENS   3~Ind. Mot.   IE2   C     Amb.   °C   Amb.   °C     IS: 12615 / IEC 60034 - 1   Frame   Ins.CL/TR.     No. N8 / G493347   Wt ISO kg.   Kg.     Hz   V   kW   A     Frame   pf.   %Eff.   07/2017     Parameters are at rated condition subject to tolerance as per IS:12615 / IEC 60034 - 1   MADE IN INDIA     (Motor Name details attached for reference)   MADE IN INDIA		
8.	Motor Fan - 1.5 kW; Frame Size : 90L FAN DETAILS: ID (mm):25; OD(mm): 110; Mounting: PIN LOCK Height of Fan ( mm ): 20; MOC: Plastic	Nos.	5
	Make: Any make		

	SIEMENS 3~Ind. Mot. We fit. B2.8 IP So Duty S1 SECO96-41A70 - Z Frame 90 No. SDF/ 1709 30345584 Wt 21 kg Hz V kW A rpm pf 415 Y 12 3.1 1430 0.31 CHAMPION (Motor Name details attached for reference): PIN LOCK		
	Motor Fan - 3.7 kW; Frame Size : 100L FAN DETAILS: ID (mm):25; OD(mm): 110; Mounting: PIN LOCK Height of Fan (mm): 20; MOC: Plastic Make: Any make	Nos.	5
9.	SIEMENS 3-Ind. Mot. () () () () () () () () () ()		
	Motor Fan - 0.55 kW; Frame Size : 80 FAN DETAILS:	Nos.	5

	SIEMENS   3Ind.   Mot.   IE2   C     MARSES/ABC   SODS4-JINS.CI./TR   F/70k   Amb.   SO <sup>o</sup> C     %Eff.   75.1   IP   55   Duty   S1     150   080-4NB71-Z   Frame   80     No.   SDF/   1709   50342633   Wt   13   kg     Hz   V   kW   A   rpm   pf     50   4157   0.55   1.36   1422   0.75     45%   ±10%   A   rpm   pf		
	(Motor Name details attached for reference) Motor Fan - 5.5 kW; Frame Size : 132M FAN DETAILS: ID (mm):40; OD(mm): 170; Mounting: PIN LOCK Height of Fan (mm): 30; MOC: Plastic Make: Any make	Nos.	5
11.	SIEMENS   3~Ind.   Mot.   IE2   Control of the second secon		
	(Motor Name details attached for reference) Motor Fan - 37 kW; Frame Size : 250M	Nos.	5
12.	FAN DETAILS: ID (mm):70; OD(mm): 300; Key Way Width ( mm ): 12; Key way Length ( mm ): 70; Height of Fan ( mm ): 100; MOC: Plastic		Э

	SUCEIMMENS     3-HOT.     1L06     253-6AA91-7     //E2 C C       405 kg     IMB5     250N     IP 55     Th.Cl.155 (F)     -20°C<=TAMB<<=40°C       405 kg     IMB5     250N     IP 55     Th.Cl.155 (F)     -20°C<=TAMB<<=40°C       50 Hz     415 V     A     PF     NPM       31 hN     67 A     PF     NPM       112-92,2A     995/min     PF     NPM       112-92,2A     III     III     III     III       112-92,2A     III     III     III     III     III		
	Motor Fan - 7.5 kW; Frame Size : 100 FAN DETAILS: ID (mm):25; OD(mm): 170; Mounting: LOCK Height of Fan (mm): 39; MOC: Plastic Make: Any make	Nos.	5
13.	SIEMENS   Image: Constraint of the second		
	7.5kW S9   1455/min     (Motor Name details attached for reference)     Siemens Motor Fan : GN132 Frame ;	Nos.	
14.	Technical Specifications: Diameter of Fan: 170 mm, ID of Fan : 40 mm Fan Height: 50 mm, Motor Frame Size: 132M Keyway: Pin Lock, MOC: Plastic		5



	<b>SECTION I – TECHNICAL SPECIFICATIONs</b>		
	SIEMENS   3~Ind.   Mot.   IE2     **2615/1EC   60034   1   Ins.Cl./TR   F/70K   Amb. 50   O     %Eff.   90.3   IP   95   Duty.S1   Iseo   164   2015/3381   Wt 150   kg     No.   SDF/   1/111   505/3381   Wt 150   kg   O     Hz   V   kW   A   rpm   pf     50   4154   150   26   2935   0.38     Hz   V   kW   A   rpm   pf     50   4154   150   26   2935   0.38     Hz   V   kW   A   rpm   pf     55%   4106   150   26   2935   0.38     HS   406   150   26   2935   0.38     HS   406   150   26   2935   0.38     HS   406   160   160   160   160		
	Motor Fan Cover - 7.5 kW; Frame Size : 132M FAN COVER DETAILS: Dia (mm): 255; Height (mm):140 MOC: Fibre-reinforced plastic (FRP) Make: Any make	Nos.	2
17.	Wade in Czech Rep.   UD 1308/1550244-009-001     3-MOT   1LE10011CC635AA4-Z   UD 1308/1550244-009-001     IEC/EN 60034   132M   IMB3   IP55     64kg   Th.Cl. 155(F)   -20° C <=TAMB<<=40° C		
18.	(Motor name plate details attached for reference) Motor Fan Cover - 11 kW; Frame Size : 160L FAN COVER DETAILS: Dia ( mm ): 305; Height ( mm ):170 MOC: Fibre-reinforced plastic (FRP) Make: Any make	Nos.	2

	SUERVIENS     LE20 ( )       Mode in Czech Rep.     JUD 1308/1550244-026-001       J-HOT     ILE10011DC435AA4-Z     JUD 1308/1550244-026-001       IEC/EN 60034     160L     IMB3     IP55       J3kg     Th.Cl. 155(F)     -20° C <=TAMB< <td>&lt;</td> Image: Colored state       J3kg     Th.Cl. 155(F)     -20° C <=TAMB< <td>&lt;</td> Image: Colored state     Image: Colored state       J3kg     Th.Cl. 155(F)     -20° C <=TAMB< <td>&lt;</td> Image: Colored state     Image: Colored sta	<	<	<		
	Motor Fan Cover - 15 kW; Frame Size : 160L FAN COVER DETAILS: Dia ( mm ): 305; Height ( mm ):170 MOC: Fibre-reinforced plastic (FRP) Make: Any make	Nos.	2			
19.	SDEMENS   IE20 ( $\in$ Made in Czech Rep.   3-MOT   1LE10011DC 635AA4-Z   IUD   1308/1550244-015-001     IEC/EN 60034   160L   IMB3   IP55     115kg   Th.Cl. 155(F)   -20° C <=TAMB<=40° C					
	(Motor name plate details attached for reference) Motor Fan Cover - 2.2 kW; Frame Size : 100L	Nos.				
	FAN COVER DETAILS:		2			
20.	Dia ( mm ): 195; Height ( mm ):105					
	MOC: Fibre-reinforced plastic (FRP)					


	<b>SECTION I – TECHNICAL SPECIFICATIONs</b>		
	$\begin{array}{c} \textbf{IEMENS} \\ \textbf{in Czech Rep. D-90441 Nürnberg} \\ \textbf{DT} & 1AV2104B & 1LE10011AB 422FZ4-Z & UD & 1611/1882138-002-001 \\ \textbf{N} & 60034 & 100L & IMB5 & IP55 \\ \hline \textbf{Th.Cl. 155(F)} & -20^{\circ} \text{C} < TAMB< 40^{\circ} \text{C} \\ \hline \textbf{Bearing} \\ \textbf{DE} & 6206-2ZC3 \\ \textbf{NE} & 6206-2ZC3 \\ \textbf{NE} & 6206-2ZC3 \\ \hline \textbf{NE} & 50 & 8.1 & 2.2 & 0.81 & 84.3 & 1455 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & 50 & 4.65 & 2.2 & 0.81 & 84.3 & 1455 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & 50 & 4.65 & 2.2 & 0.81 & 84.3 & 1455 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & 60 & 4.45 & 2.55 & 0.82 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & 4.05 & 2.2 & 0.78 & 87.5 & 1760 & IE2 \\ \hline \textbf{OO} & \textbf{Y} & \textbf{OO} & \textbf{Y} & \textbf{OO} & \textbf{Y} & \textbf{OO} & \textbf{OO} & \textbf{Y} & $		
	(Motor name plate details attached for reference) Motor Fan Cover - 22 kW; Frame Size : 180L	Nos.	
	FAN COVER DETAILS:		2
	Dia ( mm ): 350; Height ( mm ):200		
	MOC: Fibre-reinforced plastic (FRP)		
	Make: Any make		
21.	SIEMENS   3Ind. Mot.   IE2   C     ISE0   186-4M400-2   Amb.   °C     IS: 12615 / IEC 60034-1   Frame     IP   50   Duty SI   Ins.C1./TR.     No. N8 / 6495547   Wt 180   kg.     Hz   V   kW   A     Frameters are at rated condition subject to tolerance as per IS:12615 / IEC 60034-1   O7/201     Parameters are at rated condition subject to tolerance as per IS:12615 / IEC 60034-1   MADE IN INDIA     (Motor name plate details attached for reference)   V		
	Motor Fan Cover - 1.5 kW; Frame Size : 90L	Nos.	
	FAN COVER DETAILS:	1105	2
22.	Dia ( mm ): 175; Height ( mm ):90		
22.	MOC: Fibre-reinforced plastic (FRP)		
	Make: Any make		

	SIEMENS 3~Ind. Mot.		
	No. SDF/     1709     303/45564     Wt     21 kg       Hz     V     kW     A     rpm     pf       415 Y     1.8     3.1     1430     0.81		
	(Motor name plate details attached for reference)	Nos.	
	Motor Fan Cover - 3.7 kW; Frame Size : 100L FAN COVER DETAILS: Dia (mm): 200; Height (mm):90 MOC: Fibre-reinforced plastic (FRP) Make: Any make	NUS.	2
23.	SIEMENS 3-Ind. Mot. (C) (C) (C) (C) (C) (C) (C) (C)		
	Motor Fan Cover - 0.55 kW; Frame Size : 80	Nos.	
	FAN COVER DETAILS:		2
	Die $(mm)$ , 1(0, Height $(mm)$ , 70		
24.	Dia ( mm ): 160; Height ( mm ):70		

	SECTION I – TECHNICAL SPECIFICATIONS     SIEMENS 3~Ind. Mot.     SIEMENS   3~Ind. Mot.   IE2   C     SIEMENS 3~Ind. Mot.     Mot. 50 °C     % Eff. 75.1     IP 55     Duty S1     ISTO 080- 4NB71-Z     Frame 80     No. SDF/ 1709 30342633     Mot. SDF/ 1308     Sof. 136     Sof		
	(Motor name plate details attached for reference) Motor Fan Cover - 5.5 kW; Frame Size : 132M FAN COVER DETAILS: Dia ( mm ): 260; Height ( mm ):125 MOC: Fibre-reinforced plastic (FRP) Make: Any make	Nos.	2
25.	SIEMENS   3~Ind.   Mot.   IE2   Construction     Ins.CI./TR   F/70K   Amb.   50 °°     %Eff.   87.7   IP   55   Duty   51     SE0133-4NA80   -   Z   Frame   132M     No:   SDF/   1708   30345882   Wt   55 kg     Hz   V   kW   A   rpm   pf     A154   5.5   10.64   1450   0.82     HZ   V   kW   A   rpm   pf     A154   5.5   10.64   1450   0.82     HZ   10%   MADE IN INDIA		
26.	(Motor name plate details attached for reference) Motor Fan Cover- 37kW; Frame Size: 250M FAN COVER DETAILS: Dia ( mm ): 490; Height ( mm ):230 MOC: Fibre-reinforced plastic (FRP)	Nos.	2

	<b>SECTION I – TECHNICAL SPECIFICATIONs</b>		
	SULEINMENNS     3-MOT.     1L06     253-6AA91-2     IE2 CE       Made In Creath Rep.     UC     1409/145144602     IE2 CE       405 kg     IMES     250M     IP 55     Th.Cl.155 (F)     -20°C<=TAMB<<=40°C       50 Hz     415 V     A     IE2 -92,24     IE2 -92,24     IE2 -92,24     IE2 -92,24       TEC/EE 60034     IE2 -92,24     <		
	(Motor name plate details attached for reference) Motor Fan Cover- 7.5kW; Frame Size: 100	Nos.	
27.	FAN COVER DETAILS: Dia (mm): 258; Height (mm):110 MOC: Fibre-reinforced plastic (FRP) Make: Any make SIEMENS FDU1303/2138739 001 2KJ1507-3HH13-9AR1-Z K128-K4-LA-132M4W-IN IP55 K-ID: Nr. 1/415/50Hz 26.2L OIL CLP PG VG220 i:48.14 50Hz n2:30.2/min		2
	T2:2370Nm   fB:2.0     3~G-Mot. Th.Cl.155(F) TP-WT     50Hz   415V±5% D     16.1A   cosq0.76     7.5kW S9   1455/min     (Motor name plate details attached for reference)		
	Motor Fan Cover for Siemens make Motor for Frame Size: 132M;		
	Make: Any make		2
28.	Technical Specifications:	Nos.	
20.	Height of Fan Cover: 100 mm	1105.	
	Diameter of Fan cover: 130 mm;		
	Diameter of Fan cover: 130 mm; Motor Frame Size: 132M		

# SECTION I – TECHNICAL SPECIFICATIONS



#### 2. Procedure for bid submission:

#### **ONLINE:**

- a) Interested bidders may obtain further information about this requirement from the above office selling the documents. They may also visit our website www.tenderwizard.com/BNP mentioned above for further details.
- b) Aspiring Bidders/Contractors who have not registered in e-tendering should register through the website E – Tendering (<u>www.tenderwizard.com/BNP</u>) for participating in the Online Tenders. The registration charges will be Rs. 500/- plus applicable taxes (per year) which needs to be paid through electronic mode only.
- c) For details. registration and e-payment, please visit e-tendering website www.tenderwizard.com/BNP or contact KEONICS help desk @ 080-40482000.
- d) Class III Digital Signature Certificate (DSC) is mandatory to participate in e-Tenders. Participating bidders/Contractors have to make sure that they have the valid DSC. If not, they can procure from any of the firm as approved by CCA.
- 3. The tenderer shall satisfy BNPMIPL that they are competent and authorized to submit tender and/or to enter into a legally binding contract with the BNPMIPL. To this effect, any person giving a tender shall render documentary evidence that his signature on the tender submitted by him is legally binding upon himself, his firm or company as the case may be.
- **4.** BNPM reserves the right to cancel the tender at any stage without assigning the reasons thereof.
- 5. Against receipt of the following notification through email from tender wizard, bidder must resubmit the bid even if the bidder have already submitted the bid through tender wizard.

Notification: If you have already submitted the tender, then ensure that you resubmit the tender. Else, your bid may be liable to be auto disqualified by the system. And service provider holds no responsibility for the same. In case, you are yet to submit the tender, then please ensure that you submit it before the tender closing time.

**6.** Submission / resubmission of the bid is the responsibility of the bidders only. Bidder should check and confirm at their end regarding the submission/ resubmission of their bid till the due date & time of bid submission. BNPM / Keonics/ Tender wizard will not be responsible for nonsubmission/ non resubmission of any bid.

\*\*\*\*\*\*

#### 1. Documents to be submitted:

- a) Signed copy of this document (All the pages).
- **b)** Filled price schedule as per Section III of this document.
- c) Technical details /datasheet for the enquired product (if applicable).
- **d)** Micro / Small Enterprise (MSE) (Certificate issued by only UDYAM certificate (If applicable).
- e) Details of the Offered make (item wise)
- **f)** Company's registration / Certificate of incorporation/Partnership Deed/Any other registration certificate as applicable
- **2. Price:** Price should be inclusive of P&F, Freight, Transit Insurance and GST. Price shall remain fixed & no price variation shall be accepted till completion of contract.
- **3. Terms of Payment:** 100% payment shall be made within 30 days after <u>receipt and</u> <u>acceptance of complete supply</u> at BNPM Plant, Mysuru, as per purchase order and on production of all required documents by the successful bidder. NEFT/RTGS details shall be furnished along with the Original Invoice.

#### 4. Delivery Terms & Delivery Address:

Delivery shall be made on F.O.R Basis, Bank Note Paper Mill India Pvt. Ltd., Mysore.

Engineering Stores, Bank Note Paper Mill India Pvt. Ltd., Note Mudran Nagar, Mysore - 570003. Stores contact details: 0821-2401476/486.

5. Taxes: All Taxes shall be as applicable in GST regime.

Payment of CGST, SGST, IGST & UTGST: The successful bidders are required to adhere the following procedure in order to honour the payment against CGST, SGST, IGST & UTGST in the invoice.

- i) An invoice issued by the vendor for goods or services or both as applicable should be in accordance with the provisions of Sec 31 of the CGST Act & should contain all the prescribed information's in accordance with Chapter VI of CGST rules 2017.
- ii) A debit note issued if any, by the vendor should be in accordance with the provisions of Sec 34 of the CGST Act.
- iii) The vendor should mandatorily upload the aforementioned documents in respective GSTR, details of outward supplies of goods or services as applicable within the prescribed time under GST Act.
- iv) The vendor should provide the relevant documents to confirm the tax charged on the invoice has been paid to the credit of government after adjusting the ITC if any.

Notwithstanding the above, the successful bidder should provide indemnification as follows:

In the event of non-compliances with respect to GST Act & Rules by the successful bidder, the purchaser is allowed to adjust the GST amount from retention amount (either in BG

or in cash) held by the company. If no amount is available for recovery, the successful bidder will refund the GST liability within 10 days from the date of GST reversal in GSTRN.

The above requirements are mandatory to claim any GST liability, falling which, the GST liability will not be paid /reimbursed/accepted.

#### A. <u>The bidder should consider the following points while quoting GST Rate in their</u> <u>bids:</u>

- 1. In case of unregistered bidders, the rate and amount of GST shall be shown as "Nil".
- 2. In case of a compounding dealer, GST shall be quoted as "Nil" as compounded dealers cannot collect GST from the consumers. The price quoted therefore shall be construed as all inclusive.
- 3. In case of work contracts or pure labour contracts, the bidder shall quote single GST rate for the work.
- 4. In case of composite supplies, i.e., a supply consisting of one principal supply and other ancillary supplies, the supply will attract the GST Rate of the principal supply. For example, if Item A in the supply order is the major or principal supply and other items are ancillary supplies, the bidder shall quote the GST Rate applicable to the principal goods (i.e., Item A) being supplied.
- 5. In case of mixed supply, i.e., a combination of two or more individual goods made together for a single price (each of these items can be supplied separately and is not dependent on any other), the total supply will attract the GST rate of the item which has the highest rate of tax. For example, if Item A in the mixed supply attracts highest rate of tax, the bidder shall quote the GST rate applicable to item A for total mixed supply.
- 6. In case of supplies which are neither composite nor mixed supplies, the bidder shall quote the GST Rate applicable to each item of supply separately.
- 7. If there is any difference of opinion regarding classification in HSN code, the bidder should sought clarification/raise query within the given time from the date of tender and it would be clarified before submitting the bid. Once clarified then that will be final & binding and no deviation shall be granted.

# B. <u>Other instructions for the bidders to claim any GST liability, failing which, the GST liability will not be paid/reimbursed/accepted:</u>

- 1. Registered/compounding Contractor/ successful bidder should produce GST Invoice containing all the particulars stated in Rule 46 of the CGST Rules, 2017 in accordance with the provisions of Section 31 of the CGST ACT.
- 2. The successful bidder should mandatorily update the invoice details in GSTR-1, details of outward supplies of goods or services within the prescribed time under GST Act
- 3. The Payment shall be made net of TDS as per the provisions of CGST/SGST/IGST Act.
- 4. Wherever there is difference in the amount admitted, the successful bidder may be directed to issue a Credit Note (in case of reduction in the Invoice value)/Debit

Note (in case of increase in the Invoice value), and payment shall be released only after the receipt of such Debit or Credit Note

- 5. The successful bidder should provide the relevant documents to confirm the tax charged on the invoice has been paid to the credit of Government after adjusting with ITC, if any.
- 6. The successful bidder should provide indemnification as follows: "In the event of non-compliances with respect to GST ACT and Rules by the successful bidder, the successful bidder should refund the GST liability within 10 days from the date of GST reversal in GSTRN failing which the purchaser shall recover the GST amount from the retention amount (whether in BG or in Cash) held by the company".
- 6. Liquidated Damages (LD): If the supplier fails to deliver any or all of the goods within the delivery period (as per PO), BNPM shall, without prejudice to other rights and remedies available to BNPM under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the 0.5% (Half) percent of the delivered price of the delayed goods for each week of delay or part thereof until actual delivery, subject to a maximum deduction of 10% of the delayed goods' contract price(s).
- **7. Delay in successful bidder's performance:** Time for and the date specified in the contract or as extended for the delivery of the stores shall be deemed to be the essence of the contract and the successful bidder shall deliver the goods and perform the services under the contract within the time schedule specified by BNPM in the contract.

Any delay attributable to the successful bidder in maintaining its contractual obligations towards delivery of goods and/or performance of services shall render the successful bidder liable to any or all the following sanctions besides any administrative action such as (a) Imposition of liquidity damages; (b) Termination of contract for default.

**8.** Extension of Time: If the contract is delayed in the progress of work by changes ordered in the work, or any clause which BNPM shall decide to justify the delay, then the time of completion shall be extended by a reasonable time.

If at any time during the currency of contract, the successful bidder encounters conditions hindering timely delivery of the goods and performance of services, the successful bidder shall promptly inform BNPM in writing about the same and its likely duration and make a request to BNPM for extension of the delivery schedule accordingly. On receiving the successful bidder's communication, BNPM shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of successful bidder's contractual obligations by issuing an amendment to the contract.

**9. Rejection Replacement:** In case of supplies, materials not meeting BNPM specification will be rejected outright and the rejected material shall be taken back on mutual agreement at the cost and risk of the successful bidder and replacement should be made on mutual agreement from the date of intimation. No payment shall be made for rejected

item. If the material is not taken back within the stipulate period, BNPM reserves the right to dispose-off the material at the risk and expense of the successful bidder.

**10. Risk Purchase Clause:** If the successful bidder fails to abide by the terms and conditions of the contract/agreement, or fails to supply the material as per the delivery schedule or any time repudiates the contract,

Procure the tendered item / render service from other agencies at the risk and cost of the successful bidder. The cost difference between the alternative arrangement and existing contract value wherein default has been made will be recovered from the successful bidder along with the other incidental charges.

In case of procurement through alternative sources, if procurement price is lower than the existing contract value wherein default has been made, in such case no benefit on this account will be passed on to the successful bidder.

- **11.Settlement of Disputes through Arbitration:** All disputes and differences of any kind whatsoever arising out of or in connection with the contract, whether during the progress of the work or after their completion except accepted matters shall be settled through arbitration process as per the Arbitration & Conciliation Act, 1996. The venue of arbitration shall be Mysore, Karnataka.
- **12.Legal Jurisdiction:** The Courts of Mysore (Karnataka State) shall alone have jurisdiction to decide on any legal matter of dispute whatsoever arising out or in respect of the contract.
- **13. Force Majeure:** In the event of any unforeseen event directly interfering with the supply of stores arising during the currency of the contract, such as war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts, or acts of God, the Contractor shall, within a week from the commencement thereof, notify the same in writing to the Purchaser with reasonable evidence thereof. Unless otherwise directed by BNPM in writing, the successful bidder shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. If the force majeure condition(s) mentioned above be in force for a period of 90 days or more at any time, either party shall have the option to terminate the contract on expiry of 90 days of commencement of such force majeure by giving 14 days' notice to the other party in writing. In case of such termination, no damages shall be claimed by either party against the other, save and except those which had occurred under any other clause of this contract prior to such termination.
- **14. Fore-Closure Clause:** If at any time during the continuation of this contract, the use of material ordered in this contract is completely banned or due to drastic change in Government policy its use as, raw material is discontinued or is declared hazardous to public health or cause rising to civil commotion, epidemics, wide-spread strikes and 21 days' notice of such eventualities is given by purchaser to the seller, the seller without any right to enforce the contract, will agree to the fore-close the performance of balance

portion of this contract and in that event no claim for damages or loss will be lodged against the purchaser.

- **15.Rights of Rejection:** BNPMIPL reserves the right to reject any or all the applied bids without assigning any reason whatsoever. The enquiry can be rejected on national security grounds.
- **16.** Note: Item wise offered makes are to be mentioned along with HSN codes.
- **17.Evaluation Criteria:** Evaluation shall be done on the basis of **overall effective price** quoted by the bidder and the contract shall be awarded to the overall lowest (L1) bidder.
- **18.Tender Validity:** 120 (One Hundred Twenty) days from the date of opening of the tender
- **19.** BNPM reserves the right to cancel the tender without providing any reason.

#### **20.Price Discrepancy:**

- i. If, in the price structure quoted by a tenderer, there is discrepancy between the unit price and the total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail and the total price corrected accordingly, unless BNPM feels that the tenderer has made a mistake in placing the decimal point in the unit price, in which case the total price as quoted shall prevail over the unit price and the unit price corrected accordingly.
- ii. If there is an error in a total price, which has been worked out through addition and/ or subtraction of subtotals, the subtotals shall prevail and the total corrected; and
- iii. If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail.
- iv. If, as per the judgment of BNPM, there is any such arithmetical discrepancy in a tender, the same will be suitably conveyed to the tenderer by registered/speed post. If the tenderer does not agree to the observation of BNPM, the tender is liable to be ignored.
- v. If there is any tie between the quoted L1 rates of the bidders then preference will be provided to the company which was constituted earlier.
- vi. Note: In techno commercial bid, Bidders have to mandatorily submit Company's registration / Certificate of incorporation/Partnership Deed/Any other registration certificate as applicable substantiating documentary evidence pertaining to date of constitution of the company.

#### Tender No.: BNPM/OTE/523/2024-25 dated: 04.02.2025

Sch. No	Material Description	UO M	Qt y.	Offere d Make (If applic able)	Unit Price (INR)	P&F, Insuranc e & Freight Charges (INR)	GST@ Amount (INR)	Unit price including P&F, Insurance, Freight & GST (INR)	Total price inclusive of P&F, Insurance, Freight & GST (F.O.R, BNPM, Mysuru) (INR)	Input GST Credit (INR) {GST amount * Total quantity}	Effective price inclusive of P&F, Insuranc e, Freight (F.O.R, BNPM, Mysuru) (INR)
А	В	С	D		Е	F	G	H=E+F+G	I=H*D	J=G*D	K=I-J
1.	Motor Fan - 30 kW; Frame Size : 200L as per Section-I for technical specifications	Nos	5	•							•
2.	Motor Fan - 15 kW, Frame Size: 160M as per Section-I for technical specifications	Nos	5								
3.	Motor Fan - 7.5 kW; Frame Size : 132M as per Section-I for technical specifications	Nos	5								
4.	Motor Fan - 11 kW; Frame Size : 160L as per Section-I for technical specifications	Nos	5								
		·			·	Page <b>22</b> of <b>32</b>					

	Motor Fan - 15 kW; Frame	Nos	-						
5.	Size : 160L as per Section-I		5						
	for technical specifications								
	Motor Fan - 2.2 kW; Frame	Nos							
6.	Size : 100L as per Section-I	NUS	5						
	for technical specifications							/	
	Motor Fan - 22 kW; Frame	Nos							
7.	Size : 180L as per Section-I	NUS	5						
	for technical specifications								
	Motor Fan - 1.5 kW; Frame	Nos							
8.	Size : 90L as per Section-I for	NUS	5						
	technical specifications								
	Motor Fan - 3.7 kW; Frame	Nos							
9.	Size : 100L as per Section-I	NOS	5						
	for technical specifications					/			
	Motor Fan - 0.55 kW; Frame	Nos							
10.	Size : 80 as per Section-I for	NUS	5						
	technical specifications								
	Motor Fan - 5.5 kW; Frame	Nos							
11.	Size : 132M as per Section-I	NUS	5		ĺ				
	for technical specifications								
	*			×					

	Motor Fan - 37 kW; Frame	Nos	5					*
12.			5					
	for technical specifications							
	Motor Fan - 7.5 kW; Frame	Nos						
13.	Size : 100 as per Section-I for	NUS	5					
	technical specifications							
	Siemens Motor Fan : GN132	Nos						
14.	Frame; as per Section-I for	NUS	5					
	technical specifications							
	Motor Fan Cover- 30kW;	Nos						
	Frame Size: 200L as per	NUS						
15.	Section-I for technical		2					
	specifications							
	Motor Fan Cover - 15 kW,	Nos						
	Frame Size: 160M as per	NUS	2		/			
16.	Section-I for technical							
	specifications							
	Motor Fan Cover - 7.5 kW;	Nos			/			
	Frame Size : 132M as per	INUS	<sup>NOS</sup> 2					
17.	Section-I for technical			ſ				
	specifications							

· · · · · · · · · · · · · · · · · · ·				L	1	I	I		I
	Motor Fan Cover - 11 kW;	Nos	2						
18.	Frame Size : 160L as per		2						
10.	Section-I for technical								
	specifications								
	Motor Fan Cover - 15 kW;	Nos	0						
10	Frame Size : 160L as per	1105	2						
19.	Section-I for technical								
	specifications								
	Motor Fan Cover - 2.2 kW;	Nos							
	Frame Size : 100L as per	nos	2						
20.	Section-I for technical								
	specifications								
	Motor Fan Cover - 22 kW;	Nos					/		
21	Frame Size : 180L as per	1103	2						
21.	Section-I for technical								
	specifications								
	Motor Fan Cover - 1.5 kW;	Nos							
22	Frame Size : 90L as per	NUS	2						
22.	Section-I for technical								
	specifications								
	Motor Fan Cover - 3.7 kW;	Nos							
23.	Frame Size : 100L as per	INUS	2						
I					F	Page <b>25</b> of <b>32</b>			· · · · · · · · · · · · · · · · · · ·

		1	1	<u> </u>	1	ſ			
	Section-I for technical								
	specifications								
	Motor Fan Cover - 0.55 kW;	Nos	2						
24.	Frame Size : 80 as per		2						
21.	Section-I for technical								
	specifications								
	Motor Fan Cover - 5.5 kW;	Nos	2						
25.	Frame Size : 132M as per		Z						
23.	Section-I for technical								
	specifications								
	Motor Fan Cover- 37kW;	Nos	2						
26.	Frame Size: 250M as per		2						
20.	Section-I for technical								
	specifications								
	Motor Fan Cover- 7.5kW;	Nos	2						
27.	Frame Size: 100 as per	1105	2						
27.	Section-I for technical								
	specifications								
	Motor Fan Cover for Siemens	Nos	6						
20	make Motor for Frame Size:	1105	2						
28.	132M; as per Section-I for								
	technical specifications								
	·		-		ŀ	Page <b>26</b> of <b>32</b>			

Total effective price (net of input tax credit) for Supply of Motor Fan with freight, P&F, Transit Insurance and any other charges (F.O.R – BNPM, Mysore site) (in Figures) (INR)	
Total effective price (net of input tax credit) for Supply of Motor Fan with freight, P&F, Transit Insurance and any other charges (F.O.R – BNPM, Mysore site) (in words) (INR)	
Grand Total price for Supply of Motor Fan inclusive of P&F, Insurance, Freight & GST (in Figures) (INR)	
Grand Total price for Supply of Motor Fan inclusive of P&F, Insurance, Freight & GST (in words) (INR)	

#### Note:

- 1. Evaluation Criteria: Price Evaluation shall be carried out on the basis of **overall effective price (i.e., without GST)** quoted by the bidder and contract shall be awarded to overall lowest (L1) bidder
- 2. This is a single stage, single envelope tender. Techno-commercial and Price Bid will be opened together.
- 3. Bid is to be submitted online only

We hereby confirm that

- 1. We accept all the terms & conditions and technical specifications mentioned in the enquiry.
- 2. Price quoted is inclusive of P&F, Insurance, Freight and GST on F.O.R Basis, BNPM Plant, Mysore.
- 3. HSN Code: Item wise may be submitted;
- 4. GST registration status: Unregistered / compounding / registered.
- 5. Delivery period: ..... (Days / Weeks)
- Bid validity: 120 days from date of closing of tender including extensions/ corrigendum's (if any). Bid Security declaration has been submitted as per format.

#### 7. Bank Details (Enclosed - Cancelled Cheque/ Bank Mandate):

Bank Acc. No. ....;

Bank Acc Name: .....; Branch name: .....; Branch Code: .....; IFSC: .....;

MSME / NSIC status: UDYAM:...... (If yes, then supporting document shall be submitted along with the offer to avail the benefits under the Procurement Policy for MSEs, Order 2012 along with its amendments.)
(Please fill above: MSI – For Micro Enterprises; SSI – For Small Enterprises; MED.SI – For

Medium Enterprises; NSIC - For National Small Industries Corporation regd. firm)

9. Technical Data sheet/ Product Catalogue (Submitted/ Not submitted).

Signature of bidder:
Name of the Firm:
Seal of the firm:
GST No.:
<u>Contact Details: -</u>
Contact Person:
Contact Number:

#### **ANNEXURE –**A

#### E-Tender No: BNPM/OTE/523/2024-25 dated: 04.02.2025

#### (To be submitted on Company letterhead)

#### Land Border Clause

- \*Any bidder from a country which shares a land border with India will be eligible to bid in the tender only if the bidder is registered with the Competent Authority (The Registered Committee constituted by the Department for Promotion of Industry and Internal Trade).
- II) Bidder means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms, or companies), every artificial judicial person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person participating in a procurement process.
- III) "Bidder from a country which shares a land border with India" for the purpose of this order means:
  - a) An entity incorporated, established or registered in such a country; or

b) A subsidiary controlled through entities incorporated, established or registered in such a country, or

c) An entity substantially controlled through entities incorporated, established or registered in such a country, or

- d) An entity whose beneficial owner is situated in such a country; or
- e) An India (or other) agent of such an entity; or
- f) A natural person who is a citizen of such a country; or

g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

IV) The beneficial owner for the purpose of (iii) above will be as under: -

1) In case of a company or limited liability partnership, the beneficial owner is the natural person (s), who, whether acting alone or together, or through one or more judicial person, has a controlling ownership interest or who exercise control through other means.

Further explanation:

a) "Controlling ownership interest" means ownership of or entitlement to more than twenty five per cent of shares or capital or profits of the company;

b) "Control" shall include the right to appoint majority of the director or to control the management or policy decision including by virtue of their shareholding or management rights or shareholder agreements or voting agreements;

2) In case of partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more judicial person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;

3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more judicial person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

5) In case of a trust, the identification of beneficial owners(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

- V) An agent is a person employed to do any act for any another, or to represent another in dealings with third persons.
- VI) The successful bidder shall not be allowed to sub contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.
- VII)A bidder is permitted to procure raw material, components, sub-assemblies etc. from the vendors from countries which shares a land border with India. Such vendors will not be required to be registered with the competent authority, as it is not regarded as sub-contracting.
- VIII) However, in case a bidder has proposed to supply finished goods procured directly/indirectly from the vendors from the countries sharing land border with India, such vendor will be required to be registered with the competent authority.
- IX) The registration shall be valid at the time of submission of bid and at the time of acceptance of bid.

#### **Declaration by bidder**

I, the undersigned, declare that the item ...... originate in ...... (Name of the country).

Signature: \_\_\_\_\_

Name: \_\_\_\_\_\_

Designation:

#### **ANNEXURE-B**

#### E-Tender No.: BNPM/OTE/523/2024-25 dated: 04.02.2025

#### (To be submitted on Company letterhead)

#### DECLARATION

- I) We do hereby declare that,
  - 1. As on the date of submission of bid against this tender we are not in the list of ineligible/ blacklisted/ banned/ debarred entity by SPMCIL/ BRBNMPL/ BNPMIPL/any government agency, for participating in its tenders.

Further, we agree, in case we get blacklisted/ banned/ debarred by SPMCIL/ BRBNMPL/ BNPMIPL/any government agency, any time prior to finalization of tender/ contract, our bid shall not be considered for further evaluation/ award of order.

2. The director/proprietor of the bidding firm are not closely related to BNPMIPL.

In case, at any time the information furnished is found to be false, you may disqualify/ debar me/ us as deemed fit.

II) We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.

Signature \_\_\_\_\_

Name-----

Designation-----

Date-----

Stamp of the Organization-----

#### **ANNEXURE-C**

#### E-Tender No.: BNPM/OTE/523/2024-25 dated: 04.02.2025

(To be submitted on Company letterhead)

#### **BID SECURITY DECLARATION**

We, the undersigned, declare that we will automatically be suspended from being eligible for bidding in any tender with Bank Paper Mill India Private Limited, Mysore for the period of 12 months, if we are withdrawing our Bid during the period of bid validity (or) fail / refuse to furnish the performance security / execute the contract, if awarded.

Signature \_\_\_\_\_

Name-----

Designation-----

Date-----

Stamp of the Organization-----