बैंक नॊट पेपर मिल् इण्डिया प्रा. लिमिटेड

) bank note paper mill india pvt limited

JV of SPMCIL - A Govt. of India Enterprises & BRBNMPL - A Subsidiary of RBI

Ph no. 0821-2401178; Email: <u>Scmcommon@bnpmindia.com</u>

## LIMITED TENDER ENQUIRY No. BNPM/LTE/Lifting Slings/0768/2020-21

### Issue Date & Time: 27.10.2020 1000 hrs. Closing date: 02.11.2020; 1000 Hrs.

#### **A. Scope of supply:** Supply of following items:

1       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 1 ; Effective length (m): 2; Colour: Violet       Nos       02         2       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 2 ; Effective length (m): 1; Colour: Green       Nos       02         3       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: Yellow       Nos       04         4       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: Yellow       Nos       02         5       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: Yellow       Nos       02         6       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 3; Colour: Yellow       Nos       02         7       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: Gray       Nos       06         7       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: Red       Nos       06         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 4; Colour: Red       Nos       02         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: Blue	S No	Item Description	UOM	Quantity
Colour: Violet2Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 2 ; Effective length (m): 1; Colour: GreenNos023Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: YellowNos044Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: YellowNos025Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 3; Colour: YellowNos026Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: RedNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos10	1	Lifting Slings; MOC : Polyster; Type: Endless Round;		
2       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 2 ; Effective length (m): 1; Colour: Green       Nos       02         3       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: Yellow       Nos       04         4       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: Yellow       Nos       02         5       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: Yellow       Nos       06         6       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: Yellow       Nos       02         6       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: Gray       Nos       02         7       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: Red       Nos       06         8       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: Red       Nos       06         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: Blue       Nos       02         10       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: Blue		Lifting capacity (Ton): 1 ; Effective length (m): 2;	Nos	02
Lifting capacity (Ton): 2 ; Effective length (m): 1; Colour: GreenNos023Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: YellowNos044Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: YellowNos025Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 3; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos029Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Violet		
Colour: GreenColour: Green3Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: YellowNos044Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: YellowNos025Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos029Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10	2	Lifting Slings; MOC : Polyster; Type: Endless Round;		
3       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: Yellow       Nos       04         4       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: Yellow       Nos       02         5       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: Yellow       Nos       06         6       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: Gray       Nos       02         7       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: Gray       Nos       06         8       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: Red       Nos       06         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: Red       Nos       06         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: Blue       Nos       02         10       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: Blue       Nos       04         11       Protection sleeves (with Velcro) for round slings of Nos       No4       04 <td></td> <td>Lifting capacity (Ton): 2 ; Effective length (m): 1;</td> <td>Nos</td> <td>02</td>		Lifting capacity (Ton): 2 ; Effective length (m): 1;	Nos	02
Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: YellowNos044Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: YellowNos025Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: GrayNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos029Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 4; Colour: RedNos029Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Green		
Colour: YellowImage: Colour: Yellow4Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: YellowNos025Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos029Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 4; Colour: RedNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10	3	Lifting Slings; MOC : Polyster; Type: Endless Round;		
4       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: Yellow       Nos       02         5       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: Yellow       Nos       06         6       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: Gray       Nos       02         7       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: Red       Nos       06         8       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: Red       Nos       06         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: Red       Nos       06         9       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: Blue       Nos       02         10       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: Blue       Nos       04         11       Protection sleeves (with Velcro) for round slings of       Nos       10		Lifting capacity (Ton): 3 ; Effective length (m): 1.5;	Nos	04
Lifting capacity (Ton): 3 ; Effective length (m): 2; Colour: YellowNos025Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10				
Colour: YellowImage: Colour: Yellow5Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: RedNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; RosNos0411Protection sleeves (with Velcro) for round slings of NosNos10	4	Lifting Slings; MOC : Polyster; Type: Endless Round;		
5Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 4; Colour: RedNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0410Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Lifting capacity (Ton): 3 ; Effective length (m): 2;	Nos	02
Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: YellowNos066Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 4; Colour: RedNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0410Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Yellow		
Colour: YellowColour: Yellow6Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10	5	Lifting Slings; MOC : Polyster; Type: Endless Round;		
6Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Lifting capacity (Ton): 3 ; Effective length (m): 4;	Nos	06
Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: GrayNos027Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Yellow		
Colour: GrayColour: Gray7Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0211Protection sleeves (with Velcro) for round slings of NosNos10	6	Lifting Slings; MOC : Polyster; Type: Endless Round;		
7Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 4; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Lifting capacity (Ton): 4 ; Effective length (m): 3;	Nos	02
Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: RedNos068Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Gray		
Colour: RedColour: Red8Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10	7	Lifting Slings; MOC : Polyster; Type: Endless Round;		
8Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3;Nos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4;Nos020Colour: Blue020210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8;Nos0411Protection sleeves (with Velcro) for round slings of NosNos10		Lifting capacity (Ton): 5 ; Effective length (m): 2;	Nos	06
Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: RedNos069Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0211Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Red		
Colour: RedColour: Red9Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10	8	Lifting Slings; MOC : Polyster; Type: Endless Round;		
9Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10			Nos	06
Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: BlueNos0210Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: BlueNos0411Protection sleeves (with Velcro) for round slings of NosNos10		Colour: Red		
Colour: Blue       Colour: Blue         10       Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8; Colour: Blue       Nos       04         11       Protection sleeves (with Velcro) for round slings of Nos       10	9	Lifting Slings; MOC : Polyster; Type: Endless Round;		
10Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 8;Nos04Colour: Blue11Protection sleeves (with Velcro) for round slings of NosNos10		Lifting capacity (Ton): 8 ; Effective length (m): 4;	Nos	02
Lifting capacity (Ton): 8 ; Effective length (m): 8;Nos04Colour: Blue11Protection sleeves (with Velcro) for round slings ofNos10		Colour: Blue		
Colour: Blue     Nos     10	10	Lifting Slings; MOC : Polyster; Type: Endless Round;		
11 Protection sleeves (with Velcro) for round slings of Nos 10		Lifting capacity (Ton): 8 ; Effective length (m): 8;	Nos	04
10		Colour: Blue		
2 ton Canagity I ongth 1 motor NOS 10	11	Protection sleeves (with Velcro) for round slings of	Nos	10
2 ton Capacity ;Length 1 meter		2 ton Capacity ;Length 1 meter	INUS	10



12	Protection sleeves (with Velcro) for round slings of 5 ton Capacity ; Length 1 meter	Nos	10
13	Protection sleeves (with Velcro) for round slings of 8 ton Capacity ; Length 1 meter	Nos	10
14	Lifting Slings; MOC : Polyster; Type: Flat Eye and Eye; Lifting capacity (Ton): 1 ; Effective length (m): 1; Colour: Violet	Nos	02

## Terms & Conditions:

# **1.** Documents to be submitted:

- **a)** Signed copy of this document (All the pages).
- **b)** Filled price details as per the format provided below in this document.
- **c)** Technical details /datasheet for the enquired product (if applicable).
- **d)** Micro / Small Enterprise (Certificate issued by MSME)/UAM/NSIC certificate (If applicable).
- **2. Price:** Price should be inclusive of P&F, Freight, Transit Insurance and GST. Price shall remain fixed & no price variation shall be accepted till completion of contract.
- **3. Terms of Payment:** 100% payment shall be made within 30 days after receipt and acceptance of goods at BNPM Plant, Mysuru and on production of all required documents by the supplier. NEFT/RTGS details shall be furnished along with the Original Invoice.
- **4. Delivery Terms & Delivery Address:** Delivery shall be made on F.O.R Basis, Bank Note Paper Mill India Pvt. Ltd., Mysore.

Delivery Address: Engineering Stores, Bank Note Paper Mill India Pvt. Ltd., Note Mudran Nagar, Mysore - 570003. Stores contact details: 0821-2401476/486.

# **5. Taxes:** All Taxes shall be as applicable in GST regime. Payment of CGST, SGST, IGST & UTGST: The suppliers are required to adhere the following procedure in order to honour the payment against CGST, SGST, IGST & UTGST in the invoice.

- An invoice issued by the vendor for goods or services or both as applicable should be in accordance with the provisions of Sec 31 of the CGST Act & should contain all the prescribed information's in accordance with Chapter VI of CGST rules 2017.
- ii) A debit note issued if any, by the vendor should be in accordance with the provisions of Sec 34 of the CGST Act.
- iii) The vendor should mandatorily upload the aforementioned documents in respective GSTR, details of outward supplies of goods or services as applicable within the prescribed time under GST Act.
- iv) The vendor should provide the relevant documents to confirm the tax charged on the invoice has been paid to the credit of government after adjusting the ITC if any.

Notwithstanding the above, the supplier should provide indemnification as follows:



In the event of non-compliances with respect to GST Act & Rules by the successful bidder, the purchaser is allowed to adjust the GST amount from retention amount (either in BG or in cash) held by the company. If no amount is available for recovery, the successful bidder will refund the GST liability within 10 days from the date of GST reversal in GSTRN.

The above requirements are mandatory to claim any GST liability, falling which, the GST liability will not be paid /reimbursed/accepted.

# A. <u>The bidder should consider the following points while quoting GST Rate in their</u> <u>bids:</u>

- 1. In case of unregistered bidders, the rate and amount of GST shall be shown as "Nil".
- 2. In case of a compounding dealer, GST shall be quoted as "Nil" as compounded dealers cannot collect GST from the consumers. The price quoted therefore shall be construed as all inclusive.
- 3. In case of work contracts or pure labour contracts, the bidder shall quote single GST rate for the work.
- 4. In case of composite supplies, i.e., a supply consisting of one principal supply and other ancillary supplies, the supply will attract the GST Rate of the principal supply. For example, if Item A in the supply order is the major or principal supply and other items are ancillary supplies, the bidder shall quote the GST Rate applicable to the principal goods (i.e., Item A) being supplied.
- 5. In case of mixed supply, i.e., a combination of two or more individual goods made together for a single price (each of these items can be supplied separately and is not dependent on any other), the total supply will attract the GST rate of the item which has the highest rate of tax. For example, if Item A in the mixed supply attracts highest rate of tax, the bidder shall quote the GST rate applicable to item A for total mixed supply.
- 6. In case of supplies which are neither composite nor mixed supplies, the bidder shall quote the GST Rate applicable to each item of supply separately.
- 7. If there is any difference of opinion regarding classification in HSN code, the bidder should sought clarification/raise query within the given time from the date of tender and it would be clarified before submitting the bid. Once clarified then that will be final & binding and no deviation shall be granted.

# B. Tender Evaluation for determination of L1 price:

- a. Indigenous/Domestic Bidder
  - 1. If the tenderer/bidder does not include the details of GST separately in the tender/quotation, the same shall be rejected
  - 2. The HSN code of the product/services shall be determined at the tendering stage itself and mentioned in the price bid format to quote the GST rate according to the specified HSN code.
  - 3. The evaluation of tender for three categories of GST registration is provided below:

Particulars	Registered	Compounding	Unregistered*
Basic Price	XXX	XXX	XXX



Add: GST	Х	-	Х
Add: Cess on GST	XX	-	XX
Less Input Credit	Х	-	Х
Total price	xxx + X + xx - X	XXX	xxx + X + xx - X

- 4. If the bidders participated in a tender is unregistered, the GST shall be payable by the purchaser under reverse charge and shall be added to the quoted rate to arrive at the Gross price and input credit, if any shall be deducted from the total landed cost to arrive at the net comparable price.
- C. <u>Other instructions for the bidders to claim any GST liability, failing which, the</u> <u>GST liability will not be paid/reimbursed/accepted:</u>
  - 1. Registered/compounding Contractor/supplier should produce GST Invoice containing all the particulars stated in Rule 46 of the CGST Rules, 2017 in accordance with the provisions of Section 31 of the CGST ACT.
  - 2. The supplier should mandatorily update the invoice details in GSTR-1, details of outward supplies of goods or services within the prescribed time under GST Act
  - 3. The Payment shall be made net of TDS as per the provisions of CGST/SGST/IGST Act.
  - 4. Wherever there is difference in the amount admitted, the supplier may be directed to issue a Credit Note (in case of reduction in the Invoice value)/Debit Note (in case of increase in the Invoice value), and payment shall be released only after the receipt of such Debit or Credit Note
  - 5. Supplier should provide the relevant documents to confirm the tax charged on the invoice has been paid to the credit of Government after adjusting with ITC, if any.
  - 6. Supplier should provide indemnification as follows: "In the event of noncompliances with respect to GST ACT and Rules by the supplier, the supplier should refund the GST liability within 10 days from the date of GST reversal in GSTRN failing which the purchaser shall recover the GST amount from the retention amount (whether in BG or in Cash) held by the company".
- **6. Warranty:** The product supplied shall be under warranty for minimum 6 months from the date of receipt of material at BNPM, Mysuru for any manufacturing defects & poor workmanship.
- **7. Liquidated Damages (LD):** Liquidated damages shall be applicable at the rate of 0.5% per week or part thereof until actual delivery or performance, subject to a maximum deduction of 10% of the delayed good's /service's contract price.
- **8. Delay in supplier's performance:** Time for and the date specified in the contract or as extended for the delivery of the stores shall be deemed to be the essence of the contract and the supplier shall deliver the goods and perform the services under the contract within the time schedule specified by BNPM in the contract.

Any delay attributable to the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all the following sanctions besides any administrative action such as (a) Imposition of liquidity damages; (b) Termination of contract for default.



**9. Extension of Time:** If the contract is delayed in the progress of work by changes ordered in the work, or any clause which BNPM shall decide to justify the delay, then the time of completion shall be extended by a reasonable time.

If at any time during the currency of contract, the supplier encounters conditions hindering timely delivery of the goods and performance of services, the supplier shall promptly inform BNPM in writing about the same and its likely duration and make a request to BNPM for extension of the delivery schedule accordingly. On receiving the supplier's communication, BNPM shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.

**10.Risk Purchase Clause:** If the supplier fails to abide by the terms and conditions of the contract/agreement, or fails to supply the material as per the delivery schedule or any time repudiates the contract,

Procure the tendered item / render service from other agencies at the risk and cost of the supplier. The cost difference between the alternative arrangement and existing contract value wherein default has been made will be recovered from the supplier along with the other incidental charges.

In case of procurement through alternative sources, if procurement price is lower than the existing contract value wherein default has been made, in such case no benefit on this account will be passed on to the supplier.

- **11.Settlement of Disputes through Arbitration:** All disputes and differences of any kind whatsoever arising out of or in connection with the contract, whether during the progress of the work or after their completion except accepted matters shall be settled through arbitration process as per the Arbitration & Conciliation Act, 1996. The venue of arbitration shall be Mysore, Karnataka.
- **12.Legal Jurisdiction:** The Courts of Mysore (Karnataka State) shall alone have jurisdiction to decide on any legal matter of dispute whatsoever arising out or in respect of the contract.
- **13.Force Majeure:** In the event of any unforeseen event directly interfering with the supply of stores arising during the currency of the contract, such as war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts, or acts of God, the Contractor shall, within a week from the commencement thereof, notify the same in writing to the Purchaser with reasonable evidence thereof. Unless otherwise directed by BNPM in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. If the force majeure condition(s) mentioned above be in force for a period of 90 days or more at any time, either party shall have the option to terminate the contract on expiry of 90 days of commencement of such force majeure by giving 14 days' notice to the other party in writing. In case of such termination, no



damages shall be claimed by either party against the other, save and except those which had occurred under any other clause of this contract prior to such termination.

- **14.Fore-Closure Clause:** If at any time during the continuation of this contract, the use of material ordered in this contract is completely banned or due to drastic change in Government policy its use as, raw material is discontinued or is declared hazardous to public health or cause rising to civil commotion, epidemics, wide-spread strikes and 21 days' notice of such eventualities is given by purchaser to the seller, the seller without any right to enforce the contract, will agree to the fore-close the performance of balance portion of this contract and in that event no claim for damages or loss will be lodged against the purchaser.
- **15.Rights of Rejection:** BNPMIPL reserves the right to reject any or all the applied bids without assigning any reason whatsoever. The enquiry can be rejected on national security grounds.

# **16.Price Bid Format:**

Sch. No	Material Description	UO M	Qty	Unit Price (INR)	P&F, Insurance & Freight Charges (INR)	GST@  Amount (INR)	Unit price including P&F, Insurance, Freight & GST (INR)	Total price inclusive of P&F, Insurance, Freight & GST (F.O.R, BNPM, Mysuru) (INR)	Input GST Credit (INR) {GST amount * Total quantity}	Effective price inclusive of P&F, Insurance, Freight (F.O.R, BNPM, Mysuru) (INR)
А	В	С	D	Е	F	G	H=E+F+G	I=H*D	J=G*D	K=I-J
1	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 1 ; Effective length (m): 2; Colour: Violet	Nos	02							
2	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 2 ; Effective length (m): 1; Colour: Green	Nos	02							
3	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 1.5; Colour: Yellow	Nos	04							
4	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting	Nos	02							



	capacity (Ton): 3 ; Effective length (m): 2; Colour: Yellow						
5	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 3 ; Effective length (m): 4; Colour: Yellow	Nos	06				
6	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 4 ; Effective length (m): 3; Colour: Gray	Nos	02				
7	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 2; Colour: Red	Nos	06				
8	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 5 ; Effective length (m): 3; Colour: Red	Nos	06				
9	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting capacity (Ton): 8 ; Effective length (m): 4; Colour: Blue	Nos	02				
10	Lifting Slings; MOC : Polyster; Type: Endless Round; Lifting	Nos	04				



	capacity (Ton): 8 ; Effective length (m): 8; Colour: Blue							
11	Protection sleeves (with Velcro) for round slings of 2 ton Capacity ;Length 1 meter	Nos	10					
12	Protection sleeves (with Velcro) for round slings of 5 ton Capacity ; Length 1 meter	Nos	10					
13	Protection sleeves (with Velcro) for round slings of 8 ton Capacity ; Length 1 meter	Nos	10					
14	Lifting Slings; MOC : Polyster; Type: Flat Eye and Eye; Lifting capacity (Ton): 1 ; Effective length (m): 1; Colour: Violet	Nos	02					
		1	I	_		l	Grand Total	

Make: Ferroterro /Autolift /Spanset/ or any other BNPM approved make only

# Note:

- 1. Evaluation shall be carried out on overall L1 basis.
- 2. L1 bidder has to provide original load test certificate for individual sling with validity of 01 year.
- 3. Serial no must be clearly mentioned on the respective load test certificates at the time of submitting test certificate



We hereby confirm that 1. We accept all the terms & conditions mentioned in the enquiry. 2. Price quoted is inclusive of P&F, Insurance, Freight and GST on F.O.R Basis, BNPM Plant, Mysore. 3. HSN Code: Item .....; 4. GST registration status: Unregistered / compounding / registered. 5. Delivery period: ..... (Days / Weeks) 6. Warranty Period: ...... Months (Time Period to be specified in case warranty period is less than 12 months / NA to mentioned in the in case warranty is not applicable) 7. Bid validity: 30 days from date of closing of tender including extensions/ corrigendum's (if any). 8. Bank Details: Bank Acc. No. .....; Bank Acc Name: .....; Branch name: .....; Branch Code: .....; 9. MSME / NSIC status: ..... (If yes, then supporting document to be submitted along with the offer) (Please fill above: MSI - For Micro Enterprises; SSI - For Small Enterprises; MED.SI - For

Medium Enterprises; NSIC – For National Small Industries Corporation regd. firm)

Signature of bidder: .....

Name of the Firm: .....

Seal of the firm: .....

GST No.: .....

#### Contact Details:-

Contact Person: .....

Contact Number: .....

Contact E-mail ID: .....

