

ENQUIRY No: BNPM/ENQ/Flow Transmitter/318/2017-18

Start Date: 05.12.2017

Last Date: 08.12.2017

Closing Time: 1000 Hrs

1. Scope of work:

Supply of **Electromagnetic flow transmitter**

2. Terms & Conditions:

S. No.	Particulars	Quantity
1.	Payment Terms	100% on receipt and acceptance of goods by the consignee at destination and on production of all required documents by the supplier. <u>Warranty certificate (if applicable) and NEFT/RTGS details shall be furnished along with invoice.</u>
2.	Price	Price should be inclusive of all taxes & duties.
3.	Freight	Shall be included in quoted price
4.	Packing & Forwarding	Shall be included in quoted price
5.	Delivery Terms	DAP, Bank Note Paper Mill India Private Limited, Mysore
6.	Warranty Period
7.	Warranty Certificate	Applicable / Not Applicable
8.	Delivery Period
9.	Material to be delivered at	Engineering Stores Bank Note Paper Mill India Private Limited Note Mudran Nagar Mysore 570 003
10.	Contact person in Engineering Stores	Mr. Ashutosh Kumar 0821 2401 486 Mr. Sunil Kumar 0821 2401 485



3. Price Bid Format :

S. No.	Description	Qty.	UOM	Unit rate	Freight, P&F Charges (if any)	GST @...	Unit rate including all taxes & charges	Grand total inclusive of all taxes and charges (DAP, BNPM, Mysore)
1	<p>Electromagnetic flow transmitter for RO inlet line</p> <p>Tech Spec: Type: SMART with local LCD indication , HART protocol supported Enclosure: Die cast Aluminium Process connection: pH Value: 6.5 to 8.5; TDS mg/l: 500-700; Line Size: 100NB, Flow range: 0-60 m3/Hr, Process temperature: 50 Deg C Approx. Service type: UF PERMEATE WATER Liner material: PTFE Material of Electrodes , Sensor Housing, Tube & Flanges: Minimum - SS316 Earthing Rings: Required Operating Pressure: 30Kg/cm2 Cable Entry: 1/2 " NPT DC Brass Area classification: Non hazardous Accuracy: ± 0.5% of flow rate Enclosure class & Protection: Weather Proof & IP67 Transmitter: Indicating LCD display , with integral mounting & programmable keys Indication on Transmitter: Flow rate (m3/hr) and Total flow (m3)</p>	1	Nos					



<p>Indication on Transmitter: Flow rate (m3/hr) and Total flow (m3) Over range protection: Min 130% of span/Range External Zero & Span/Range : Required` Power supply: 24V DC Output : 4 - 20 mA with HART protocol Totaliser: Required (Forward, Reverse & Net) Approved Makes: ABB, Yokogawa , Emerson , Forbes Marshall , Endress & Hauser Warranty: Min 18 months from the date of Supply or 12 Months from the date of Commissoining Delivery: 4 weeks from the date of PO Documentation: Performance test reports , calibration certificate , O&M manuals to be provided</p> <p>Note: If the flow transmitter malfunctions multiple times(more than 2 times) in the warranty period same should be replaced free of cost</p>							
<p>Grand Total</p>							
<p>Grand Total In Words</p>							

We hereby confirm that

1. We accept all terms & conditions mentioned in the enquiry.
2. Price quoted is inclusive of all taxes, duties, P&F, freight etc. on DAP, BNPM, Mysore basis.

Signature of bidder:.....



Name of the Firm:.....

Seal of the firm:

