

E-TENDER FOR SUPPLY OF PATCH CORD & MEDIA CONVERTER AT BNPM PLANT, MYSURU

This tender document contains 22 pages

Not Transferable Security Classification: Non-Security

Tender Enquiry No.	BNPM/OTE/282/2024-25
Tender issuing date	10.09.2024
Pre-bid meeting date & time	NA
Due date & time for bid submission	01.10.2024 & 11.00 Hours
Opening date and time for tenders	01.10.2024 & 11.30 Hours
Mode of bid submission	Online
Type of tender	Open Tender Enquiry
Tender Processing Fee excluding of GST (in INR)	Rs.250/- + Taxes
Details of contact person	Supply Chain & Purchase Department
	0821-2401 111/175/184

Registered & Corporate Office: Administrative Building Gate 1, Paper Mill Compound Note Mudran Nagar, Mysuru - 570 003 Telephone No. 0821 - 2401 111 e-mail: scm.tender@bnpmindia.com website: www.bnpmindia.com



OPEN TENDER ENQUIRY: TENDER NO. BNPM/OTE/282/2024-25

Tender for Supply of Patch Cord & Media Converter at BNPM, Mysore

Section I	Notice Inviting Tender	Enclosed
Section II	Terms and Conditions	Enclosed
Section III	Technical Specifications	Enclosed
Section IV	Quality Control Requirements	Enclosed
Section V	Declarations	
	Annexure – A	Enclosed
	Annexure –B	Enclosed
	Annexure – C	Enclosed
Section VI	Price Bid format	Enclosed

List of Contents



SECTION I : NOTICE INVITING TENDER

1.	E-tenders are invited from eligible and	d qualified tenderers for supply of following goods :

Schedul e No.	Brief Description of Goods / Services	EMD	Required Quantity
01	Supply of Patch Cord & Media Converter at BNPM, Mysore	Rs.3,500/-	As per section III
**For MSE Bidders: Submission of EMD is exempted for Micro and small enterprises (MSEs) as per the Public Procurement Policy for MSEs Order, 2012. MSEs should be registered and also will continue to remain registered during the tender validity period with District Industries Centre (DIC) or Khadi and Village Industries Commission (KVIC) or Khadi and Industries Board (KVIB) or Coir Board or National Small Industries Commission (NSIC) or Directorate of Handicrafts and Handlooms or UDYAM Registered or Any other body specified by Ministry of MSME. Document: Valid NSIC / KVIC / KVIB / DIC / UDYAM Registration certificate and Bid Security Declaration as per Annexure C is to be submitted by MSE bidders for EMD exemption. For Non MSE bidders: Declaration for being non MSE and confirmation for submission of EMD may be submitted.			

Type of Tender (Two Bid / PQB / EOI / RC / Development / Indigenization / Disposal of Scrap / Security item etc.	Two Bid System (Part-I Techno-commercial bid & Part-II Financial /Price Bid)
Tender Processing Fee	Rs.250/- + taxes (to be paid online)
Bid submission mode	Online Through e-tendering portal www.tenderwizard.com/BNP/Offline
Closing date and time for receipt of tenders	01.10.2024 @ 11.00 Hours

2. Procedure for bid submission:

- 1. Interested bidders may obtain further information about this requirement from the above office selling the documents. They may also visit our website <u>www.tenderwizard.com/BNP</u> mentioned above for further details.
- 2. Aspiring Bidders/Contractors who have not registered in e-tendering should register through the website E Tendering (<u>www.tenderwizard.com/BNP</u>) for participating in the Online Tenders. The registration charges will be Rs. 500/- plus applicable taxes (per year) which needs to be paid through electronic mode only.
- 3. For details, registration and e-payment, please visit e-tendering website <u>www.tenderwizard.com/BNP</u> or contact KEONICS help desk @ 080-40482000.
- 4. Class III Digital Signature Certificate (DSC) is mandatory to participate in e-Tenders. Participating bidders/Contractors have to make sure that they have the valid DSC. If not, they can procure from any of the firm as approved by CCA.
- 3. The tenderer shall satisfy BNPMIPL that they are competent and authorized to submit tender and/or to enter into a legally binding contract with the BNPMIPL. To this effect, any person giving a tender shall render documentary evidence that his signature on the tender submitted by him is legally binding upon himself, his firm or company as the case may be.

4. For those tenderers whose technical bids do not satisfy the eligibility criteria, their financial Bids will Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024 Page **3** of **22**

not be opened.

- 5. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold / received / opened on the next working day at the appointed time.
- 6. BNPM reserves the right to cancel the tender at any stage without assigning the reasons thereof.

Yours faithfully,

For and on behalf of BNPMIPL

Deputy General Manager



SECTION II : TERMS AND CONDITIONS OF THE TENDER

- 1. Tenders are to be uploaded on e-tendering portal <u>www.tenderwizard.com/BNP</u> only in Two part bid system.
- 2. <u>Part-I Prequalification Bid & Techno-commercial Bid</u>: Scanned copy of Technical offer (catalogue/brochure etc.), GST, PAN, Bank details etc., along with all sections & annexures of this tender.

Part II - Price Bid:

Price shall be furnished through e-portal only. Price offer submitted in any other format will be liable for rejection.

- 3. **Delivery Schedule**: Successful bidder shall complete supplies within 3 **Weeks** from the date issue of purchase order.
- 4. Warranty: 12 Months from the date of receipt of material
- **5. Security Deposit / Performance Security:-** Performance security has to be submitted by the successful bidder within 21 days from the date of issue of LOI/order/agreement for 5% of the order value valid up to 12 Months from the date of delivery with additional claim period of 60 days
- 5. Parties who have been black listed /debarred by BNPMIPL/BRBNMPL/SPMCIL or any PSU or any Government Departments are not eligible for submission of this tender.
- 6. Bidder may visit BNPMIPL, before submitting the offer after taking due permission for visiting to understand the requirements.
- 7. No counter conditions shall be accepted.
- 8. Bidders are advised to write the page number on each page of the Technical Bid documents submitted.
- 9. The BNPMIPL reserves the right to accept the offer by individual items and reject any or all tenders without assigning any reason thereof and does not bind itself to accept lowest quotations.
- 10. Manufacturer's name and country of origin of materials offered must be clearly specified. Please quote whether your organisation is large scale industry or small scale industry. If you have NSIC/MSE/MSI/DGS&D Certificate, please attach it to the quotation. Mention your registration details.
- 11. Complete details and ISI specification if any must accompany the quotation. Make/brand of the item shall be stated wherever applicable. If you have got any counter offer as suitable to the material required by us, the same may be shown separately.
- 12. All supplies are subject to inspection and approval before acceptance. Manufacturer/ supplier warranty certificates and manufacturer/Government approved lab test certificate shall be furnished along with the supply, wherever applicable.

- 13. The BNPMIPL reserves the right to modify the quantity specified in this enquiry.
- 14. The prices quoted should be firm till the supplies are completed. Please quote the rates in words and figures. Rates quoted should be door deliver basis at destination including all charges otherwise the quotation is likely to be rejected. Prices quoted for free delivery at destination (i.e., Mysore) will be given preference. If there is no indication regarding the FOR, in the quotation, then it will be considered as FOR destinations. Price quoted should be net and valid for a minimum period of three months from the date of opening of the quotation.
- 15. (i) The technical bids shall be opened in the first instance and these bids shall be scrutinised and evaluated by the competent committee/ authority with reference to the parameters prescribed in the tender document. Subsequently, in the second stage the financial bids of only technically acceptable offers as decided in first stage shall be opened for further scrutiny and evaluation. Intimation regarding opening of financial bids shall be given to acceptable tenderers to enable them to attend the financial bid opening, if they so desire.

ii) The method of evaluation of bidder for awarding the Contract shall be on consolidated grand total offered by the bidder and will be decided taking into consideration of the total offered price for delivery up to BNPM, Mysore.

(iii) All responsive tenderers shall be evaluated as per the terms & conditions of the tender. The basis for arriving at the lowest responsive bidder shall be as per the price quoted for landed cost at Mysore including GST, packing & forwarding charges, freight, insurance and any other charges etc. and input credit shall be deducted to arrive at the effective price. Effective price shall be considered for arriving the lowest responsive bidder.

(v) Bidder has to quote GST rate as per the HSN code provided in Section XI: Price Schedule. In case of any mismatch in HSN code with respect to offered product, same shall be decided in consultation with winning bidder

- 16. In case the items in the enquiry are covered by any rate contract or running contract finalised by the DGS&D or any other state or central Government, is should be specified in your quotation and accepted contract rates should also be mentioned. It should be confirmed whether you could supply at the RC rates outside rate contract.
- 17. Payment of GST is primarily the responsibility of the seller and will not be paid unless the percentage value is clearly mentioned in the quotations. If no indication regarding GST is recorded in the quotation, the GST will be considered as included.
- 18. Delivery period required for supplying the material should be invariably specified in the quotation.
- 19. **Liquidated Damage:** In case your quotation is accepted and order is placed on you, the supply against the order should be made within the period stipulated in the order. BNPMIPL reserves the right to recover any loss sustained due to delayed delivery by way of penalty. Failure to supply the material within the stipulated period shall entitle BNPM to impose liquidated damages without assigning any reasons @ 0.5% (Half Percent) of the total value of the item covered in order as LD per week or part thereof subject to a maximum of 10% (Ten Percent) which you unconditionally and expressly agree to unless extension is obtained in writing from the office on valid ground before expiry of delivery period.




20. **Risk Purchase Clause**: If the supplier fails to abide by the terms and conditions of the contract/agreement, or fails to supply the material as per the delivery schedule or any time repudiates the contract,

Procure the tendered item / render service from other agencies at the risk and cost of the supplier. The cost difference between the alternative arrangement and existing contract value wherein default has been made will be recovered from the supplier along with the other incidental charges.

In case of procurement through alternative sources, if procurement price is lower than the existing contract value wherein default has been made, in such case no benefit on this account will be passed on to the supplier.

- 21. **Payment terms**: 100% (Hundred Percent) within 30 (Thirty) days on receipt and acceptance of material at our site in good condition.
- 22. **Settlement of Disputes through Arbitration:** All disputes and differences of any kind whatsoever arising out of or in connection with the contract, whether during the progress of the work or after their completion except accepted matters shall be settled through arbitration process as per the Arbitration & Conciliation Act, 1996. The venue of arbitration shall be Mysore, Karnataka
- 23. **Legal Jurisdiction:** The Courts of Mysore (Karnataka State) shall alone have jurisdiction to decide on any legal matter of dispute whatsoever arising out or in respect of the contract.
- 24. **Force Majeure:** In the event of any unforeseen event directly interfering with the supply of stores arising during the currency of the contract, such as war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts, or acts of God, the Contractor shall, within a week from the commencement thereof, notify the same in writing to the Purchaser with reasonable evidence thereof. Unless otherwise directed by BNPM in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. If the force majeure condition(s) mentioned above be in force for a period of 90 days or more at any time, either party shall have the option to terminate the contract on expiry of 90 days of commencement of such force majeure by giving 14 days' notice to the other party in writing. In case of such termination, no damages shall be claimed by either party against the other, save and except those which had occurred under any other clause of this contract prior to such termination.
- 25. **Fore-Closure Clause:** If at any time during the continuation of this contract, the use of material ordered in this contract is completely banned or due to drastic change in Government policy its use as, raw material is discontinued or is declared hazardous to public health or cause rising to civil commotion, epidemics, wide-spread strikes and 21 days' notice of such eventualities is given by purchaser to the seller, the seller without any right to enforce the contract, will agree to the fore-close the performance of balance portion of this contract and in that event no claim for damages or loss will be lodged against the purchaser.
- 26. **Rights of Rejection:** BNPMIPL reserves the right to reject any or all the applied bids without assigning any reason whatsoever. The enquiry can be rejected on national security grounds.



27. **Preference for Micro and Small Enterprises (*MSEs):** Public procurement policy for Micro and Small Enterprises (MSEs) order, 2012 as notified by Govt of India (GOI) along with its amendments as available in <u>www.msme.gov.in</u> shall be applicable to this tender.

I/we engage to supply the material(s) to your engineering store, BNPMIPL and comply the following:

- 1. Tender schedule and technical specification indicated.
- 2. Item/tender specific conditions for this tender.
- 3. Terms and conditions enclosed.
- 4. I/we confirm that set off for the GST, etc. Paid on the inputs have been taken into consideration in the above quoted price and further agree to pass on such additional duties as sets offs as may become available in future under GST, etc.
- 5. This offer is valid for 90 (Ninety) days from the date of opening of the tender.
- 6. That we have not been debarred by BNPMIPL/BRBNMPL/SPMCIL and any other Government/Undertakings (Annexure-B enclosed).

Signature & Seal	Name of Authorized	
Place & Date:	Signatory:	
	Tel. No./Fax. No./Mobile	
Address:	No. Email	
	Id:	

Section III; Technical Specification

S. No	Item	Technical Specification	UOM	Qty.
1	Cat 6 Cable (UTP)	*Cat 6 Cable * 4 Pairs Unshielded Twisted Pair (UTP) Cable, 23 AWG solid. * Transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz * Conductor Metal: Solid Bare Copper * Color Code: Grey * Cable Diameter: 6 mm Nominal * Temperature Range: -20° to +70°C Approved Make : Digilink/Tyco/Crestron/Extron/DLink/Fi nolex/Any equivalent approvrd by BNPM * Length per Roll : 305 Mtr	Roll	2
2	Cat 6 Patch Cord – 1 Mtr	Four pair twisted stranded cable terminated with RJ45 modular plugs at both the ends, Conductor: 24 AWG, Conductor Metal: Bare Copper, Insulation Material: HDPE RJ-45 8P for transparent color, Length – 1 Mtr Color – Grey	Nos.	50
3	Cat 6 Patch Cord – 1/2 Mtr.	Four pair twisted stranded cable terminated with RJ45 modular plugs at both the ends, Conductor: 24 AWG, Conductor Metal: Bare Copper, Insulation Material: HDPE Length – 1/2 Mtr Color – Grey	Nos.	50
4	SC-LC OFC Patch cord – 10 Mtr.	Optical fiber patch cord, SM, SC-LC (10 Mtr) , Duplex 9.2/125 micron SM fiber, SC connector at one end and LC connector on other end, with factory mount ceramic connector at both end, Length – 10 Mtr, Color – Yellow.	Nos.	5
5	LC-LC OFC Patch Cord -10 Mtr.	Optical fiber patch cord, SM, LC-LC (10 Mtr.) Duplex, 9.2/125 micron SM fiber, LC connector at both end, with factory mount ceramic connector at both end Length – 10 mtr Color – Yellow Approved Make : Schneider/ Digilink/ D- Link/Cisco/ 3M//Any equivalent approvrd by BNPM	Nos.	5



6 Sc-LC OFC path cord -3 Mr. Optical Fiber Patch Cord, SM, Sc-LC (3 Mtr.) Nos. 30 7 Sc-LC OFC path cord -3 Mr. Duplex, 9.2/125 micron SM fiber, SC connector at both end Length -3 mtr Color - Yellow Nos. 30 7 Sc-Sc OFC Patch Cord -3 Mtr. Optical Fiber patch cord, SM, SC-SC (3 Mr.) Duplex, 9.2/125 micron SM fiber, SC connector at both end Length -3 mtr Color - Yellow Nos. 5 8 12 Port LIU - Cord -3 Mtr. Optical Fiber patch cord, SM, SC-SC (3 Mr.) Duplex, 9.2/125 micron SM fiber, SC connector at both end Length -3 mtr Color - Yellow Nos. 5 8 12 Port LIU - Duplex, 9.2/125 micron SM fiber, SC connector at both end Length -3 mtr Color - Yellow Nos. 5 9 12 Port LIU - Wallmount 12 Port LIU - Patewith inbuilt/ pre-installed Splicing tray with all clamps.Type of Cable: SM 9.2/125 micron,Fibers : 12Mounting : WallmountMaterial: Aluminum alloy powder coatedLock : Required.Approved make : Schneider/ Diglink/ D-Link/Cisco/ 3M/Any equivalent approved by BNPM Nos. 3 9 Gigabit Media Converter Single Mode SC-RI45 Standards and Protocols IEEB802.3ab, IEEE R02.3a, IEEE 802.5a Media Interface: SC, RI45 Nos. 1 100 Designed to convert 1000BASE-LX fiber to 1000BASE-Corper media or vice versa Works at 1000Mbps in Full-Duplex mode. Easy-to-view LED indicators provide status to monitor network activity easily Wave Length: 1310nn. Nos. 1 100 Gigabit Media Converter Single Mode SC-RI45 Gigabit Me					
9 Gigabit Media Converter Single Mode SC-RJ45 Optical fiber patch cord, SM, SC-SC (3 Mtr.) Nos. 5 9 Gigabit Media Converter Single Mode SC-RJ45 Duplex, 9.2/125 micron SM fiber, SC connector at both end, with factory mount ceramic connector at both end, Length - 3 mtr Color - Yellow Approved Make : Schneider / Digilink/ D-Link/Cisco/ 3M/Any equivalent approvrd by BNPM Nos. 5 8 12 Port LIU - WallmountLoaded with SC piptails / SC Duplex Adaptors, SC Adapter plate with inbuilt/ pre-installed Splicing tray with all clamps.Type of Cable: SM 9.2/125 micron,Fibers : 12Mounting : WallmountMaterial: Aluminium alloy powder coatedLock : Required.Approved make : Schneider / Digilink/ D-Link/Cisco/ 3M/Any equivalent approved by BNPM 9 Gigabit Media Converter Single Mode SC-RJ45 Media Interface: SC, RJ45 Nos. 1 10 Gigabit Media Converter Single Mode SC-RJ45 Gigabit Media Converter Single Mode LC-RJ45 Nos. 1 10 Gigabit Media Converter Single Mode LC-RJ45 Gigabit Media Satus to monitor network activity easily Wave Length: 1310m. Nos. 1 10 Gigabit Media Converter Single Mode LC-RJ45 Gigabit Media Satus and Protocols IEEE802.3ab, IEEE 802.3ab, I	6	_	Mtr.) Duplex, 9.2/125 micron SM fiber, SC connector at one end and LC connector on other end, with factory mount ceramic connector at both end Length – 3 mtr Color – Yellow Approved Make : Schneider/ Digilink/ D- Link/Cisco/ 3M/Any equivalent approvrd	Nos.	30
812 Port LIU - Wallmountpigtails / SC Duplex Adaptors, SC Adapter plate with inbuilt/ pre-installed Splicing tray with all clamps.Type of Cable: SM 9.2/125 micron,Fibers : 12Mounting: WallmountMaterial: Aluminium alloy powder coatedLock : Required.Approved make : Schneider/ Digilink/ D-Link/Cisco/ 3M/Any equivalent approved by BNPMNos.39Gigabit Media Converter Single Mode SC-RJ45Standards and Protocols IEEE802.3ab, IEEE 802.3x Media Interface: SC, RJ45 Max. Distance: Cat6 - 100m, Single-mode Fiber: 15kmNos.19Gigabit Media Converter Single Mode SC-RJ45Designed to convert 1000BASE-LX fiber to 1000Base-T copper media or vice versa Works at 1000Mbps in Full-Duplex mode. Easy-to-view LED indicators provide status to monitor network activity easily Wave Length: 1310nm.Nos.110Gigabit Media Converter Single Mode LC-RJ45Gigabit Media Converter Single Mode LC- RJ45Nos.110Gigabit Media Converter Single Mode LC-RJ45Standards and Protocols IEEE802.3ab, IEEE802.3ab,Nos.1	7		Optical fiber patch cord, SM, SC-SC (3 Mtr.) Duplex, 9.2/125 micron SM fiber, SC connector at both end, with factory mount ceramic connector at both end Length – 3 mtr Color – Yellow Approved Make : Schneider/ Digilink/ D- Link/Cisco/ 3M/Any equivalent approvrd	Nos.	5
9 Standards and Protocols IEEE802.3ab, IEEE 802.3z, IEEE 802.3x Media Interface: SC, RJ45 Max. Distance: Cat6 - 100m, Single-mode Fiber: 15km Power: External Power Adapter Temperature: 0°C~40°C Humidity: 10%~90% non-condensing Nos. 1 9 Gigabit Media Converter Single Mode SC-RJ45 Designed to convert 1000BASE-LX fiber to 1000Base-T copper media or vice versa Works at 1000Mbps in Full-Duplex mode. Easy-to-view LED indicators provide status to monitor network activity easily Wave Length: 1310nm. Nos. 1 10 Gigabit Media Converter Single Mode LC-RJ45 Reference Model : MC210CS Approved make : DLink/ TP Link / Netgear/Any equivalent approvrd by BNPM Nos. 1 10 Gigabit Media Converter Single Mode LC-RJ45 Gigabit Media Converter Single Mode LC- RJ45 Nos. 1	8		12 Port LIU – WallmountLoaded with SC pigtails / SC Duplex Adaptors, SC Adapter plate with inbuilt/ pre-installed Splicing tray with all clamps.Type of Cable: SM 9.2/125 micron,Fibers : 12Mounting : WallmountMaterial: Aluminium alloy powder coatedLock : Required.Approved make : Schneider/ Digilink/ D-Link/Cisco/	Nos.	3
Image: 10 Converter SingleGigabit MediaGigabit Media Converter Single Mode LC- RJ45Image: 10 Converter Single Mode LC-RJ45Gigabit MediaRJ45Image: 10 Converter Single Mode LC-RJ45Nos.1	9	Converter Single	Standards and Protocols IEEE802.3ab, IEEE 802.3z, IEEE 802.3x Media Interface: SC, RJ45 Max. Distance: Cat6 - 100m, Single-mode Fiber: 15km Power: External Power Adapter Temperature: 0°C~40°C Humidity: 10%~90% non-condensing Designed to convert 1000BASE-LX fiber to 1000Base-T copper media or vice versa Works at 1000Mbps in Full-Duplex mode. Easy-to-view LED indicators provide status to monitor network activity easily Wave Length: 1310nm. Reference Model : MC210CS Approved make : DLink/ TP Link / Netgear/Any equivalent approvrd by	Nos.	1
	10	Converter Single	Gigabit Media Converter Single Mode LC- RJ45 Standards and Protocols IEEE802.3ab,	Nos.	1

Media Interface: LC, RJ45	
Max. Distance: Cat6 - 100m, Single-mode	
Fiber: 10km	
Power: External Power Adapter	
Temperature: 0°C~40°C	
Humidity: 10%~90% non-condensing	
Designed to convert 1000BASE-Sx/LX	
fiber to 1000Base-T copper media or vice	
versa	
Works at 1000Mbps in Full-Duplex mode.	
Easy-to-view LED indicators provide	
status to monitor network activity easily	
Wave Length: 1310nm.	
Reference Model : MC220L	
Approved make : DLink/ TP Link /	
Netgear/Any equivalent approvrd by BNPM	

Note:

i. Bidders will have to submit the product catalogues of the items that are being offered

(To be signed & stamped and submitted along with Techno-commercial Bid Part –I)



SECTION IV: QUALITY CONTROL REQUIREMENTS & COMPLIANCE STATEMENT

- 1. **Quality:** Quality is essence of this tender. The bidder shall supply the material as per the specifications mentioned in Technical & Material Specifications. The material supplied will be inspected at our factory. Quantity as ascertained on receipt of above material at our site will be treated as quantity supplied wherever the package/materials are received intact.
- 2. **Rejection:** Materials not meeting our specification will be rejected outright and the rejected material shall be taken back within 7 days at the cost and risk of the supplier and replacement should be made within 15 days from the date of intimation. No payment shall be made for rejected item.

S.	Item Description	Whether	Deviation
No		agreed by	if any
		the bidder	
1	Cat 6 Cable (UTP) (As per Section III; Technical Specification)	Yes agreed	
2	Cat 6 Patch Cord – 1Mtr (As per Section III; Technical Specification)	Yes agreed	
3	Cat 6 Patch Cord – 1/2 Mtr. (As per Section III; Technical Specification)	Yes agreed	
4	SC-LC OFC Patch cord – 10Mtr. (As per Section III; Technical Specification)	Yes agreed	
5	LC-LC OFC Patch Cord -10 Mtr. (As per Section III; Technical Specification)	Yes agreed	
6	SC-LC OFC patch cord -3 Mte. (As per Section III; Technical Specification)	Yes agreed	
7	SC-SC OFC Patch Cord -3 Mtr. (As per Section III; Technical Specification)	Yes agreed	
8	12 Port LIU – Wall mount (As per Section III; Technical Specification)	Yes agreed	
9	Gigabit Media Converter Single Mode SC-RJ45 (As per Section III; Technical Specification)	Yes agreed	
10	Gigabit Media Converter Single Mode LC-RJ45 (As per Section III; Technical Specification)	Yes agreed	

A) Technical Compliance Statement:

Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024

B) Commercial Compliance Statement

Sl. No.	Features	Requirements of BNPMIPL, Terms & conditions	Whether Agreed by the firm	Deviation, if any
1	Payment Terms	As mentioned in Sl.No.21 of Section II	Yes agreed	
2	Liquidated Damages	As mentioned in Sl.No.19 of Section II	Yes agreed	
3	Risk Purchase Clause	As mentioned in Sl No.20 of Section II	Yes agreed	
4	No. of pages	Total number of pages in Technical Bid	22	

Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024



<u> ANNEXURE -A(Part 1)</u>

*Any bidder from a country which shares a land border with India will be eligible to bid in the tender only if the bidder is registered with the Competent Authority (The Registered Committee constituted by the Department for Promotion of Industry and Internal Trade).

- Bidder means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms, or companies), every artificial judicial person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person participating in a procurement process.
- II) "Bidder from a country which shares a land border with India" for the purpose of this order means:
 - a) An entity incorporated, established or registered in such a country; or
 - b) A subsidiary controlled through entities incorporated, established or registered in such a country, or
 - c) An entity substantially controlled through entities incorporated, established or registered in such a country, or
 - d) An entity whose beneficial owner is situated in such a country; or
 - e) An India (or other) agent of such an entity; or
 - f) A natural person who is a citizen of such a country; or
 - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
- III) The beneficial owner for the purpose of (iii) above will be as under:-
 - In case of a company or limited liability partnership, the beneficial owner is the natural person (s), who, whether acting alone or together, or through one or more judicial person, has a controlling ownership interest or who exercise control through other means.

Further explanation:

a) "Controlling ownership interest" means ownership of or entitlement to more than twenty five per cent of shares or capital or profits of the company;

b) "Control" shall include the right to appoint majority of the director or to control the management or policy decision including by virtue of their shareholding or management rights or shareholder agreements or voting agreements;

- 2) In case of partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more judicial person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- 3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more judicial person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

- 5) In case of a trust, the identification of beneficial owners(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- IV) An agent is a person employed to do any act for any another, or to represent another in dealings with third person.
- V) The successful bidder shall not be allowed to sub contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.
- VI) A bidder is permitted to procure raw material, components, sub-assemblies etc. from the vendors from countries which shares a land border with India. Such vendors will not be required to be registered with the competent authority, as it is not regarded as sub-contracting.
- VII) However, in case a bidder has proposed to supply finished goods procured directly/indirectly from the vendors from the countries sharing land border with India, such vendor will be required to be registered with the competent authority.
- VIII) The registration shall be valid at the time of submission of bid and at the time of acceptance of bid.

Bidder to furnish stipulated documents is support of fulfillment of qualifying criteria. Nonsubmission or incomplete submission of documents may lead to rejection of offer.

All experience, past performance and capacity/ capability related/ data should be certified by the authorised signatory of the bidder firm. The credentials regarding experience and past performance to the extent required as per eligibility criteria submitted by bidder may be verified from the parties for whom work has been done.

Authorised Signature with stamp & date



ANNEXURE -A1

Page 17 of 22

E-Tender No: BNPM/OTE/282/2024-25 dated: 10.09.2024

(To be submitted on Company letterhead)

DECLARATION

have read the clause regarding restrictions on procurement from a bidder of a country which shares	а
and border with India. I hereby certify that, M/sis not from	n
such a country or, if from such a country, has been registered with the Competent Authority. I hereb	y
certify that M/s fulfills all requirements in the	S
regard and is eligible to be considered." (Where applicable, evidence of valid registration by th	e
Competent Authority shall be attached.)	

I, the undersigned, declare that the item originate in (Name of the country).

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----

Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024

<u>ANNEXURE – B</u>

E-Tender No: BNPM/OTE/282/2024-25 dated: 10.09.2024 (To be submitted on the letterhead)

DECLARATION

I) We do hereby declare that,

1. We do hereby declare that as on the date of submission of bid against this tender we are not in the list of ineligible/ blacklisted/ banned/ debarred entity by SPMCIL/ BRBNMPL/ BNPMIPL/any Government Agency, for participating in its tenders.

Further, we agree, in case we get blacklisted/ banned/ debarred by SPMCIL/ BRBNMPL/ BNPMIPL/any Government Agency, any time prior to finalization of tender/ contract, our bid shall not be considered for further evaluation/ award of order.

2. The director/proprietor of the bidding firm are not closely related to BNPMIPL.

In case, at any time the information furnished is found to be false, you may disqualify/ debar me/ us as deemed fit.

II) We do hereby declare that we have read and understood all terms and conditions of tender document including Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.

Signature
Name
Designation
Date
Stamp of the Organization

Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024

Page **18** of **22**

ANNEXURE C

E-Tender No: BNPM/OTE/282/2024-25 dated: 10.09.2024 (To be submitted on the letterhead)

We, the undersigned, declare that we will automatically be suspended from being eligible for bidding in any tender with Bank Paper Mill India Private Limited, Mysore for the period of 12 months, if we are withdrawing our Bid during the period of bid validity (or) fail / refuse to furnish the performance security / execute the contract, if awarded.

Signature _____

Name-----

Designation-----

Date-----

Stamp of the Organization-----

Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024



SECTION V: PRICE BID FORMAT (TO BE FILLED ONLINE THROUGH E-TENDER PORTAL)

Dear Sir,

Sub: Price bid for Supply of Patch Cord & Media Converter at BNPM Plant, Mysore

Ref: E-Tender No: BNPM/OTE/282/2024-25 dated: 10.09.2024

We have received and understood the above tender enquiry and are pleased to submit our price bid as under:

Sch. No.	Description	UOM	Qty	HSN/ SAC	Basic Unit price (INR)	P&F, Freight & Transit Insurance & any other charges(if any) per unit (INR)	Unit Price (incl. of P&F, Freight, Transit Insurance & any other charges (if any) excl.	GST (%)	GST on Unit Price (INR)	Total Unit Price (incl. of GST) (INR)	Less: Input Credit (GST) (INR)	Effective Unit Price (net of input tax credit) (F.O.R Mysore) (INR)	Total Effective price (net of input tax credit) (F.O.R Mysore) (INR)
			А		В	С	D=B+C	Е	F=D* E	G=D+F	H=F	I=G-H	J=I*A
1.	Cat 6 Cable (UTP) (As per Section III; Technical Specification)	Roll	2										
2.	Cat 6 Patch Cord – 1Mtr (As per Section III; Technical Specification)	Nos.	50										

3.	Cat 6 Patch Cord – 1/2 Mtr. (As per Section III; Technical Specification)	Nos.	50					
4.	SC-LC OFC Patch cord – 10Mtr. (As per Section III; Technical Specification)	Nos.	5					
5.	LC-LC OFC Patch Cord -10 Mtr. (As per Section III; Technical Specification)	Nos.	5					
6.	SC-LC OFC patch cord -3 Mte. (As per Section III; Technical Specification)	Nos.	30					
7.	SC-SC OFC Patch Cord -3 Mtr. (As per Section III; Technical Specification)	Nos.	5					

Tender No. BNPM/OTE/282/2024-25 dated: 10.09.2024

Page **21** of **22**

a

-													<u>.</u>
8.	12 Port LIU – Wallmount (As per Section III; Technical Specification)	Nos.	3										
9.	Gigabit Media Converter Single Mode SC-RJ45 (As per Section III; Technical Specification)	Nos.	1										
10.	Gigabit Media Converter Single Mode LC-RJ45 (As per Section III; Technical Specification)	Nos.	1										
.Total effective price (net of input tax credit) for Supply of Patch Cord & Media Converter with freight, P&F, Transit Insurance and any other charges (F.O.R – BNPM, Mysore site) in Figures (INR)												1	
Total effective price (net of input tax credit) for Supply of Patch Cord & Media Converter with freight, P&F, Transit Insurance and any other charges (F.O.R – BNPM, Mysore site) (in words) (INR)												•	

Note: Prices quoted above shall be FOR BNPM, Mysore site basis inclusive of GST, Packing & Forwarding charges, freight, transit insurance and all other charges if applicable less input GST. Effective price shall be considered for arriving the lowest responsive bidder. However, PO price shall be inclusive of all charges on DAP BNPM, Mysore.

The method of evaluation of bids for awarding the contract shall be on the basis of overall effective price quoted by the bidder(s) for delivery of material up to BNPM, Mysuru.

Page **22** of **22**